

DECEMBER 1987

FOUR  
PAGE  
CHRISTMAS  
PULL-OUT

# RADio COMmunication



Journal of the Radio Society of Great Britain





## Amcomm Christmas Bonanza!

**Terrific savings on virtually all List Prices.**  
Where service and courtesy comes naturally . . .

### HF EQUIPMENT

Before you decide . . . phone Amcomm — find out about our H.F. Xmas deal.

### HF LINEAR AMPLIFIERS

Put some power behind your signal! High Freq. amps at low, low prices!

### HANDHELD TRANSCEIVERS

Put a handy in your pocket — without burning a hole in it. Telephone for complete range!

### UHF MOBILE

Get the gen. on our latest range — Terrific savings! Phone now . . .

### UHF BASE STATIONS

Save, Save, Save — ring for Amcomm's Xmas prices!

### RECEIVERS

Sit back and enjoy listening to the world this Xmas — enjoy your saving too!

### RTTY/CW

Special Xmas prices for the enthusiast — find out why Amcomm are first in Radcom.

**Amcomm**  
— of London



FT 757



IC 761



IC 735



AL 84



AR 2002

**SUPER H.P. TERMS, AND TRADE-IN SERVICE**  
CASH IN NOW, ON OUR HUGE BUYING POWER! ENORMOUS STOCKS  
WHERE A GOOD DEAL MORE COSTS A GOOD DEAL LESS!

373 Uxbridge Road, London W3 9RN, Tel: 01-992 5765.  
Showroom and Shop opening hours 9.30-5.00pm — Closed Mondays

The Staff of Amcomm wish you a  
Happy Christmas and  
Prosperous New Year

TLX: 24263

### VHF BASE STATIONS

Ring Amcomm first and get the 'low-down' on our VHF prices!

### VHF MOBILE TRANSCEIVERS

Your No. 1 mail order selection  
— Ring for prices. 1st in Ham  
radio — 1st in Radcom.

### VHF LINEAR AMPLIFIERS

Tokyo, B.N.O.S., M.M. — Super  
selection — Super prices!

### ANTENNA COUPLERS

Tailor made precision equipment  
— to maintain your signal and  
bank balance.

### HEIL ACCESSORIES


Audio Equipment to make all the  
difference. Our prices will too!

### POWER SUPPLIES

Can you really get a better Xmas  
deal? Buy yourself a gift this  
year!

### HI-MOUND MORSE KEYS

C.W. with a difference. Tidy up  
your C.W. in '88 — Enormous  
range!



**DECEMBER 1987**

**VOLUME 63 No 12**

# RADiO COMmunication

## EDITOR-IN-CHIEF

A W Hutchinson

## Editorial assistant

A C Burrows

## Draughtsman

D E Cole

## Editorial secretary

Mrs M L Brimson

All contributions and correspondence concerning the content of *Radio Communication* should be addressed to:

### The Editor

*Radio Communication*  
Lambda House  
Cranborne Road  
Potters Bar  
Herts EN6 3JE

Correspondence concerning the distribution of the journal, and all other Society matters should be addressed to:

RSGB Headquarters,  
Lambda House,  
Cranborne Road,  
Potters Bar,  
Herts EN6 3JE

Fax 0707 45105

Business hours: 1000 to 1600

### Headline News

Tel 0707 59312 for a recording of the latest amateur radio news

Incoming news for GB2RS: Tel 0707 59260

Computer contact (1,200/75 bauds)

RSGB Data Box 0707 52242

RSGB on Prestel page 8107

## ADVERTISING

Advertisements, other than Members' Ads, should be sent to:

M J Hawkins, G3ZNI,  
RSGB Advertisement Agent  
PO Box 599,  
Cobham,  
Surrey KT11 2QE  
Tel 037 284 3955  
Fax 037 284 2863

### FRONT COVER

**CHRISTMAS IN  
TRAFALGAR SQUARE,  
LONDON**

Photo: "Britain on View" (BTA/ETB)



MEMBER OF THE AUDIT  
BUREAU OF CIRCULATIONS

36,527 copies per  
issue average  
circulation in 1986

## CONTENTS

- 899 From the secretary's office
- 900 A seasonal message from the Society's President  
Members' Mailbag
- 902 A power supply and control system for tetrode amplifiers (Part 1)  
— John Nelson, GW4FRX, and Melvin Noakes, G4JZQ
- 906 Reduction of rf breakthrough from the BBC microcomputer  
— J C Worsnop, CEng, MIEE, G2BAO
- 908 The G4DKG directional antenna for 3·5MHz  
— G Collins, TEng, AFSEET, G4DKG
- 910 Technical Topics — Pat Hawker, G3VA
- 917 Comparing simple vertical and horizontal antenna systems  
— D A Bindey, CEng, FIEE, G3JQQ
- 919 News Bulletin — John Nelson, GW4FRX, and David Gough, G6EFQ
- 939 News & Views
- HF — John Allaway, G3FKM
- 941 HF E-layer Propagation Predictions
- 943 Data Comms — Ian Wade, G3NRW
- 944 VHF/UHF — Ken Willis, G8VR
- 946 SWL — Bob Treacher, BRS32525
- Microwaves — Mike Dixon, G3PFR
- 948 QRP — George Dobbs, G3RJV
- 949 Obituaries
- 950 Club News
- 952 Contest News
- 954 Contests Calendar
- 955 Members' Ads

Technical articles on subjects of amateur interest are always welcome and should be sent to: The Editor, *Radio Communication*, Lambda House, Cranborne Road, Potters Bar, Herts EN6 3JE.

All articles received are reviewed for technical merit by the RSGB Technical & Publications Committee, or an acknowledged expert on the subject, before acceptance. Payment at high competitive rates will be made for all articles published.

A contribution will only be considered for publication on the understanding that the person submitting it is the original author and owner of the whole copyright, and that on acceptance for publication such copyright will become the property of the RSGB in consideration of the above-mentioned payment by the RSGB to the contributor.

The editor will be pleased to send intending authors a manuscript preparation guide and to give any other advice and assistance requested.

*Radio Communication* is published by the Radio Society of Great Britain as its official journal on the last Friday of each month and is sent free and post paid to all members of the Society

Closing date for contributions  
unless otherwise notified:  
five weeks before publication date

©RADIO SOCIETY OF  
GREAT BRITAIN 1987



**£215**

Prices include NiCad, charger & VAT

**£252**

## two great handhelds from KENWOOD.


Without a doubt the two new 2 metre FM handhelds from KENWOOD now represent the best value for money in amateur radio equipment today.

For the amateur who wants a simple high quality transceiver from a reputable manufacturer at a rock bottom price but still wants high output power for shack use, the TH205E is the answer. And for the operator who is prepared to pay a little more to gain additional features, the TH215E is the obvious choice. As well as the new rigs for 2 metres, KENWOOD have produced 70 centimetre versions, these are the TH405E and TH415E.

	TH205E	TH215E
<b>Frequency range</b>	144 to 146 MHz for both receivers	
<b>Power output</b>	Depending on operating voltage up to 5 watts (with standard PB2 battery pack 2.5 watts)	
<b>Operating voltage</b>	Battery terminal 6.3 to 15 volts DC Top panel jack 7.2 to 16 volts DC	
<b>Memory channels</b>	3 with quick recall	10 with quick recall
<b>Frequency stepping</b>	5 kHz	5, 10, 15, 20 or 25 kHz
<b>Battery saver</b>	Built-in battery saver extends operating life	
<b>Scan</b>	Simple band scan	Band, memory and programmable scan
<b>Size</b>	67(2.64) W x 173(6.81) H x 37(1.46) Dmm (in.)	
<b>Weight</b>	520 g (1.15 lb) with PB2 and aerial	

## TM221E & TM421E

2 metre and 70 centimetre FM mobiles  
45watts      35watts



The new KENWOOD TM221E and TM421E two metre and seventy centimetre FM mobile transceivers have been specifically designed to condense maximum performance and operating convenience into a compact package. Output power is 45 watts on two metres (TM221E) and 35 watts on 70 centimetres (TM421E). Receiver sensitivity matches the output power of the set and measures an amazing 0.141µV for 12dB SINAD (across 144-146). The figures are those given by Chris Lorek in his recent TM221E review published in the July edition of HAM RADIO TODAY.

Much discussion has taken place recently

regarding 12.5 and 25 kHz spaced frequency channels on the two metre band. With the new mobiles channel spacing is not a problem. KENWOOD with their usual attention to detail have made the frequency step user selectable. The steps available are 5, 10, 12.5, 15, 20 and 25 kHz. Once programmed either microphone up/down button or the transceivers front panel knob can be used to step the transceiver across the band. Of course should it be necessary the selected step can easily be changed.

A new orange backlit liquid crystal display gives the transceiver an amazingly clear frequency readout that can be read in the

brightest of sunlight.

The transceiver has all essential operating aids. There are 14 memory channels, each of which holds frequency, whether simplex or repeater operation is required and whether or not the tone burst is on or off. Scanning can either be memory with the ability to lock out unwanted channels or band with the scan limits set by the operator. The usual priority channel facility is also included to make sure that no call is missed. As well as showing the operating frequency the display also indicates which of the facilities are being used.

**TM221E...£317.30 inc VAT (carr. £7.00)**

**TM421E...£372.08 inc VAT (carr. £7.00)**




## LOWE ELECTRONICS LTD.


Chesterfield Road, Matlock, Derbyshire DE4 5LE

Telephone 0629 580800 (4 lines)





**TS940S** ... **Top of the range**, the TS940S has every operating feature that the discerning HF operator needs. Amateur bands from 160 to 10 metres plus a general coverage receiver tuning from 150 kHz to 30 MHz. Modes of operation are USB, LSB, CW, AM, FSK and FM. Forty memory channels, each effectively a separate VFO and easy keyboard frequency entry make operation and ownership of the TRIO TS940S a pleasure.  
TS940S ... £1995.00 inc vat, carriage £7.00.



**TS930S** ... **Much has been said and written** about the TS930S and it now has a place high in the affection of radio amateurs. Modes of operation are USB, LSB, CW, AM and FSK. Providing full coverage of the amateur bands from 160 to 10 metres and including a general coverage receiver tuning from 150 kHz to 30 MHz, the TRIO TS930S is the ideal rig for today's crowded bands.  
TS930S ... £1695.00 inc vat, carriage £7.00.



**TS440S** ... **A step forward in compact HF equipment**, the TS440S covers the amateur bands from 160 to 10 metres and is also a general coverage receiver tuning from 100 kHz to 30 MHz. It has keyboard frequency entry, full and semi break-in on CW, one hundred memories and provision for fitting an internal ATU. Modes of operation are USB, LSB, AM, FM and AFSK.  
TS440S ... £1138.81 inc vat, carriage £7.00.



**TS430S** ... **A compact HF transceiver** suitable for operation, yet having all the features of a radio communications rig. It covers the amateur bands from 160 to 10 metres and is also a general coverage receiver tuning from 100 kHz to 30 MHz. Modes of operation are USB, LSB, AM, FM and AFSK.  
TS430S ... £974.00 inc vat, carriage £7.00.

**TS430S - PRICE REDUCED TO £748**  
**SAVE £226**

## data communications equipment.

CD600 ... RTTY, CW, ASCII, TOR, AMTOR decoder, output for UHF television, monitor and printer, can also be used as Morse tutor. ... £215.14 inc vat, carriage £7.00.  
CD670 ... A higher specification RTTY, CW, ASCII, TOR, AMTOR decoder complete with liquid crystal dot matrix display, variable RTTY shift, normal/reverse mode switch, outputs for TV, monitor and printer and can also be used as Morse tutor. ... £327.77 inc vat, carriage £7.00.  
CD660 ... Similar to the CD670 but without the built-in display. ... £264.97 inc vat, carriage £7.00.



## A Christmas Message

There were shepherds abiding in the field, keeping watch over the flocks by night. And lo, the angel of the Lord came upon them, and the glory of the Lord shone about them, and they were sore afraid.

And the angel said unto them, "Fear not, for behold I bring you good tidings of great joy, which shall be to all people. For unto you is born this day, in the City of David, a Saviour which is Christ the Lord".

And suddenly there was with the angel a multitude of the heavenly host, praising God, and saying:

"Glory to God, glory to God in the highest, and peace on earth, goodwill towards men."

LUKE 2 V 6 to 14

A peaceful Christmas to our friends

## LOWE ELECTRONICS LTD.

Chesterfield Road, Matlock, Derbyshire DE4 5LE

Telephone 0629 580800 (4 lines)

RADIO COMMUNICATION December 1987



## 1300HC frequency counter.

Small enough to fit into a shirt pocket, the 1300HC frequency counter brings easy and accurate frequency measurement well within everyone's reach.

The 1300HC uses a full 8 digit display, and measures to 1300 MHz, thus being ideal for amateur as well as all mobile radio bands including cellular.

The unit contains its own rechargeable NiCd battery pack which is charged from an external supply. The frequency counter can also be powered from any 9 to 12 volt dc supply, which charges the batteries as well.

The 1300HC has excellent sensitivity, and when used with the optional telescopic whip, easily measures transmitter frequencies of mobile or handheld transceivers, even low powered "bug" devices. When used in conjunction with a simple "dip oscillator", the 1300HC makes checking tuned circuit or aerial resonance an easy task.

The high performance of the 1300HC frequency counter makes it an indispensable tool for every amateur, engineer or technician. Its small size makes it suitable for either check or "on the go" use.

Specification	
Range	..... 1-1300 MHz
Resolution	..... 100 Hz at 2.5 sec. gate 1 kHz at 350 ms gate 5 digit 0.3" LED
Display	..... MHz decimal point Leading zero blanking
Gate timer	Fast 250 ms Slow 2.5 s
Sensitivity (typical)	..... 10 MHz ..... 10-150 mV rms 10-100 MHz ..... 3-50 mV rms 1-1.3 GHz ..... 10-150 mV rms
Accuracy (typical)	..... $\pm 1 \mu\text{ppm}$ / 1 count LSD
Aging	..... $\pm 0.1 \mu\text{ppm/month}$ (typical)
Gate indication	..... Red LED during sampling
Input connector	..... BNC
Input power	..... 12 Vdc at 150 mA
Power connector	..... Centronic. Connote positive.
Case	..... Rugged anodized aluminium
Size	..... 3.91" x 3.5W" x 1.0 (inches)
Weight	..... 255 g
Power supply	..... Integral NiCd pack (supplied), or mains 12Vdc source (option)
1300HC	..... Handheld frequency counter £133.00 inc vat, cart. £3.00
Options	
PS12	..... AC mains power supply £8.50 inc vat, cart. £2.00
THC6	..... Telescopic whip £7.45 inc vat, cart. £0.50
CC12	..... Periodic carrying case £9.90 inc vat, cart. £1.00



## packet radio from KANTRONICS

**KPC2**... This KANTRONICS designed AX25 version 2 TNC features a built-in VHF and HF modem, full duplex operation and multiple connect facilities. The serial RS232 port, combined with the enhanced generic command structure allows operation with any computer.

**KPC2**... £165.00 inc vat, carriage £7.00.

**KPC4**... A KPC4 is your gateway into packet flexibility. Having two packet ports, digipeating on each port and gateway between ports, the KPC4 lets you bridge two frequencies on one band or operate cross band. The KPC4 also includes the PERSONAL PACKET MAILBOX feature.

**KPC4**... £310.00 inc vat, carriage £7.00.

**KAM**... Combine VHF packet, HF packet, CW, RTTY, ASCII and AMTOR in one unit.

**KAM**... £289.00 inc vat, carriage £7.00.



## DAIWA meters.

**CN410M**... 3.5 to 150 MHz, forward 15/150 W, reflected 5/50 W, SO239 connectors... £61.72 inc vat, carriage £1.50.

**CN460M**... 140 to 450 MHz, forward 15/150 W, reflected 5/50 W, SO239 connectors... £65.40 inc vat, carriage £1.50.

**NS448** with remote head... 900 to 1300 MHz, forward 5/60 W, reflected 1.6/6.6 W, N type connectors... £86.60 inc vat, carriage £2.50.

**NS660P** with switchable remote reading (average, normal PEP and hold PEP) and provision for optional remote head (U66V), 1.8 to 150 MHz,

forward 15/150/1500 W, SO239 connectors... £115.00 inc vat, carriage £2.50.

**U66V** remote head, 140/525 MHz, max 300 W, N type connectors... £55.27 inc vat, carriage £1.50.

**SC20** extension cable for U66V, approx 20 metres long... £25.21 inc VAT, carriage £1.50.

CN410M

NS660P

NS448

CN460M

## LOWE SHOPS

**In Glasgow,**  
the shop manager is Sim, GM3SAN,  
the address, 4/5 Queen Margaret Road, off Queen Margaret Drive,  
Glasgow, 041-945 2626.

**In the North East,**  
the shop manager is Hank, C3ASM,  
the address, 56 North Road, Darlington, 0325 486121.

**In Cambridge,**  
the shop manager is Tony, G4NBS,  
the address, 162 High Street, Chesterton, Cambridge, 0223 311230.

**In Cardiff,**  
the shop manager is Carl, CW0CAB,  
the address, c/o South Wales Carpets, Clifton Street, Cardiff,  
0222 464154.

**In London,**  
the shop manager is Paul, G4PTI,  
the address, 223/225 Field End Road, Easington, Middlesex, 01-429 3266.


**In Bournemouth,**  
the shop manager is Colin, G3XAS,  
the address, 27 Gillam Road, Northbourne, Bournemouth, 0202 577760.

**LOWE ELECTRONICS SHOPS** are open from 9.00am to 5.30pm Tuesday to Friday and from 9.00am to 5.00pm on Saturday. Shop lunch hours vary and are limited to suit local needs. For exact details, please telephone the shop manager.

## LOWE ELECTRONICS LTD.

Chesterfield Road, Matlock, Derbyshire DE4 5LE

Telephone 0629 580800 (4 lines)





# CUSHCRAFT—BUTTERNUT—MFJ

## FULL RANGE OF HY-GAIN ANTENNAS & ROTATORS

AVAILABLE DECEMBER 1987

### BUTTERNUT ANTENNAS

#### Verticals

HF6V	6 Band 26ft high	159.00
HF2V	80/40M 32ft high	142.00
A18-24	HF6V 17/21M add on kit	30.99
STR11	HF6V Stub Tuned Radial Kit	33.49
MPS	HF6V Mounting Post Sleeve	5.99
20MRK	HF2V 20M add-on Kit	33.49
30MRK	HF2V 30M add-on Kit	33.49
TLK	HF2V Top-Loading Kit	13.84
RMK-11	HF2/6V Roof Mounting Kit (includes radials and tripod lower)	51.49
T2	Tripod Tower 2ft Roof Mounting	14.79
TBR-160SHF2/6V	160M add-on Kit	53.99
SC3000	30-512 MHz Scanner Ant	63.99
2MCV	2M Colinear 9.8ft 3db gain	53.99
2MCV-5	2M Colinear 15.75ft 5db gain	63.99

#### Compact HF Beam

HF4B	10-12-15-20M Butterfly (wingspan 12'6" Boom 6')	235.00
------	--	--------

### CUSHCRAFT ANTENNAS

#### Multiband Beams

A3	3 Element 20-15-10M	262.89
A4	4 Element 20-15-10M	353.35
A743	Add-on Kit for A3 giving 40M or 30M	90.39
A744	Add-on Kit for A4 giving 40M or 30M	90.39

#### Monoband Beams

10-3CD	3el 10M	115.04
10-4CD	4el 10M	131.48
15-3CD	3el 15M	139.70
15-4CD	4el 15M	147.92
20-3CD	3el 20M	238.31

20-4CD	4el 20M	328.71
40-2CD	2el 40M	349.95

#### Verticals

AP8	8 Band 25ft high	164.35
AV5	5 Band 25ft high	123.26

#### VHF Antennas

124WB	4el 2M w/Band Beam	36.98
ARX450B	435-450MHz Vertical	42.73
ARX2B	134-164MHz Vertical	42.90

#### Lightening Arrestors

LAC1	PL259 to SO239	6.58
LAC2	PL259 to PL259	6.58

### MFJ ENTERPRISES

#### Antenna Tuners

MFJ989B	3KW Roller Inductor built-in dummy load. Cross needle SWR/PWR meter, 6 way antenna switch and built-in balun	368.16
MFJ962B	1.5KW Versatuner MK III. Cross Needle SWR/PWR Meter, Built-in balun	241.95
MFJ949C	300W Deluxe Versatuner built-in dummy load, cross needle SWR/PWR meter, 6-way switch and balun	157.75
MFJ941D	300W Built-in SWR/PWR Meter, 6 way switch and balun	105.13
MFJ901B	200W Versatuner	63.07
MFJ16010	Random Wire Tuner	42.02
MFJ1701	6-way Antenna Switch 2KW SSB	30.72
MFJ910	Mobile Antenna Matcher	20.42

#### Accessories

MFJ250	1KW Dummy Load (Less Oil)	50.66
MFJ260	300W Dummy Load	28.35
MFJ1274	Packet Radio Terminal (with tuning indicator)	203.73
MFJ1224	RTTY/ASCII/AMTOR/CW computer interface Vic 20, TRS80, apple, CBM 64	111.82


MFJ1225	Universal Receiver only version of above	78.25
MFJ752C	Dual Tunable SSB/CW Filter with peak/North	104.16
MFJ723	CW Filter Switchable 80 to 180Hz	52.04

#### Noise Bridges

MFJ204B	Built-in RF Generator up to 30MHz and 500 ohms impedance	84.12
MFJ202B	RF Noise Bridge measures resonance and reactance to 100MHz	63.10

#### Wattmeters/SWR Meters

MFJ840	2M Power Meter 5W, 50 Ohms Load built-in (BNC Connector)	20.97
MFJ841	2M In Line 5W BNC Conn. Switchable SWR/PWR	42.02



**HRS** HRS ELECTRONICS LTD (Communications Division)  
We would like to appoint a dealer in South Wales  
For further info., ring Alan McDonald 021-771 2525

**ALL PRODUCTS AVAILABLE**

**ONLY FROM THE FOLLOWING AUTHORISED DEALERS**

ALYNTRONICS	091 276 1002	PNP COMMUNICATIONS	0273 514761
AUDIO & DOMESTIC SPARES	0624 815889	STEPHENS JAMES	0942 676790
JAYCEE ELECTRONICS	0592 756962	TYRONE AMATEUR ELECTRONICS	0662 42043
K W COMMUNICATIONS	0634 815173	RAY WITHERS COMMUNICATIONS	021 421 8201
PHOTO ACOUSTICS			0908 610625

# ICOM

# THE NEW



## IC-761, HF TRANSCEIVER with General coverage receiver.

The new ICOM IC-761 H.F. Transceiver has many features making it probably the best top of the line Amateur transceiver available today. This all mode transceiver features an internal tuning unit and A.C. power supply. The A.T.U. boasts a 3 second band selection and tune up with a VSWR matching of less than 1.3:1. For the serious operator the 100kHz-30MHz general coverage receiver and 105dB dynamic range make it ideal for DX chasing. Frequency selection is by the main VFO or via the front panel direct access keypad. And for when reception is difficult, pass band tuning, I.F. shift, notch filter, noise blanker, pre-amp and attenuator should enable you to copy even those weak DX stations whether amateur or broadcast. The C.W. operator will appreciate the electronic keyer, 500Hz filter and full break in (40wpm) other filter options are available. The IC-CR64 high stability crystal is standard as is the CI-V communications interface for computer control. Twin VFO's and split mode for cross band contacts, the IC-761 features program scanning, memory scan and mode select scan and the 32 memories can store frequency and mode. The transceivers operating system is held permanently in ROM and is not dependant upon the lithium battery. The cell is used for memory back up only. A new style meter gives P.O., A.L.C., IC, VC, COMP and SWR readings.

**Icom (UK) Ltd.**

Dept RC, Sea Street, Herne Bay, Kent CT6 8LD. Tel: 0227 363859. 24 Hour.



Count on us!

# FACE OF HF.

You can count on Icom HF Transceivers to give superior performance, take a close look at the Icom range and see for yourself. Authorised dealers throughout the U.K.



## IC-751A.

### Features:

- All mode.
- 100kHz-30MHz General Coverage Receiver.
- 100 watts.
- 12v Operation.
- 105dB Dynamic Range.
- 32 Memories.
- Electronic Keyer.
- Full Break In (40wpm).
- 500 Hz CW Filter.
- HM36 Microphone.



## IC-735.

- Small Compact Size.
- 100kHz-30MHz General Coverage Receiver.
- 100 watts.
- 105dB Dynamic Range.
- FM Standard.
- 12v Operation
- Large LCD Readout.
- 12 Memories.
- CI-V Communications Interface
- HM12 Microphone.

### STOP PRESS.

Later in 1988 Icom are launching a terrific new HF transceiver, similar in size to the IC-735 but simpler to operate. This new HF rig is also realistically priced and aimed at a large section of Ham operators. The introduction of this new HF transceiver emphasises Icom's positive approach to market requirements.

**Helpline:** Telephone us free-of-charge on 0800 521145, Mon-Fri 09.00-13.00 and 14.00-17.30. This service is strictly for obtaining information about or ordering Icom equipment. We regret this cannot be used by dealers or for repair enquiries and parts orders, thank you.

**Datapost:** Despatch on same day whenever possible.

**Access & Barclaycard:** Telephone orders taken by our mail order dept, instant credit & interest-free H.P.

# ICOM



## VHF/UHF FM Handportables

If you want a handheld with exceptional features quality built to last and a wide variety of interchangeable accessories, take a look at the ICOM range of FM transceivers, all ICOM handportables come with a nicad battery pack, AC wall charger, flexible antenna and wrist strap.

### Micro 2E/4E

These new micro-sized 2 metre and 70 centimetre handportables give the performance and reliability you come to expect from ICOM. Measuring only 148 x 50 x 30 the Micro fits in your pocket as easily as a cassette tape. The Micro 2E/4E feature scan up/down tuning system for quick frequency adjustments, 10 programmable memories, a top panel LCD readout, up to 2.5 watts of output (optional).

### IC-2E 2 metre Thumbwheel Handportable

This popular handheld from ICOM is still available.

For those amateurs who require a straightforward and effective FM transceiver the IC-2E takes some beating. Frequency selection is by means of thumbwheel switches (with 5Khz up switch) simplex or duplex facility. Power output is 1.5 watts or low 150 milliwatts (2.5 watts possible with BP5A battery pack).

### IC-02E/04E 2 metre and 70cm Keypad Handportable

These direct entry CUP controlled handhelds utilise a 16 button keypad allowing easy access to frequencies, memories and scan functions. Ten memories store frequency and offset, these handhelds have an LCD readout and power outputs is 2.5 watts or low 0.5 watt. 5 watts is possible with the IC-BP7 battery pack or external 3.8v DC.

### IC-12E 23cm Handportable

Similar in design and style to the 02E/04E this 1296Mhz handheld utilises ICOM's experience in GHZ technology, gained by the excellent IC-1271E base station. Power output is 1 watt from the standard BP3 nicad pack, external 13.8v DC powering is available to the top panel jack. With the growing number of repeaters on 23cm. The IC-12E makes it an ideal band for rag chew contacts.

ALSO AVAILABLE FOR ICOM HANDPORTABLES ARE A LARGE RANGE OF OPTIONAL EXTRAS INCLUDING A VARIETY OF RECHARGEABLE NICAD POWER PACKS, DRY CELL BATTERY PACKS, DESK CHARGERS, HEADSET AND BOOM MIC, LEATHERETTE CASES AND MOBILE MOUNTING BRACKETS.



**Icom (UK) Ltd.**

Dept RC, Sea Street, Herne Bay, Kent CT6 8LD. Tel: 0227 363859. 24 Hour.

# Count on us!

## IC-28E, 2m FM Mini-mobile.

This 2 metre band transceiver is just 140mm (W) x 50mm (H) x 133mm (D) and will fit nearly anywhere in your vehicle or shack. Power output is 25 watts or 5 watts low power and is supplied complete with an internal loudspeaker.

The large front panel LCD readout is designed for wide angle viewing with an automatic dimmer circuit to control the back lighting of the display for day or night operation.

The front layout is very simple, all the controls are easy to select making mobile operation safe. The IC-28E contains 21 memory channels with duplex and memory skip functions. All memories and frequencies can be scanned by using the HM-15 microphone provided. Also available is the IC-28H with the same features but with a 45 watt output power.

Options include IC-PS45 13.8v 8A power supply, SP8 and SP10 external speakers, HS15 flexible mobile microphone and PTT switchbox.



## IC-3200E, Dual-band transceiver.

If you are a newly licensed or just undecided about which band to first operate, then the ICOM IC-3200E is just the answer. This is a dual-band (144-146/430-440MHz) FM transceiver ideally suited for the mobile operator. The IC-3200E has a built in duplexer and can operate on the antenna for both VHF and UHF, and with 25 watts of output power on both bands (the low power can be adjusted from 1 to 10 watts) you can never be far from a contact whether simplex or 2m/70cm repeater.

The IC-3200E employs a function key for


low priority operations to simplify the front panel and a new LCD display which is easy to read in bright sunlight, 10 memory channels will show operating frequencies simplex or duplex, and four scanning systems memory, band, program and priority scan.

## IC-48E, 70cm FM Mini-mobile.

This 70cm band transceiver is so small that it will fit almost anywhere in your vehicle or shack. Power output is 25 watts or 5 watts low, the IC-48E is supplied complete with an internal loudspeaker. The large front panel LCD readout is designed for wide-angle viewing with an automatic dimmer circuit to control the back lighting of the display for day or night operating. The front panel of the IC-48E is straightforward to make mobile operation safe and easy. The IC-48E contains 21 memory channels with duplex and memory skip functions. All memories and frequencies can be scanned by using the HM15 hand mic provided.

IC-48E options include the PS45 13.8V, 8 amp power supply, SP8 and SP10 external loudspeakers, HS15/SB mobile flexible microphone and PTT switchbox.

Why not try 70 cms as a serious alternative to the 2 metre band, you might be amazed at what can be achieved. For more information contact us or your local ICOM dealer.



**Helpline:** Telephone us free-of-charge on 0800 521145, Mon-Fri 09.00-13.00 and 14.00-17.30. This service is strictly for obtaining information about or ordering Icom equipment. We regret this cannot be used by dealers or for repair enquiries and parts orders, thank you.

**Datapost:** Despatch on same day whenever possible.

**Access & Barclaycard:** Telephone orders taken by our mail order dept, instant credit & interest-free H.P.



# ALINCO ARRIVES IN UK!

The ALINCO range of amateur radio products represents tremendous value. Their products have been available in Japan for over 10 years. Now you can buy them

## 2M ALR22E FM MOBILE



- ★ 25 Watts FM
- ★ 21 Memories

The exciting new ALINCO mobile is superb value for money. Complete with up/down microphone; mobile mount and all hardware. Measures only 5.5" x 1.5" x 6.5" That's small! Full 12 months warranty etc.

**£269!**

## 2M MICRO HANDHELD

- ★ 3 Watts FM
- ★ Memory Channel
- ★ Battery Save
- ★ Smallest in World

**£199!**

ALX-2

The diminutive size of this transceiver and features will amaze you. Thumbwheel frequency selection, 600KHz repeater shift, toneburst etc. Supplied complete with battery pack AC mains charger, and whip aerial. And size? 2.3" x 0.9" x 4.7".



## 2M HAND-HELD

- ★ 3/5 Watts FM
- ★ 10 Memories
- ★ Battery Saver
- ★ S-meter

**£229!**

ALM203E


The new ALINCO hand-held has a host of features. 150-160MHz Rx, Full program scan, Real S-meter, 12.5KHz steps, 100mW low pwr, Detachable batt. pack, AC mains charger, Flex antenna, Lithium back up, etc. Great value and great performance.



## DUAL BANDER


- ★ 2M/70cms
- ★ 25 Watts
- ★ Full Duplex
- ★ Built-in Diplexer/Dual VFO
- ★ Small size/21 memories

**£449!**



This rig looks like starting a revolution in mobile FM. About the size of many 2m rigs (5.5" x 2" x 6.5") and represents a massive saving on separate 2m/70cm rigs. A host of features include Large back-lighted LCD display, Tuning by up/down mic. or conventional front panel knob, Single RF socket with built-in duplexer, Priority channels, Programmable scanning, Lockout, 12.5 or 25KHz steps, tone-burst, repeater off-set, mobile mounting bracket etc.

## SCANNING AERIALS



CLP5130 (illustrated)

105-1300MHz  
13.5dB fwd gain  
15dB F/B ratio  
Length 4.5ft  
Receive & Transmit  
"N" socket conn.  
Vertical or Horizontal  
£82.00 post £3.00

D130N

26-1300MHz  
Omni-directional  
Receive & Transmit  
Height 6ft approx  
50ft coax supplied  
2" mast fitting  
Corrosion proof.  
£82.50 post £3.00

## NEW!

### W510

- ★ Up to 5 KW!
- ★ 1.6-30MHz
- ★ RMS/PEP

This new VSWR Meter is ideal for the HF station where linears are in use and accurate pep readings are needed. Fully automatic power readings both RMS & PEP. PRICE £79 p&p £2.00



## WELZ "REVEX" METERS

### W570

- ★ 1.6-1300MHz
- ★ RMS/PEP
- ★ 0-200 Watts

Here's a VSWR meter that covers every band from 160m-23cms! It also has remote sensor and "N" sockets. Highly accurate and automatic power readings. PRICE £119.00 p&p £2.00



## UK'S BEST FREQUENCY GUIDES

### UK LISTENERS CONFIDENTIAL FREQUENCY LIST

Everything you have ever wanted to know about stations between 1.6 & 30MHz. Includes aviation, marine, military, press, broadcast and more. Not an import, but a proper UK written book of 130 pages.

Price £5.95 + 90p post

### COMPLETE GUIDE TO VHF/UHF FREQUENCIES 26-1300MHz

Now you can learn exactly where all the main users of this spectrum are located. It includes all emergency services, aviation, civil & military, pmr, telephones, cellular, and many other services including duplex splits.


Price £4.95 + 90p post

### VHF/UHF AIRBAND FREQUENCY GUIDE

A complete list of aviation frequencies of civil & military users. A proper manual with text and photos and free supplement of the latest changes. Don't waste money on cheap photo sheets, get the proper book at this bargain price.

Price £5.95 + 90p post

## SONY COMMUNICATIONS



### ICF 2001D

7600DS	AM/SSB Pocket size 150KHz-30MHz	£169.00
2001D	AM/USB/LSB all band + Airband VHF	£329.00
AIR-7	108-174MHz hand-held plus b'cast	£247.00
PRO80	HF/VHF AM/SSB handheld plus b'cast	£329.00
AN-1	Active antenna for 7600/2001	£49.00
AN-3	VHF antenna with 50ft coax	£45.00
ACD-4	Mains AC adaptor Air/PRO 80	£16.95
BP23	Ni-cad battery pack as above	£16.95
DCC-12A	DC car adaptor all models	£19.95

**FREE 24 HOUR DELIVERY ON SONY OVER £100**  
We are appointed UK stockists with Warranty facilities. Not all dealers are!

## NEW BOOK

### THE SECRET OF LEARNING MORSE

By Mark Francis

A no nonsense look at the problems of learning Morse Code with plenty of advice and tips that will help all students. Unlike any other book written before, it tells you how you can learn Morse code quickly and easily. Many of the myths and mysteries are exposed and there is masses of information including tests you can set yourself.

Price £4.95 post 90p

**WATERS & STANTON**

RETAIL & MAIL ORDER:- 18-20, Main Road, Hockley, Essex SS5 4QS  
Tel: (0702) 206835. 204965  
RETAIL ONLY:- 12, North Street, Hornchurch, Essex RM11 1QX.  
Tel: (04024) 44765  
Visa and Access by telephone, 24hr Answerphone.



# South Midlands Co

S M HOUSE, SCHOOL CLOSE, CHANDLERS FORD INDUSTRY EST

Opening hours showroom 8.45 pm-5.15 pm Monday-Thursday, 8.45-5.00




## UNREPEATABLE BARGAIN OFFER



### FT726R(2)

### £699 inc VAT



The world's best known VHF/UHF/satellite multimode base station is still making its mark with dedicated VHF DX'ers. You choose the plug-in RF Modules for the bands you want to use. Up to three bands can be installed at once for cross-band operation or pushbutton band selection, and RF Modules can be easily changed for even further expansion at a later date. The 70cm modules include GaAs FET receiver preamplifiers.

Sideband selectable SSB, FM and CW are all included, with dual synthesized VFOs tuning 20Hz/step, plus an independent FM channel tuning knob with the standard channel steps of your area. All repeater operating functions are provided, including reverse shift and programmable odd split memory. A speech processor is included for SSB, and for CW, an optional 600Hz narrow filter is available for selectable CW narrow operation. An excellent IF shift system is provided, plus Yaesu's super IF width system; first time ever in a VHF/UHF transceiver!

All memories store mode (as well as band, of course), and can be scanned for busy or clear, pause or stop - even when on different bands. Programmable limited band scan between memories, and priority channel checking functions are also included. Every conceivable memory/VFO data exchange function is provided, and all memories plus the VFOs are backed up by a lithium battery.

With the optional plug-in satellite IF unit installed, full duplex cross-band capability is provided, with independent tuning, mode selection and indicators, and meter functions for transmit and receive. With just this rig and good antennas you have the finest amateur satellite earth station available.

430/726 70 cms UNIT £199  
50/726 6m UNIT £249

SAT/726 SAT UNIT £59  
21/24/28 HF UNIT £269

### COMPARE THE COMPETITION!

The FT726R 2m base station, at only £699, is £240 cheaper than its nearest rival. Add 70cms at £199, you now have 2m & 70cms capability for less than the oppositions 2m bases.

**WITH 12 MONTH WARRANTY & FREE FINANCE AVAILABLE**

NEW  
FT2311R  
£499 inc

### BEST VALUE ON 2M & 70CMS

- ★ 45(35)\*(10)<sup>5</sup>/5(4)\*(1 or 5)<sup>5</sup>W RF OUTPUT
- ★ Easy 'one touch' push button operation
- ★ Reversible sloped front panel
- ★ Large green easy to read LCD
- ★ Ten memories (independent Tx & Rx)
- ★ Switchable 12.5/25kHz steps
- ★ Priority channel monitoring
- ★ C/w Hand mic and mobile mounting bracket

#### OPTIONAL ACCESSORIES

SP55	External Speaker.....	£19.55
YH1	Headset (C/W Mic).....	£19.99
SB10	PTT Switch Unit.....	£22.00
MH 10F8	Speaker/Mic.....	£25.00
MH 14A8	Speaker/Mic (C/W Tone Burst).....	£23.00
MH 1A3B	Boom Mic (Via SB10).....	£25.00

**THE FT211RH,  
THE FT711RH and  
THE NEW FT2311R**



\*FT711RH  
\$FT2311R

FT211RH  
and FT711RH  
ONLY £349.00 inc

**BIRMINGHAM**  
SMC (Birmingham)  
504 Alton Road Road,  
Alton Road, BIRMINGHAM  
021-327 1497 6313  
Tue-Fri 9.00-5.00  
Sat 9.00-4.00

**LEEDS**  
SMC (Leeds)  
Hayhill Lane,  
Industrial Estate  
Leeds LS9 6JE  
Leeds (0532) 356605  
9.30 Mon-Sat

**CHESTERFIELD**  
SMC (Chesterfield)  
102 High Street  
New Whittington  
Chesterfield  
Chesterfield (02461) 453340  
9.30 5.30 Tue-Sat

**BUCKLEY**  
SMC (Buckley)  
Unit 27, Pinfold Lane  
Buckley, Cheshire  
Buckley (0244) 549563  
10.5 Tue-Wed, Fri  
10.4 Sat

**JERSEY**  
SMC (Jersey)  
1 Belmont Gardens  
St Helier, Jersey  
Jersey (0534) 77067  
9.5.30 Mon-Sat  
Closed Wednesday

**N. IRLAND**  
SMC (N. Ireland)  
10 Ward Avenue,  
Bangor, CO Down  
Bangor (02471) 271875

**AXMINSTER**  
Reg Ward & Co Ltd,  
1 Western Parade,  
West Street,  
Axminster, Devon EX13 5NY  
Axminster (02971) 34918  
9.00-5.30 Tue-Sat

AGENTS: JOHN DOYLE, TRANSWORLD COMMS, NEATH (0639) 52374 DAY (0639) EVE DAVID STENNING G4JA, LOUTH (0507) 604967  
JACK McVICAR, SCOTCOMMS, EDINBURGH 031 657 2430

## ! 2 YEAR GUARANTEE !



# Communications Ltd. - YAESU

ATE, EASTLEIGH, HAMPSHIRE SO5 3BY TEL 0703 255111 TLX 477351 SMCMM G  
om Friday, 9.00 am-1.00 Saturday. Service 9.00-5.00 Monday, Closed Sat.

OFFICIALLY APPOINTED  
SOLE U.K. DISTRIBUTOR




WOULD LIKE TO WISH ALL OUR CUSTOMERS OLD AND  
NEW A VERY HAPPY CHRISTMAS AND PROSPEROUS NEW YEAR

## THE BRAINS AND THE BRAWN

### THE BRAINS OF THE OPERATION: THE FT-767GX

Features include 160 to 10 metre transmit, including WARC bands. Optional plug-in modules for 6-metre, 2-metre and 70-cm operation. Receiver coverage from 100KHz to 30MHz. AM, FM, SSB, CW, AFSK modes built in. Ten memories that store frequency, mode. Dual VFOs with one-touch split frequency capability. Digital SWR meter. Digital RF power meter. Built-in RF preamplifier. Adjustable drive level from 0 to 100 watts.

Up to 30 minutes continuous transmit (100% duty cycle). Quick turnaround time from TX to RX for AMTOR, Packet, and QSK CW. AGC slow/medium/fast/off selection.



**FT767GX RRP £1550 inc VAT**




### THE MUSCLE TO GET YOU OUT: THE FL-7000

This solid-amplifier covers 160 to 10 metres, and includes a built-in power supply, automatic tuner and lots of powerful operating features.

There's fast turnaround time for break-in (QSK), CW, HF, packet, radio, and AMTOR. Only 70 watts excitation for full output, and 1200 watts PEP input power. Automatic antenna matching sensor turns off amplifier and rematches tuner circuitry if SWR rises above 2:1. Hands-free automatic band change when used with FT-767GX, FT-757GX or FT-980. Connection to up to four antennas, including automatic selection via optional unit.

**FL7000 RRP £1600 inc VAT**

**AMAZING  
BARGAIN OFFER**



**2M & 70CMS  
MOBILES  
NOW ONLY  
£199 inc VAT**

- ★ Programmable step sizes 2.5kHz to 40kHz
- ★ Priority function monitors call channel
- ★ Speed button for increased tuning speed
- ★ Full repeater splits with reverse facility
- ★ Programmable band scan limits
- ★ Lithium back up for memory & CPU

- ★ 2m or 70cms COMPACT MOBILES (FM only)
- ★ 25/5W O/P on 2m or 10/1W O/P on 70cms
- ★ 16 Programmable Memories plus Call
- ★ 4 Scanning Modes Skip, Carries, Auto & Delay
- ★ Unique MMI (Man Machine Interface) System
- ★ Large Easy to Read LCD Display

**90 DAY WARRANTY ONLY DUE TO AMAZINGLY LOW PRICE**

### FREE FINANCE . . .

On many regular priced items SMC offers  
Free Finance (on invoice balances over £120)  
20% down and the balance over 6 months or  
50% down and the balance over a year  
You pay no more than the cash price!  
Details of eligible items available on request.

### FREE S.M.C. SERVICE INTERLINK DELIVERY . . .

Free Interlink delivery on major equipment  
Small items Plugs, Sockets, etc. by post £1.75  
Antennas, Cables, Wires & larger items Roadline up to  
£5 Interlink delivery available, upon request, for items  
other than radios from £7.30 depending on weight  
Same day despatch whenever possible

### GUARANTEE

Importer warranty on Yaesu/Marven products  
Adequately staffed and equipped Service Department  
Daily contact with the Yaesu/Marven factory  
Tens of thousands of spares and test equipment  
Twenty five years of professional experience  
● 2 years warranty on regular priced Yaesu products

**! FREE FINANCE !**



# A CATALOGUE SELECTION

## P.S.U.'s

### NEW FROM



A range of 12VDC power supplies to suit all needs. Specially manufactured to the highest quality using only the best in components and materials. With a choice of either 4.8 or 26A continuous output (6, 10 & 35A surge handling) these P.S.U.'s are built to stand the rigours of everyday operation. Both the 8 and 25A units are fitted with overvoltage protection.

All the above power supplies are keenly priced and are available from all leading retail outlets.

3A only £19.95 inc VAT £2.50  
8A only £59.95 inc VAT £3.50  
25A only £175.00 inc VAT £6.50

## JAYBEAM VHF

Want the best, then why not buy Jaybeam. High quality materials and heavy duty construction for long maintenance free life.

JAYBEAM 2 METRE			
HD/2M	Halo fixed only	0dBd	£7.13 £1.85
HM/2M	Halo with 2d mast	0dBd	£8.34 £1.85
C5/2M MK2	Collinear vert. omni	4.8dBd	£89.70 £2.85
LWS/2M	Yagi 5 element	7.8dBd	£17.31 £2.85
LW8/2M	Yagi 8 element	9.5dBd	£21.85 £2.85
LW10/2M	Yagi 10 element	10.5dBd	£28.23 £2.85
LW16/2M	Yagi 16 element	13.4dBd	£42.44 £3.65
PBM10/2M	Parabeam 10 ele	11.7dBd	£55.20 £3.65
PBM14/2M	Parabeam 14 ele	13.7dBd	£68.08 £3.65
Q4/2M	Quad 4 element	9.4dBd	£35.31 £2.85
Q6/2M	Quad 6 element	10.9dBd	£46.28 £2.85
Q8/2M	Quad 8 element	11.9dBd	£57.79 £2.85
D5/2M	Yagi 5/5 slot	10.00dB	£30.82 £2.85
D8/2M	Yagi 8/8 slot	11.1dBd	£42.38 £2.85
5XY/2M	Yagi 5 ele cross	7.8dBd	£33.41 £2.85
8XY/2M	Yagi 8 ele cross	9.5dBd	£43.01 £2.85
10XY/2M	Yagi 10 ele cross	10.8dBd	£53.94 £2.85
PMH2/C	2 way harness circ. polar.		£12.82 £1.85
PMH2/2M	2 way harness 144MHz		£14.15 £1.85
PMH4/2M	4 way harness 144MHz		£35.25 £1.85

JAYBEAM 70 CENTIMETRES			
C8/70 MK2	Collinear vert. omni	6.1dBd	£95.68 £2.85
D8/70	Yagi B/8 slot	12.3dBd	£31.51 £2.85
PBM18/70	Parabeam 18 ele	13.1dBd	£38.53 £2.85
PBM24/70	Parabeam 24 ele	15.1dBd	£51.41 £2.85
LW24/70	Yagi 24 element	14.8dBd	£33.35 £2.85
MBM28/70	Multibeam 28 ele	11.5dBd	£25.70 £2.85
MBM48/70	Multibeam 48 ele	14.0dBd	£42.44 £2.85
MBM88/70	Multibeam 88 ele	16.3dBd	£57.96 £2.85
8XY/70	Yagi 8 ele cross	10.0dBd	£50.14 £2.85
12XY/70	Yagi 12 ele cross	12.0dBd	£61.64 £2.85
PMH2/70	2 way 432MHz harness		£13.46 £1.85
PMH4/70	4 way 432MHz harness		£27.60 £1.85

JAYBEAM 6M/4M			
4Y4M	4 ele 4M yagi		£36.53 £2.85
4Y6M	4 ele 6M yagi		£48.88 £2.85
DB4	4m/6m DUBBANDER 4ELE		£115.00 £4.00

All prices include VAT @ 15%.  
Carriage extra, mainland rate shown.

## Oscar VHF/UHF

### HF, VHF, UHF ANTENNAS MOBILE VERTICALS

SMC-HS Mobile Elements, tabulated below, feature an inbuilt PL259M connector, which mates with the SO239M on any of the four standard mounts. This arrangement is ideal for easy removal—band changes, comparative test, car wash, anti-vandal, system checks from the feed point, portable operation and for ease of gauging etc. All models have fold over bases (either lift and lay or locking collar) except the 788 which has an inbuilt ball in case the mount must be lifted askew.



SMC  
78F




SMC258

GCD

SMC-HS MOBILE ANTENNAS			
SMC62P2/PL	Telescopic 2M PL259 fitting	£ 6.33	P&P 0.85
SMCT14d h	Telescopic 2M 1 wave BNC	13.50	0.85
SMC62P2/ BNC	Telescopic 2M BNC fitting 1x	7.94	0.85
SMC2H/PL	Helical 2M PL259 fitting	6.33	0.85
SMC2H/8NC	Helical 2M BNC fitting	7.94	0.85
SMCHS430S	70cm 1 wave BNC 2.5dB	9.75	0.65
SMC20W	2M 1 wave 0dB 1.6'	3.15	1.85
SMC2ME	2M 1 wave 3.0dB	13.95	2.00
SMC2VF	2M 1 wave fold 3.0dB 3.5'	16.13	2.00
SMC78F	2M 1 wave fold 4.5dB 5.7'	23.95	2.50
SMC78B	2M 1 wave ball 4.5dB 5.7'	23.95	2.50
SMC78SF	2M 1 wave short 4.7'	22.95	2.50
SMC88F	2M 8/8 wave 5.2dB 6.5'	24.10	2.50
SMC258	70cm 2 x 1 fold 5.5dB 3.1'	29.37	2.00
SMC268E	70cm 2 section colinear 6dB	32.80	2.00
SMC358	70cm 3 x 1 fold 6.3dB 4.7'	33.73	2.00
SMC70N2M	Dual band 2M 70cm	24.95	2.00
70N2DX	Dual Band 2m & 70cms	37.75	2.00
72S/M	Dual Band 2m & 70cms	11.35	2.00
SMCHS770	144/432 Duplex 50W	24.95	1.85
SMC15SE	15M 1.72M 130W PEP	16.85	2.50
SMC10SE	10M 1.72M 200W PEP	16.95	2.50
SMC17SE	17M 1.915M 200W PEP	18.75	2.50
SMC12SE	12M 1.915M 200W PEP	16.85	2.50
RSL-28B	Yaesu 10M mobile whip	8.50	2.00
SMCGCCA	Gutter clip & mtr cable	14.25	2.00
SMCSDCA	Cable assembly 4M PL259	6.90	1.50
SMCSDCAL	Cable assembly 6M PL259	7.20	1.50
SMC50CALLR	Cable assembly 5M PL259	8.60	1.50
SMCRDL	Roller, 10mm thick 100 above	1.15	0.50
SMCTMCAS	Trunk mount c/w 6M cable	12.25	2.00
HDTMCA	HD trunk mount c/w 5M cable	16.85	2.00
SMCSOMM	Magnetic base c/w 4M cable	12.75	2.00
SMCSOWM	Adjustable wing mount base	6.00	0.90
SMCGCD	Gutter clip deluxe	6.45	1.50
SMCBSD	Bumper strap deluxe	11.50	1.50

SOMM



HS770

NB: PRICES INCLUDE VAT AT 15%

## BNOS & MET

### VHF LINEAR AMPS

#### B.N.O.S.

1PM144-3-50	2m 50W out 3W in	145.00
1PM144-10-50	2m 50W out 10W in	145.00
1PM144-1-100	2m 100W out 1W in	275.00
1PM144-3-100	2m 100W out 3W in	275.00
1PM144-10-100	2m 100W out 10W in	205.00
1PM144-3-120	2m 180W out 3W in	355.00
1PM144-10-180	2m 180W out 10W in	355.00
1PM144-25-180	2m 180W out 25W in	305.00
1PM432-1-50	70cms 50W out 1W in	255.00
1PM432-3-50	70cms 50W out 3W in	255.00
1PM432-10-50	70cms 50W out 10W in	215.00
1PM432-3-100	70cms 100W out 3W in	315.00
1PM432-10-100	70cms 100W out 10W in	355.00
1PM432-25-100	70cms 100W out 25W in	355.00
LPM50-3-50	6m 50W out 3W in	175.00
LPM50-10-50	6m 50W out 10W in	175.00
LPM50-10-100	6m 100W out 10W in	235.00

#### MET ANTENNAS


144/71	2m 7 Ele Yagi 10 dBd	27.77
144/171	2m 14 Ele Yagi 13 dBd	53.72
144/197	2m 19 Ele Yagi 14 dBd	64.75
432/58	70cm 5 Ele Yagi 9.2dBd	19.49
432/17X	70cm 17 Ele crossed	56.55
432/17T	70cm 17 Ele Yagi	45.08
50/7	6m 2 Ele Yagi 4 dBd	32.00
50/3	6m 3 Ele Yagi 7 dBd	39.95
50/5	6m 5 Ele Yagi 9.2dBd	59.90
CK50	50/2-50/3 Conv. Kit	11.50

#### POWER SPLITTERS

144-2	7m 2 way split	30.59
144-4	2m 4 way split	34.50
432-2	70cm 2 way split	23.46
432-4	70cm 4 way split	27.60

Antennas & Power Splitter - Roadline £2.65  
BNOS Amplifier - FOC

## ROTATORS



Superb engineering standards combined with pin sharp setting accuracy means new technology from the rotator company - SMC

#### ANTENNA ROTATORS

KR250	Bell type, Twist/Switch ctrl	£78.00
AR40	Bell type, Turn/Push control	£125.00
KR400RC	Bell type, 360 deg. motor	£169.00
AR50	Bell type, 5 pos. pie select	£169.00
CD45	Bell type, motor readout	£219.00
KR600RC	Bell type, 360 deg. motor	£219.00
T2X	Quill type, motor readout	£449.00
HDR300	Bell type, Digital readout	£699.00
KR800SDX	Bell type, 450 deg. var. spd	£325.00
KR1000SDX	Bell type, 450 deg. var. spd	£368.00
KR2000	Bell type, Motor 180 deg.	£445.00
KR600	Bell type, Motor 180 deg.	£139.00
KR500	Elevation, Motor 180 deg.	£149.95
KR5000	Elevation, H/O KR500	£259.95
KR5400	Azimuth/Elev. Dual control	£279.00
KR5400A	Azimuth/Elev. Computer ctrl.	£339.00
KR5600	Azimuth/Elev. Dual control	£368.00
KR5600A	Azimuth/Elev. H/O Comp. ctrl.	£389.00
KR010	Intell. I/F for KR5400/5600A	£275.00

#### ROTATOR HARDWARE

9523	Support bearing Chan. Mosier	£19.95
9523/FU200	Support bearing FU200 etc.	£21.95
9525	Rotary bearing Gny type	£19.95
K5050	Rotary bearing 1 5/8" mast	£19.95
K5065	Rotary bearing 2" mast	£29.95
KC03B	Lower mast clamp KR400/600	£16.95

#### ROTATOR CONTROL CABLE

RC5W	5way for KR400RC etc.	per/mtr £0.48
RC6W	6way for KR250/400 etc.	per/mtr £0.66
RC8W	8way for CD45 etc.	per/mtr £0.72

Free carriage on all rotators.  
Prices are inclusive of VAT.  
Carriage on Rotator Hardware £2.50

**FREEPOST SOUTH MIDLANDS COMMUNICATIONS LTD**  
**FREEPOST, EASTLEIGH, HANDS SOS SZU**

# RADIO SOCIETY OF GREAT BRITAIN

THE NATIONAL SOCIETY WHICH REPRESENTS UK RADIO AMATEURS

Founded 1913

Incorporated 1926

Limited by guarantee

Member society of the International Amateur Radio Union

PATRON: HRH PRINCE PHILIP, DUKE OF EDINBURGH, KG

Membership is open to all those with an active interest in radio experimentation and communication as a hobby. Applications for membership should be made to the secretary, from whom full details of Society services may also be obtained.

Headquarters and registered office: Lambda House, Cranborne Road, Pottery Bar, Herts EN6 3JE

Telephone 0707 59015. Telex 265871 (MONREF G) quoting CQ0083 on first line of message. Electronic mail via Dialcom/Telecom Gold 87:CO083

Secretary and chief executive: David Evans, G3OUF

## COUNCIL OF THE SOCIETY

PRESIDENT: J Heathershaw, G4CHH (Mrs)

EXECUTIVE VICE-PRESIDENT: F Hall, GM8BZX

IMMEDIATE PAST-PRESIDENT: W J McClintock, MSc, G3VPK

HONORARY TREASURER: P F D Cornish, FCA, G3COR

ORDINARY MEMBERS OF COUNCIL

E J Allaway, MB, ChB, MRCS, LRCP, G3FKM

N G Brinkworth, G3UFB

J D Heys, G3BDO

G R Jessop, CEng, MIERE, G6JP

A McKenzie, MBE, CEng, FIERE, FAES, G3OSS

B O'Brien, G2AMV

N F O'Brien, FAAL, FSCA, ACIS, MIMI, G3LP

F S G Rose, G2DRT

ZONAL MEMBERS OF COUNCIL

Zone A (Regions 1, 2 and 19)

D S Smith, G4DAX

Zone B (Regions 3, 4 and 5)

H S Pinchin, BSc, MBIM, G3VPE

Zone C (Regions 7, 8, 16 and 19)

J Greenwell, AMIEE, G3AEZ

Zone D (Regions 6, 9, 17 and 20)

J N Gannaway, G3YGF

Zone E (Regions 10 and 11)

E J Case, GW4HWR

Zone F (Region 15)

J T Barnes, G3USS

Zone G (Regions 12, 13 and 14)

F Hall, GM8BZX

## REGIONAL REPRESENTATIVES

Region 1 B Donn, G3XSN, tel 051-722 3644

(Cheshire, Cumbria, G. Manchester, L. Man, Lancs, Merseyside)

Region 2 P R Sheppard, G4EJP, tel 0401 56397

(Humberside N of Humber, N. S. and W. Yorks)

Region 3 G Ross, G8MWR, tel 0203 616941

(Hertford & W. Herts, Slings, Slings, W. Midlands)

Region 4 M Shadlow, G3SZJ, tel 0332 556875

(Derby, Humberside S of Humber, Lincs, Notts)

Region 5 J S Allen, G3DOT, tel 0582 21151

(Beds, Cambs, N. Hants)

Region 6 N P Taylor, G4HLX, tel 03677 503

(Barks, Bucks, Oxon)

Region 7 N Sykes, G3NFV, tel 0372 372587

(G. London S of Thames, Surrey including part of London

N of Thames administered by Surrey)

Region 8 M Elliot, G4VEC, tel 0795 70132

(Kent, E. Sussex, W. Sussex)

Region 9 A H Hemmell, G3VWK, tel 0726 882758

(Cornwall, Devon)

Region 10 D H Phillips, GW4KO, tel 0222 35648

(Dyfed, Gwent, Powys; Mid. S. and W. Glam)

Region 11 B H Green, GW2FLZ, tel 0492 49288

(Clwyd, Gwynedd)

Region 12 M P Hansen, GM8KPH, tel 0798 2140

(Grampian, Highland, Island Authorities, Tayside)

Region 13 A J Scott, GM0HXX, tel 0361 63221

(Bordest, Fife, Lothian)

Region 14 T G Wylie, GM4FDM, tel 0505 22749

(Central, Dumfries & Galloway, Strathclyde)

Region 15 N P Parsons, G3HXV, tel 0747 818191

(Northern Ireland)

Region 16 A Owen, G4HMF, tel 0473 51319

(Essex, Norfolk, Suffolk)

Region 17 T M Emery, G3KWU, tel 0703 812435

(A. Wight, Channel Is, Dorset, Dorset, Wiltshire)

Region 18 I Gibbs, G4GWB, tel 0670 790090

(Cleveland, Durham, Northumberland, Tyne & Wear)

Region 19 R J Brindley, G3AAJ, tel 01-989 6741

(G. London N of Thames, Herts)

Region 20 C R Hollister, G4SOO, tel 0272 508451

(Avon, Gloucester, Somerset)

## HONORARY OFFICERS

Audio Visual Library co-ordinator: R G Auckland, G2PA

Awards manager: HF: S Emyl-Jones, GW4BKG, VHF: Jack Hum, G5UM

Chel metal test examiner: A Nanson, G3GDO

HF manager: E J Allaway, G3FKM

Microwave manager: C W Snelling, G3WVG

Observation Service organiser: R J Osborne, G4FJN

Trophies manager: Mrs H Claydon-Smith, G4JKS

VHF manager: K A M Fisher, G3WSN

Correspondence to RRs and honorary officers should be

addressed directly to them (QTHR), not to RSGB HQ

## ANNUAL SUBSCRIPTION RATES Once-off joining fee: £1.50

Corporate members: UK and overseas (Radio Communication by surface mail):

£18.50

UK associate member under 18: £6.95, Family member: £7.40

UK students over 18 and under 25: £10.95 (Applications should give applicant's age at

last renewal date and include evidence of student status)

Affiliated club or society registered group (UK): £18.50 (including Radio Communication);

£11.0 (excluding Radio Communication) (Subscriptions include VAT where

applicable)

Membership application forms available from RSGB HQ



On behalf of all the Society's staff, may I wish you a Happy Christmas and a Prosperous New Year.



## WHY IS '88 SO SPECIAL?

Next year is a very special one for amateur radio in the UK. The 75 years of the Society, with its members, being at the forefront of innovation must instil a sense of pride in everyone. Radio amateurs pioneered shortwaves, have helped the country in times of war and have continued to develop radio communication techniques which have later found their way into professional systems. Amateur radio has achieved all that it has set out to do: technical challenge, international friendship, technology transfer and for most of us it has been downright good fun.

But what of the next 75 years? Looking back with nostalgia will not ensure our place in the radio spectrum. Many hard-won battles are in the past, many have yet to be fought. Attitudes are always changing and amateur radio will continue to have its good times and its bad times. What is certain is that we must always be looking to the future and stretching our goals. Today, and in the next decade at least, amateur radio must show that it can contribute to society at large. Not only by the efficient handling of emergency situations and public service, but more. The strength of amateur radio today is that in an increasingly complex technical world it can offer a bridge between high technology and the layman. It can offer a user-friendly approach to learning and understanding about science, engineering and electronics. If properly cultivated, amateur radio could be as powerful a tool in schools as the table-top computer.

The UK needs more scientists, more engineers and more people in electronics. Amateur radio could very easily provide an important learning option for young people. It could provide that extra incentive, that extra dimension for learning which educationalists always strive for. This is amateur radio's greatest strength at the present time, all we have to do is lap that strength!

Next year, 1988, is special because it must be utilised as a launching pad for the future. We have a special opportunity for achievement, we have a special President to guide our hand, and now is the right time for amateur radio to make more impact on Government and society at large. Every single member has a role to play, please play it.

David Evans, G3OUF

## A SEASONAL MESSAGE FROM THE SOCIETY'S PRESIDENT



As I come to the end of my second term of office, I look back on a year which has been mainly devoted to planning for the future. As the message "From the Secretary's Office" in last month's "Rad Com" clearly shows, this is no time for complacency or negative thinking. Throughout the year, we have concentrated our efforts in reorganising the Society's resources to meet the challenges which face amateur radio as we go into the 'nineties.

We are living today in a more competitive world where influence is all important. We need to make more impact on Government. We have already taken initial steps in this direction. Nevertheless, we must accept that defence of our privileges will continue to be both necessary and costly. EMC, antenna planning and frequency allocation are good examples of areas demanding more and more effort from the Society. Yet despite this, the subscription remains barely adequate to fund the many services that the Society continues to provide. It is vital for the future wellbeing of our hobby that the Society has a sound financial footing. Budget control and an increased income are the key to this, and I am confident that the positive measures we have now taken will improve our finances and promote future growth.

I firmly believe that if the Society is to flourish, it must have strong roots. One of the first tasks this year was to strengthen our field operations. The RSGB Linson Scheme, due to start in January 1988, will expand our lines of communication and enable us to work more directly with local clubs and organisations. I must say that their initial

response to the new scheme is an encouraging sign for the future. A major task that we must tackle together is how to attract more young people into our hobby. The Society intends to play its part in creating an interest and generally raising the level of awareness of amateur radio, but the final responsibility in encouraging the growth of amateur radio at local level must inevitably fall largely on individuals within local clubs and organisations. If we cannot persuade you to invest some of your time to the future of amateur radio then it will surely die.

Our plans to promote growth are ambitious, although financial constraint means that we must rely more heavily on the contributions of volunteers to carry these out. We have sought out those who are experts in their particular field and those who can exert influence on our behalf and have been greatly encouraged by their positive reactions. This policy of using the services of specialists, whose work will not allow them to make a full commitment to the Society, but who can, and will, offer their services for a specific task for which they are qualified, is proving very successful and one which we shall continue to use to good effect in future.

We have of course, continued to make our views known in conferences on matters concerning the radio spectrum both here and abroad, and we have further cemented good relations with other national societies. On the home front we were successful in gaining increased facilities at 50MHz for all UK radio amateurs, and are continuing to progress a major review of our licence conditions with the DTI.

Another subject to which we have given much thought is the planning of the Society's 75th Anniversary celebrations, an event which is creating a great deal of interest from many of our friends abroad. I believe we have organised an interesting programme of events for 1988 which will not only look back on our achievements in the past, but of more importance, will present a good image of an interesting and worthwhile hobby, with a future which continues to be relevant to the UK electronics industry. To emphasise this it is our intention to launch a campaign to promote youth into electronics through amateur radio.

Finally, may I take this opportunity to thank my colleagues and the staff for their support and enthusiasm during this difficult but highly rewarding year. May I extend to you, the members, my good wishes for the festive season and the year ahead.

A very Merry Christmas and a Happy New Year to you all.

Joan Heathershaw, G4CHH

# Members' Mailbag

The views expressed in published correspondence are not necessarily those of the RSGB, and readers are urged to verify independently any factual statements on which they may wish to rely as it cannot be guaranteed that such statements are correct.

## YAESU FT767GX REVIEW

Sir — We were very saddened to see the RSGB publish such a biased statement as was made by G3RZP, the chairman of the Technical & Publications Committee of the Society ("Members' Mailbag", October) and as such it was our interpretation that this was the RSGB's official position in the matter. However, we understand that this is not the case and that the Society wishes to be impartial. The comment made by Mr Chadwick related to the 144MHz performance only, even though, by implication, his comments have been related to the general performance of the transceiver. We agree that the original 144MHz modules generated more noise than was acceptable and that as a consequence, Yaesu have issued a modification involving only one resistor, which improved the situation dramatically. Furthermore Yaesu intend to have an upgrade modification available by February 1988 for existing modules.

Various comments have been made regarding the phase noise present on the main vco, and while we do not consider this to be excessive by modern standards, we understand that Mr Wilbers, of Ray Wilbers, of Ray Wilbers Communications, has developed a modification that reduces this noise by a further 20dB, which moves this transceiver into the high-performance bracket without compromising the competitive price.

It is interesting to compare reviews at the same equipment and note the vastly differing findings, even though in some cases we know the equipment has not been touched between reviews. Added to this, the conclusions drawn at the end of the reviews are personal opinions which may not be shared by others. However, we feel it is preferable to have such comment, as to omit it removes any feel for the equipment, which is so often the case with American reviews.

We do not consider the contest code at precisely to be relevant to the specification of a radio intended for amateur radio usage, as a figure of -90dBc for in-band spurious outputs tends to be idealistic and, judging by recent equipment reviews, is rarely achieved. We feel that Mr Chadwick would be better employed persuading portable station entrants to

pay serious consideration to out-of-band spurious emission, as these could cause havoc with other radio users and as a consequence bring amateur radio into disrepute.

The Directors  
SMC Ltd

## WHAT OF THE FUTURE? — ANOTHER VIEW

Sir — In his letter in September's issue, G3JDK perhaps overlooks the phrase "for the self-training". Some people are not electronic geniuses and have other hobbies than amateur radio; I am one such person; my own construction of bits for the shack being mere test equipment such as swr bridge, imb bridge, wave meters etc.

I am a black-box operator and enjoy the hobby but I well remember when I first went on the air on 144MHz hearing one of the "real amateurs" telling every "contad", and everyone 200kHz either side, that he was running a "homebrew" linear. He was not next door, he was miles away, and no amount of hot air from my end would convince him, my being still wet behind the ears so to speak. A few words from another station of long standing soon did the trick.

To get back to the point of "for the self-training", I feel sure the G3s he refers to could refer to

paperwork, books and formulas collected before and after the RAE and come up with the right answers. Not being technically minded, I can only guess that the polio components be "colled" from wherever, were of a nature to be "polled", critical in construction and spacing etc, so we G6s would have no chance.

In conclusion, stop bleating about the standards of education of less mortals, and offer to help and enlighten them, and I am sure we can then all enjoy the hobby and learn a great deal from each other. The future is in your end others' hands, so hand it down a little at a time and you will not overtax us G6s.

K Fellows, G6GXL

#### SPECIAL EVENT STATIONS

Sir — I greatly deplore the proliferation of so called "special event stations", and wonder whether others feel the same way. Eight years ago it was an exciting moment to hear a special event call sign on the air, and we derived a great deal of pleasure from hearing/working the station. Ideally, prefixes such as GB should be used only to indicate amateur radio activities such as expeditions and others which do genuinely reflect the original purpose of the GB call sign.

Those who wish to run a station to celebrate the birth of kittens or obtaining a new dustbin, can still do so whenever they wish, using their own call signs. Sponsored fund-raising, while being very worthwhile, has nothing to do with the objectives of our hobby, and can easily be done with more suitable, repetitive activities. Nowadays the fact is that "special" is not an appropriate description, people seem to be using GB call signs for the most inane reasons.

I wonder just how many other fellow amateurs feel the same way, and I beg the Society committee responsible to seriously consider my comments.

Gerard Craig, G4IUT

#### EXPEDITION FUND

Sir — In the "News Bulletin" September, under the title "HF Expedition Fund", it was reported that the RSGB HF Committee had decided to launch a new fund to support HF expeditions.

While I do not disagree with expeditions as such, I do feel however, that support of such ventures should not be a priority of RSGB. In my opinion it would be more appropriate and certainly more helpful to use any available funds to support and encourage the growth of amateur radio in the developing world, and particularly in Africa.

Martin Broadway, G4GF1

#### WOT — NO COMPLIMENTS?

Sir — I recently had the pleasure of a visit by a fairly well-known amateur friend from the USA. He was looking forward to some European operation which was unfortunately marred by negativity from a few individuals.

Due to a good location and many hours of experimentation (including some invaluable advice from G6XN) I can radiate a respectable signal from my QTH. Running legal power on 3.5MHz to several antennas, including a large rhombic hung high over a valley, these fortuitous circumstances can produce good local and dx results for both received and transmitted signals. As a consequence I am used to the silly accusations levelled by those who still fail to understand that even 10kW is only 20dB over 100W, or that the antenna is what counts!

However, my visitor was quite surprised at the occasional attempts at malicious interference, and the odd thinly-veiled accusations that the signal produced. As he said: 'Back home a good signal is cause for a compliment. What's the matter with these guys?'

Is this symptomatic of the same fringe mentality that jam repeaters, or are there some who still resent success? I could not explain it to my visitors.

Nevertheless my thanks to the majority of those many amateurs who did contribute to make his operating here so enjoyable.

M MacGregor, G4EZG

#### HELPING THE DISABLED

Sir — As a disabled person may I be permitted to send my very sincere thanks to several people who have helped me to obtain my Class A licence.

To the chief examiner, Mr Neville Lanson, for all his

help; to Tony, G4AXQ, and Peter, G3TZL, for their extreme kindness and assistance; to my wife Nicky for constant support in difficult times, and to many other friends for all their help.

Last, but by no means least, to all the members of "The Middle Walch Nutters Net", thank you all for so many happy hours.

G S Goodwin, G0IHA

#### DISILLUSIONED CLASS A

If Mr Goldsmith thinks he has problems ("Members Mailbag" May) he should try and operate for fun from dx locations. Quite often it is not fun.

Many times over the last 20 years, in remote locations, I have used the ultimate weapon to cut the QRM from over-zealous operators — the "off switch!", but I can also remember many hours of pleasant QSOs when conditions and congestion permitted.

I keep my key well oiled, rarely call CQ, and get enjoyment from operating on the hf bands without a linear and with whatever antenna I can make.

Robin N Francis G3RMU

MP4MAM, MP4BFH, VP5RF, VP5T1, ZK1AC

Sir — I was surprised by the somewhat scathing view of a amateur radio technology expressed by G3ESP in his letter in your June issue. In the same paragraph in which he expresses cynicism about the apparent complexity of a Yaesu FT767GX, he refers to his older Yaesu rig with only 16-control Yaesu rig there were probably a number of people about who, having read the advertisements, were probably ready to express contempt at the tasteful appliance and to ask what had happened to real amateur radio.

Whether we like it or not, communication and computer technology does move on. It best behaves use to learn how to employ such technology for our benefit rather than to expand energies in figuring out how to stop it. The thought that came to my mind when reading Mr Farrar's letter was that he was over-estimating the operational complexity of a piece of equipment and under-estimating the capacity of people to competently install and operate it.

With regard to the technology itself, I compare my original KW Viceroy and separate receiver to my current Yaesu FT-ONE. The KW was a delight to use but the FT-ONE, with all of its controls, is even more delightful. I have more communication flexibility than before, and the number of controls and functions is not a barrier to enjoying straight-forward communication or more complex Amtor communication or anything in between. In fact, the number of controls doesn't enter in to it. Their use becomes somewhat second nature.

One of the delights of amateur radio is that we can all choose how simple or how complex we wish our operations to be. We can, if we like, use battery-powered QRP cw equipment that requires a honing of our operating skills to establish and maintain communication in varied conditions. On the other hand we can, if we like, set up a station that includes the most advanced integration of communication and computer technology. There really is room for all.

So, I do disagree with G3ESP's expressed view of things, but I also would like to think that he is not the Luddite he pretends to be!

Michael Yorke, NT2R/G4ASW

#### 432MHz OPERATION

I was sorry to read the letter from Paul Rigg, G6FMP in your July issue concerning his experiences of 432MHz operation. I have been regularly active on the band for 12 years using 1m mobile, and for the past six years on ssb/cw from the home location and portable. I cannot recall ever having difficulty in raising activity on the band while mobile, assuming that there is someone living in that area and within range of the local repeater. In fact, it is my experience that operators on 432MHz (all modes) are very friendly and will be quick to help out a fellow traveller in need of directions in a strange town.

May I assure Paul that if he ventures down to Hertfordshire he will always find a welcome through the 432MHz repeaters in the country, and I'm sure that goes for many others. One thing has always puzzled me though. Why is there so much more activity on the Midlands and Northern repeaters than in the Southeast? Perhaps our friends from "north of Watford" would like to confirm this and offer some suggestions.

Peter J Marcham, G3YXZ

Sir — I refer to the letter from Paul Rigg, G6FMP, in July's "Mailbag". I operate on 432MHz with a small 1m Handie in the Reading, Swindon and Cardiff areas, and have found that though the band may be "quiet" at times there has been no evidence of "cliques". The motive to move to 432MHz from 144MHz was the very same inability to access repeaters used by homebase nets. I sincerely hope that Paul Rigg's findings are not an indication of what is to come.

Anthony A Ledger, G6LBR

#### IN FAVOUR OF QRP

Sir — I agree with G13XZM. I get immense pleasure from building simple receivers and picking up all the chatter from amateurs all over the world. It has taken quite a while to get it right and there is always the uncertainty that some days they don't work at all, but my map is littered with pins covering the world.

My most expensive set cost £6 and would agree that "gelling the bits" is the most difficult part. Analysing the 25 suppliers from G3LWM's list (July *Rad Com*) I find: 11 had a minimum order charge; 3 did not supply individuals; 2 charged the earth for catalogues; 1 supplied valves; 2 charged a lot for postage; 1 had no catalogue. This left five the adverts of one have barely changed over the years; two I have never seen advertised; one had only selected items; and Electrovalue from whom I have had excellent service in the past.

I suspect the majority of suppliers are not interested in the "loner" wanting a few bits and pieces. I appreciate the economics. Perhaps the RSGB might consider retailing components!

Peter McBeath, RS44030

Sir — I wish to put forward my two pennyworth in reference to QRP and G13XZM's letter in your July issue. I am 79 years old and do believe construction is the main basis of amateur radio, in fact valves give 100 per cent better performance than transistors. I am a member of the G-QRP Club, and have had some very good help.

At times it is difficult in this area to obtain suitable parts, and at times I need advice on some circuits, so my address is printed I may be one of the lucky G1 QRPers, and all success to *Rad Com*. There should be more amateurs join and get the good service you give.

Bob Freeman, G1THX, 22 St Aldates Court, Grindon, Sunderland, Tyne & Wear

#### FURTHER CONGRATULATIONS

Sir — I note in the July issue the congratulations in regard to 50/70MHz etc but, as one who qualifies, may I add my congratulations for introducing the new membership category (p505). I joined the RSGB last year as an swl and am awailing (without hope) the result of the RAE in May. On renewal of my membership I can, however, look forward to a reduced fee and, in the future, a further reduction on completion of five years!

When I enquired prior to joining whether there was any reduction for QAPs I did not expect that within my first year such a concession would be a reality. On behalf of myself and others in the same category: congratulations, and thank you RSGB!

D R Home, RS90312

#### RSGB MORSE TESTS

Sir — Having noted various criticisms of RSGB morse testing in several publications devoted to radio, I felt obliged to write and recount my recent experience of the system.

After writing to the RSGB, I received the test centres past by return of post. I applied for and was given a suitable date, very soon thereafter, and took the test at the Tyneside ARC Byker, on 24 June.

The examiners were courteous and made conscious efforts to settle the candidates' obvious and understandable apprehension. The test itself was conducted with scrupulous fairness and attention to detail, coupled, again, with sympathetic treatment. I was informed of the test result by first-class post, on the morning of the following Wednesday. I found your system professional and "human" from start to finish. If there is any way in the examiners concerned can receive a copy of this letter I shall be greatly obliged. Thank you very much, again.

John Dickson



# A power supply and control system for tetrode amplifiers

JOHN H NELSON, GW4FRX\*, AND MELVYN NOAKES, G4JZQ†

(PART 1)

IN 1981, one of the authors wrote a series of articles (1) dealing with a high-performance power supply and control system for 4CX350/250 amplifiers, part of which was itself based on a design by A J Wade, G4AJW, (2). The inevitable feedback and further experimentation led to better and simpler ways of doing the same job, and this article outlines a self-contained power supply and control system for tetrode amplifiers which is substantially complete except for the high-voltage anode supply.

Many amplifier designs using valves in the 4CX250/350 series have been published and usually present little difficulty from the rf point of view. However, vhf and uhf receiver design has improved in recent years, especially in the area of strong-signal handling, and the intermodulation performance of many 4CX-based linear amplifiers is still considerably worse than could theoretically be achieved. For a given audio bandwidth, the "width" of an ssb transmission — ie the amount of spectrum space it takes up — is chiefly a function of intermodulation products of seventh-order and higher; in this context it is interesting to note that several professional specifications for the intermodulation performance of ssb transmitters are some 40dB more demanding for seventh-order products and above than for the more commonly-measured third and fifth. It is in this area that some linear amplifiers — not merely those employing members of the 4CX family — are deficient. However, the root of the deficiencies is not generally in the design of the amplifier itself. In a correctly adjusted amplifier, a pair of 4CX250Bs operating at 500W output is easily capable of producing a performance in which all intermodulation products of seventh-order and above are better than —55dB with respect to one tone in a two-tone test; other valves in the family designed specifically for linear service (which the 4CX250B was not) will improve on this figure. However, the achievement of this order of performance depends crucially on some aspects of the amplifier's power supply.

There have been several published designs for power supply and control units for 4CX amplifiers, most of which are simpler than the present unit in conception; however, it is felt that this "de luxe" system offers a combination of excellent performance and good protection to the amplifier itself, both of which are important requirements.

## Design considerations

The most frequently used valves for producing the maximum licensed power in the 144 and 430MHz bands are the 4CX250B and related devices such as the 4CX250R, 4CX250BM etc. For the production of the legal limit of power with acceptable intermodulation performance, two valves in push-pull or parallel are required. The 4CX350A and FJ are also usable but only for Class AB1 operation. Valves in this sub-family are intended for linear service and must not be driven into grid current. A few amateurs are using the slightly larger 4CX600 series or the 4CX1000 or 1500. Although there is a tendency for large triodes such as the 3CX1500A/7/8877 to be used at 144MHz, these valves remain very expensive compared with the 4CX250B, and bases for them are also difficult to obtain. Also, if triodes and tetrodes of similar anode dissipation are compared at similar output power levels, the intermodulation performance of the triode will in general terms be worse than that of the tetrode. It is worth mentioning that the 4CX family tend to have exceptionally long lives when properly used; professional users have reported service lives of better than 20,000h for the 4CX250B. All in all, as current UK licensing conditions permit a maximum power of 400W (26dBW) at the antenna, "a pair of 250Bs" therefore continues to represent an excellent choice for a legal limit power amplifier.

An analysis of the factors involved in the design of the amplifier's power supply was presented in (1), but the essential requirements are for a very stable screen supply with good sink/source performance, a stable control grid supply which will sink quite large amounts of grid current and — for a reliable amplifier — some control and protection functions. Attention to detail is also required in matters such as the amount of cooling air, the heater voltage and

the overriding need both to protect the valve and its base from the consequences of flashover and, as far as possible, to ensure by design that flashover does not occur. New 4CX tetrodes of good quality can currently be expected to cost not less than £40 for a 250B, and more for others in the series, and new Eimac SK600A or SK620A bases for them are likely to cost even more than valves, — a good argument for the provision of protection circuitry.

Secondary emission effects in the 4CX250 family mean that when an amplifier using them is correctly loaded in linear service, the screen grid will source current for much of the rf driving cycle. It is important for the well-being of the valve and the internal capacitor in the valve base that the screen voltage is never allowed to rise uncontrollably, either as a result of flashover or of secondary emission effects. The value of bleed resistor recommended by Eimac has been shown to be much too light for safety in this respect. Following extensive tests and measurements in the laboratory and on-air, it also seems clear that the neon stabiliser tube or Zener-chain approaches to screen supplies for the 4CX family do not permit the intermodulation performance now required for present-day conditions on 144 and 430MHz. In essence, neither technique permits proper balancing of the standing currents in a twin-valve amplifier, neither gives the order of regulation which is required for low intermodulation in view of the very high grid-screen transconductance of the valves, and both can, under some circumstances, result in the production of wideband transmitted noise. The "do-it-yourself aurora" heard on many high-power cw signals from 4CX250B amplifiers is frequently traceable to noise from the screen supply.

There are three main requirements for obtaining good intermodulation performance from the 4CX family. The first is that the amplifier must be quite heavily loaded, and this is especially true at vhf and uhf. Tuning and loading for maximum rf output will imply that the middle- and high-order intermodulation performance will be considerably worse than it needs to be, and the signal consequently wider; in a push-pull or parallel amplifier the intermodulation products may also not be symmetrically disposed about the frequency of the suppressed carrier. It is essential to meter the screen current of each valve used in a 4CX-based amplifier and to adjust the loading by reference to the single-tone screen current figure given in the data sheet for a particular valve under the chosen operating conditions. This point appears to be especially misunderstood by manufacturers of commercial amplifiers using 4CX tetrodes, who no doubt wish customers to see maximum indications on their power meters. Some of the indicated power seen when tuning and loading for "maximum smoke" in commercial 4CX-based amplifiers is likely to be in the form of intermodulation products, which serve no purpose as far as the dx is concerned but which render more of the band in the vicinity of the transmission uninhabitable by neighbouring stations. In fact, there is a case for saying that the most important meter in the power supply of a linear amplifier is that (or those, if there are two valves) associated with the screen current. Screen current is a most sensitive indicator of loading, as discussed earlier, and in a push-pull or parallel amplifier it is also a good indicator of balance of grid drive and symmetry in the anode circuit.

The second requirement is for a screen supply which has good voltage regulation over the entire range of screen current drawn and sourced by the valve during the rf driving cycle. It can be safely assumed that the mean value of screen current in a correctly loaded 4CX-based amplifier over one rf cycle will be negative, and that the screen current meter will indicate a negative-going current of some milliamperes at syllabic rate when the operator is transmitting ssb.

A practical screen supply must source and sink at least 30mA at the chosen screen voltage. Its ability to sink the negative screen current discussed above while maintaining good regulation — which is a much more difficult case for the designer than the requirement to source positive screen current while maintaining regulation — will have a considerable effect on intermodulation performance. To a first order of approximation, the linearity will be a direct function of the "stiffness" of the screen supply under these conditions. The 4CX350 series is particularly sensitive in this respect. In a series of tests involving a carefully adjusted 144MHz amplifier with a pair of 4CX350FJ valves, the present screen supply design was compared with a "string of zeners" supply which permitted screen voltage variations as monitored on an oscilloscope of

\*Bank Cottage, Crew Green, Shrewsbury SY5 9HN.

†128 Watford Road, St Albans, Herts AL1 2JH.



about  $\pm 3V$  at syllabic rate. In a two-tone test at 500W output, all intermodulation products up to thirteenth order were at least 5dB worse (and the fifth, seventh and eleventh orders were some 8dB worse) with the zener supply, and when using normal ssb the audible effect as reported by a number of competent observers (who were not told what to listen for) was of a considerably wider transmission which sounded less smooth and pleasant.

The only type of screen supply which is likely to be able to meet the required criteria — as well as some others which are described in this article — is one designed around active devices in a shunt stabiliser configuration. The G4AJW design (2) works well although theoretically the EL84 valves are overrun from the point of view of maximum anode voltage, and triode-connected 807s might be a wiser (if bulkier) solution. The earlier G4FRX/G4JZQ design (1) is good, although the present design is a considerable improvement in several respects; there is less temperature rise in various areas of the circuit, and the ripple rejection is considerably better, which implies that quite a small value of reservoir capacitance can be used after the supply rectifiers. Designs employing neon stabilisers or zener chains (3,4,5,6,7,8,9 and others) will not permit the achievement of the best intermodulation performance for a given valve or valves.

The third requirement is for a control grid supply which is capable of sinking at least 30mA per valve while maintaining a constant output voltage. The 4CX family tends, especially after a few hundred hours of use, to suffer from mild grid emission effects — the associated meter can be seen to move slightly negative at syllabic or keying rate — and if the supply cannot sink this current the working point of the valve will tend to vary a little in such a way as to cause a few decibels deterioration in intermodulation performance. A sink capability

of some 30mA will easily cater for both this effect and the normal grid current sourced by the valve in Class C. A shunt stabiliser as used in (1) and (2) will serve the purpose, but the large number of published designs which simply rectify and smooth a medium-voltage supply and produce a negative grid bias voltage (3,4,5,6 and 7, among others) will not.

The circuitry presented in this article constitutes the authors' attempt to design a power supply and control system to meet the requirements for contemporary high-power amplifiers using 4CX tetrodes. The control logic and alarm circuitry is CMOS-based and provides operating voltages to the amplifier in the correct sequence. Malfunctions in the grid, screen or anode supplies are brought to the attention of the user, and in each case the appropriate executive action is taken. Screen and control grid supplies are provided, together with the appropriate switching. Failure of cooling air is detected. An audible alarm sounds in the event of a fault condition, which is a useful feature in contest operation when the operator's attention is usually elsewhere, and LEDs associated with each failure case are illuminated. As a companion to the current design, a simple stabilised 6V dc supply for the valve heaters using a 6-3V ac input has been developed and may be the subject of a future article.

As discussed later, a pcb for this design is available from one of the authors, as are complete units. Pin numbers shown on the circuit diagram and mentioned in the text refer to those on this pcb.

## Control logic and alarms

Refer to Fig 1, IC1a/b and IC2a/b form over-and-under-voltage detectors for the two channels of the screen supply (it is assumed that a two-valve amplifier is in use) with their inputs at pins 75 and 76. RLC1 and RLC2 alter resistor






Fig 1. Control logic. Note that the label alongside pin 8 should read "ALARM TIMER CONTROL"



**Fig 2. Screen grid supply**



**Fig 3. Component layout**




Fig. 4. Control grid supply

values to cater for the different voltages produced by the screen supply in Class AB1 and Class C. IC2c and IC2d form undervoltage detectors for the two grid bias feeds, with inputs at pins 77 and 74. The intention here is to guard against loss of control grid bias, which would cause very heavy anode currents to flow and possible damage to the chv power supply or the valves themselves. IC1f, in conjunction with half the dual optoisolator IC4a, forms an "overdrive" alarm of which the function is discussed later. IC1e is part of an overcurrent alarm for the screen supply which is also described later. Front panel LEDs warning the operator of a fault condition are driven by each alarm detector. It is worth mentioning at this stage that high-efficiency devices should be used for these LEDs since only some 5mA operating current is available. IC2f forms an "auxiliary" fault input channel with the input at pin 78. Use of this, together with the associated warning LED, is optional; when the stabilised heater supply is used, the auxiliary input forms the heater undervoltage/no-voltage alarm, although any positive-going alarm voltage can be detected and alarmed. It is easily possible to "fan-in" any number of active high alarm voltages with a diode OR-gate if desired.

It will be seen that the outputs of the alarm detectors are tied to a common rail which in normal circumstances is pulled up virtually to +12V by R30. A failure condition will force this line low and reset the 1min timer formed by IC1d, R17 and C15. The output of this timer is one input of a two-input AND gate formed by IC3d. At initial switch-on C15 is discharged and the input to IC1d consequently low. After 1 min its output switches high, turning on TR1 and hence the chv supply via an external contactor or relay driven from pin 16. A sample of the chv is fed via pin 36 to IC1e, the output of which provides the other input to IC3d. When chv is available, and assuming that there are no alarm conditions, the output of IC3d switches high and consequently turns on TR2. This in turn operates RLD (the "ready" relay), which can either be the small two-pole changeover type for which provision has been made on the pcb, or an external relay; links have been provided on the board to accommodate either. Since this relay will only operate when the main timer has cycled, the chv is available and there are no alarms, it should be connected to the external circuitry in such a way that the amplifier cannot be placed in circuit unless it has operated. This implies disabling the ptt line, the antenna changeover relays, the screen changeover relay and the bias supply changeover system discussed later. There is obviously scope for implementing individual requirements in this area, and several circuit configurations are possible; the most important element involved is t/1 timing of the bias supply and the chosen changeover system should make the necessary provisions. An example of a suitable t/1 changeover circuit is given in Fig. 6.

Another input to the common fault rail, at pin 23, is derived from the airflow

switch, if one is fitted to the amplifier. If the "air on" input is taken low by operation of the airflow switch, the fault rail will be forced low, resetting the timer and disabling the ptt. An associated LED is also illuminated. One further input is from the "test" switch at pin 21, the operation of which resets the timer. Other active low alarms could be fed into the circuitry at this point via diodes if required; in the current GW4FRX amplifier the antenna changeover relay supply is monitored in this way.

The common fault rail also forms one input of the two-input AND gate formed by IC3a; its other input is derived from the output of the chv-detector IC1e. Loss of chv or an alarm condition results in the output of IC3a being taken low. This is inverted by IC2e and used as one input to a two-input AND gate IC3c. The other input of this gate is the junction of R14 and C14, which forms another timing element. At initial switch-on C14 is discharged and this input of IC3c consequently low. Since its other input will be low until the 1min timer has operated and chv has become available, the output of the gate will be low and TR3 turned off. However, after some 2.5min pin 8 of IC3c will become high as C14 charges. If at that time there is either no chv or an extant alarm, TR3 will turn on and pin 11 will go from almost +12V to virtually earth potential. This transistor drives an audio alarm sounder in the prototype, although an LED or large lamp could be used instead by those who dislike loud noises. The audio alarm is turned off by a front-panel push-button switch which earths pin 8. If the fault remains extant the alarm will sound again after a further 2.5mins, reminding the operator that something is still amiss.

The dual optoisolator IC4 is used for one fault detector and one "operator reminder". Taking the latter first, IC4a is used for an "overdrive" alarm. In Class AB1, virtually by definition, the flow of grid current — that is to say, current out of the control grid of the valve back into the bias supply — must not take place. Many cases of "splattered" transmissions are caused by operators driving the valve(s) into grid current on speech peaks in an effort to extract maximum power from the amplifier. These may not be noticed on the metering, or not thought to be important. The common feed from the bias supply (ie its output prior to splitting for separate metering and feeding of a two-valve amplifier) is taken via the diode section of IC4a (pins 67 and 69). Any flow of grid current in Class AB1 is therefore detected by IC4a and the input of IC1f — which is connected as a resettable latch — is consequently taken low. Its output rakes the alarm rail low via D4 and D52, forcing a partial discharge of C15. The effect is a timer reset and ptt inhibit lasting about 5s from the time at which the latch is cancelled by the operator, together with a warning LED and an audible alarm which will also stop sounding when the

(Continued on page 907)

# Reduction of rf breakthrough from the BBC microcomputer

J C Worsnop, CEng, MIEE, G4BAO\*

## Introduction

The BBC micro has many excellent facilities of interfacing to radio equipment in the amateur's shack. There is also a large amount of amateur radio software on the market which makes good use of the graphic capabilities of the machine. Many amateurs have bought a BBC and have been bitterly disappointed to find that the electromagnetic breakthrough produced has made it impossible to operate the station when the computer is switched on. As an example of the seriousness of the problem, a BBC owned by a neighbour three houses away put in a signal in the order of 10 $\mu$ V at the input to my 50MHz receiver!

This article outlines some steps that can be taken to reduce this interference to tolerable levels.

## Sources of breakthrough

Any equipment using square-wave clocks will generate harmonic energy at hf and vhf due to the fast rising edges of the pulses. Combined with a switched mode power supply as used in the BBC we have a recipe for a radio operator's nightmare if steps are not taken to reduce radiation.

In the BBC the radiation comes from three main sources:

- (1) Direct radiation from the case.
- (2) Radiation from the interface leads (disc drive etc).
- (3) Radiation carried via the mains supply.

## Suppression of breakthrough

### (1) Case radiation

The plastic case of the BBC provides no screening to breakthrough, and one solution to the problem would be to build the computer into a homemade metal case. I rejected this, as the last time I attempted such "chassis bashing" was at school! A better approach which keeps the "look" of the BBC is to coat the inside of the case with a conducting material.

The references at the end of the article give the address of a firm which specialises in the spraying of plastic substrates for the reduction of breakthrough. They will plate the case with a zinc compound which will reduce the leakage by a factor of around 30dB.

The less expensive solution is to home spray the inside of the case with a shielding paint available from RS Components (Cat No 551-570). Measurements have shown that a reduction in breakthrough of 15dB is attainable with this method.

### Preparation for spraying

Remove the top cover by removing the four large positive screws, two at the back, two under the keyboard. Disconnect the power supply leads, and keyboard connector, noting carefully where they must be reconnected. Remove the power supply unit by removing the three screws from beneath. The mains lead will pass through the hole with the plug top connected, but you need patience!

Next remove the keyboard, and disconnect the loudspeaker lead. The BNC video socket must now be removed, and the centre lead de-soldered before the main pcb can be removed. Remove the main printed circuit board. Remove all the sticky paper labels from the inside of the case, and remove all traces of glue with methylated spirits. Thoroughly wash the inside of the top and bottom cases with warm soapy water and dry thoroughly. Finish by wiping with methylated spirits to remove all traces of grease.

Mask the case outside with masking tape and paper, making sure to cover all holes, and leaving the case jointing surfaces unmasked to make sure of a good connection between the two halves of the case.

### Reassembly

Before the pcb is replaced put solder tags under each mounting hole and connect them to a convenient earth track on the board, but be absolutely sure that the track is an earth before connecting! A further improvement can be made by earthing the clock crystal as in Fig 1.




Fig 1. Grounding of clock crystal

**Note of caution!** Make absolutely sure that no conductors under the boards touch the case on reassembly. Measure the resistance from the + Vcc and -5V pins to the 0V pins before and after screwing the board in. The keyboard pins will touch unless pvc tape is stuck along the ridges in the case under it. Note that I take no responsibility for blown-up Beebes if this is not checked!

The metal plate to which the keyboard is attached should also be grounded by scraping the paint from beneath the nuts holding it down and earthing with stout wires as in Photo 1.




Photo 1. Keyboard grounding

### (2) Lead radiation

The computer should now be "quiet" until an interface lead such as a disc drive or cassette is connected. Decoupling the digital interface leads with rf chokes and capacitors is likely to have detrimental effects on the digital signals on the lines and cause timing problems in the same way as excessive lengths, so this is not recommended. This is especially true if leads are approaching the maximum length of 600mm (1).

Screening the leads is the only sensible solution. It is relatively easy to obtain good quality screened lead for the cassette interface, and screened ribbon cable is available via RS but it is rather expensive. Such a purchase could be made by a club or similar organisation. I have a rather cheaper solution to screening ribbon cable. The leads may be wrapped in ordinary kitchen foil and Sellotape, but the foil must be securely grounded both to the case of the computer and the disc drive.

Adhesive copper tape (RS 512-272) is much easier to connect to, but once again the price may be prohibitive unless a reel is bought via a club or group.

\* 20 Lode Avenue, Waterbeach, Cambridge CB5 9PX.

### (3) Mains breakthrough

Mains breakthrough can be reduced by soldering all crimped terminals in the power supply and fitting a miniature mains filter inside the case, screwed to the power supply compartment; see Photo 2. Photo 3 shows an alternative view; note that the power supply compartment wall is drilled for the fixing screws.




Photo 2. Interior view showing mains filter

I obtained a "surplus" mains filter of unknown origin from a rally, but there are a number of filters available via RS to the following specifications.

(i) 238-536 2A 30dB 0.6 to 100MHz

(ii) 238-520 6A 30dB 0.4 to 50MHz

(iii) 238-407 1A 30dB 0.15 to 30MHz

(i) is probably the best one to choose for most applications, although (ii) is shown used in Photos 2 and 3 and appears to work satisfactorily.



Photo 3. Mains filter

### Conclusions

The measures taken in the article enable me to operate on 50 and 144MHz with the computer about 10ft below the antenna system, and James Miller, G3RUH (of AMSAT fame), reports being able to easily operate via Oscar 10 while using his "SATFOOT" program.

So many breakthrough problems can be removed if antennas are placed a long distance away from the shack, but I hope these tips will prove useful to some amateurs who do not have the luxury of a large garden and a tower. Let us hope for the introduction of sensible emi specifications for home computers in UK in the near future so that articles like this need never be written again.

John Worsnop was first licensed in 1971 at the age of 16 as G8EQR, and obtained his present callsign in 1972. He joined Pye Telecommunications Ltd (now Philips Radio Communications Systems) in 1973 as a student engineer.

In 1977 he obtained a Higher National Diploma and CET part 2 in Electronic Engineering at the Cambridge College of Arts and Technology (CCAT). He worked on the design of rf sub-systems and telemetry for low-capacity uhf radio link equipment, before returning to CCAT as a part-time lecturer in 1980.

In 1982 he took up a full-time appointment where he now teaches telecommunications and electromagnetics up to degree level, and is currently completing a MPhil degree by research into meteor burst propagation.

His amateur radio activities have included the design and construction of the GB3VHA 70MHz beacon and the pa for the GB3PT city repeater. He is a past member of the RSGB Repeater Working Group. His outside interests include running, volleyball and gardening.

### Acknowledgements

I am indebted to James Miller, G3RUH, for his help and advice in the preparation of this article, and to the Engineering Department of the Cambridgeshire College of Arts and Technology for the use of their laboratory facilities.

### Reference

(1) *Advanced user guide for the BBC microcomputer.*

### Useful address

Deccospray Ltd, Eastmoor St, Woolwich Road, Charlton, London SE7 8NA; tel 01 858 5128.

(Continued from page 905)

## A POWER SUPPLY AND CONTROL SYSTEM FOR TETRODE AMPLIFIERS

latch is cancelled. In other words, driving the amplifier beyond the point at which grid current flows removes it temporarily from circuit. The 5s pause should be adequate to allow the operator to consider the error of his ways and make a small reduction in drive level; the precise length of time for which the amplifier is out of circuit can be increased by decreasing the zenor voltage of D52. In Class C the overdrive detector's sensitivity is drastically reduced by means of RV9 and R1, B2 and a preset level of permissible grid current can be set; the circuitry then functions as a simple overdrive prevention device. The latch, together with another latch in the screen overcurrent detector circuit, is reset from a front-panel push-to-make switch connecting +12V to pin 25.

IC4b and associated circuitry forms a screen overcurrent detector. The diode of the optoisolator is in series with the raw dc feed to the screen stabiliser circuitry via pins 70 and 71, and any fault in this which causes excessive current to be drawn will operate a resettable latch similar to that in the overdrive protection/prevention system and illuminate an l.e.d. Since the screen supply is essentially a shunt stabiliser, this part of the circuit cannot be used for overcurrent protection of the valves themselves, which is achieved by other means. The l.e.d. illuminates immediately in the event of an overcurrent fault, but there is a delay of some 5s before the Darlington transistor TR4 turns on and operates a relay via pin 9, which removes the feed from the secondary of the screen supply transformer to the associated rectifiers and reservoir capacitor.

IC1 and IC3 can be any standard CMOS 4050 and 4081 respectively, but IC2 should preferably be a Mullard/Signetics HEF4049. The reason is simply that each gate in this device is effectively three gates in series, giving a much higher effective gain and much better "snap" transitions between low and high outputs in the face of the slowly changing inputs inherent in the design. Various devices have been tried for the dual optoisolator IC4, but the common Toshiba TLP 521-2A works well and is recommended. TR1-3 are all medium-power npn switching transistors and the BFY50 was used in the prototypes, although the constructor's favourite devices can be used instead; the BSV64 and BSX66A-68A series are often seen for sale at rallies for a few pence and work well. Note, however, that TR1 is the chv contactor switching transistor and that if it fails short-circuit the chv will be switched on regardless of other conditions. Make sure that the chosen device will comfortably handle the operating current of the contactor used and is of good pedigree. TR4 is a pnp Darlington; a BSS62 was used in the prototype but others will no doubt work. The small-signal diodes used in the prototypes and shown on the circuit diagram were the BAW62 and BAV21. There is nothing exotic about these devices, which simply happened to be available at the time; the usual 1N4148 will do nicely.

### To be concluded

# THE G4DKG DIRECTIONAL ANTENNA FOR 3.5MHz

G Collins, TEng, AFSEET, G4DKG\*

## Introduction

Having listened and operated on the 3.5MHz band with an inverted-V dipole, I had become increasingly envious of European stations giving dx stations in far-flung corners of the world 5 and 9 reports when I could not even hear the station in question. With the coming of autumn and improved long-distance propagation on the lower frequency bands, my thoughts turned to designing an antenna that would go a little way towards helping me hear those elusive dx stations. The antenna site is 4m above sea level, on the flat coastal strip to the east of the Lincolnshire Wolds, some four miles inland from the North Sea.

## Development

I have a single guyed pole 20m high, with a rope halyard for hoisting antennas aloft. A quarter-wave 3.5MHz vertical fed against a ground system was tried with mediocre success, the main stumbling block being the amount of interference received from strong stations in Europe while attempting to receive weak signals from VK/ZL on the long path. An attempt to reduce the strength of signals from the east was made using a second 3.5MHz vertical. Due to the height of the tree used to support this antenna it was top loaded, and was spaced a quarter-wave from the original antenna and fed 90° out of phase (phased verticals).

This did go a little way towards helping, but was abandoned for two reasons: (1) I felt that the second vertical with the top loading and an improvised radial system (I was running out of garden) was not working very efficiently. (2) My children enjoy playing in the garden and are too young to understand about the "no go" area Dad had claimed about the base of the new antenna in their play area. Another method of gaining some front-to-back ratio had to be found.

I had achieved a fair amount of success in the summer on 7MHz using a parasitic array, and my mind turned to using this technique. I decided to retain the vertical antenna and add some more vertical elements on the eastern side and attempt to tune them as reflectors. Tests showed that this worked well. I then went on to space the elements equally around the mast at 90° apart, and through the use of relays, made it electrically selectable for different directions.




Fig 1. Side elevation of complete system showing two elements and the points at which insulators are required

The antenna is basically four vertical antenna elements supported by a central mast. The total length of one element is 88ft, and rather than use a capacitor to tune out the inductive reactance presented by an end-fed antenna of this length, it was decided to use a parallel tuned circuit so that at all times the driven element is earthed at the antenna end of the coaxial transmission line. I have found that this helps to reduce static build-up, which can be a problem on hot humid days or during heavy snowfalls.

At first the four verticals were pulled up the mast on a common halyard without the use of the plastic spacer tubes, which meant that the tops of the elements were within a few inches of each other. However, during the development stages, the tubes were added, with a consequent increase in front-to-back ratio of approximately one S-point. I would like to try even greater spacing, but dare not risk the extra weight involved on the one halyard available on the mast. A side elevation of the antenna is shown in Fig 1.

Only one vertical out of the four is selected and fed to the array; this is the driven element. The remaining three elements are electrically shorted together and earthed via a capacitor C1, these form the reflectors of the system.

The length of a quarter-wave radiator is given by the equation:

$$\text{Length in feet} = \frac{234}{\text{Frequency (MHz)}} = \frac{234}{3.78} = 61.9 \text{ ft}$$

So the current anti-node appears at the base of the long sloping section as shown in Fig 1.

According to research by G H Brown, the optimum spacing between a reflector and driven element in a parasitic array is between 0.1 and 0.2 of a wavelength at the frequency in question (1).

In this case

$$\lambda = \frac{300}{f \text{ (MHz)}} = \frac{300}{3.78} = 79.6 \text{ m} = 258.7 \text{ ft}$$

$$0.1 \times 258.7 = 25.8 \text{ ft} \quad 0.2 \times 258.7 = 51.7 \text{ ft}$$

The plan view of the antenna, Fig 2, shows that the three reflectors fall very close to the above dimensions for spacing.




Fig 2. Plan view of antenna showing spacing between the elements at the current antinodes

## Construction

The four elements are cut in equal length from stranded insulated wire. The spacers which support the four elements at the top are made from plastic electrical conduit which is extremely lightweight.

Insulators are placed at all the points marked, and the strain of the wire is taken on a rope attached to the mast prior to entering the relay box. The elements are pulled away from the mast by thin rope attached to the wires by insulators, and tied to wooden stakes hammered into the ground. It is best not to pull the elements taut with this rope but to leave a little slack, otherwise the spacer tubes at the top bend excessively.

\* Grasmere, Alford Road, Bilsby, Alford, Lincs LN3 6PY.



## Switch and relays

The relays I have used are double-pole changeover (dpc) types, although only single-pole changeover required. I have given details of the relays used which are available from RS Components, the contacts are rated at 10A ac, they are not specifically for rf work but, when tried in this application, work perfectly well with no adverse effects (arcing etc).

Readers may like to try any relays that they have in the junk box which are of the same construction. The operating voltage is quoted as 24V, and I strongly recommend that any voltage greater than this is not used as damage to the cable between the shack and the mast, or the box which contains the relays, could leave people open to the risk of electric shock.

The 0V rail of the power supply feeding the relays should be connected to the station earth to provide some lightning protection.

A waterproof box fastened to the mast houses the relays and capacitor C1, which was salvaged from an old valve broadcast receiver and is a 3 x 500pF variable. The plates of this capacitor do not have to be wide spaced. Fig 3 shows the electrical drawing of the relays, the remote switch and associated antenna connections.




Fig 3. Diagram showing the connection of the antenna elements to the relay box along with the switch is mounted in the shack

## Antenna tuning unit

As mentioned earlier, the antenna is a parallel-tuned circuit and housed in a separate box on the mast, but it could easily be fitted in the box which houses the relays (depending on what size boxes are available). Capacitor C2 should be of the transmitting type, and a value of 300pF was used. The coil consists of 55 turns on a 1.75in former. Fig 4 shows the circuit diagram.

C2 should be tuned until the tuned circuit resonates at the desired frequency (3.78MHz in the author's case) with the coaxial cable tapped approximately 10 turns from the antenna end of the coil. With a small amount of power applied, C2 is then tuned and the coaxial tap adjusted to give the best SWR on the 50Ω transmission line.

It is unlikely that the same position of C2 and tapping point of the line will give an ideal match for all four elements when selected in turn, but this can be remedied by lengthening or shortening the remaining three elements to suit the atm. My antennas all give an SWR of less than 1.2:1 within the frequency range of 3.710-3.800kHz.




Fig 4. Circuit diagram of the ATU used, setting-up details are given in the text. Note the outer sheath of the rf feeder should be bonded to earth to afford some protection in the event of a lightning strike

## Tuning the reflectors

It is at this point that the constructor has to decide in which part of the band he wishes to operate and take advantage of the front-to-back ratio offered by the antenna. There are two methods of tuning but both should finish up with C1 in the same position.

1. This method relies on being able to enlist the help of another amateur station within about 20-30 miles of your own QTH, and in my opinion is the best method. Select the antenna on the opposite side of the mast to the station helping, transmit on or around the frequency of interest (2.3W should be ample). The other station should tune to this signal and watch his S meter for the weakest signal at his receiver as C1 is turned. Because of the coupling between the driven element and the three reflectors, the tuning of C1 will result in the necessity to adjust C2 in the atm for the best SWR once again. Once C1 has been adjusted, switch off, select the antenna towards the receiving station, and transmit to check on the front-to-back ratio obtained; this should be the same as the figure you are able to achieve on receive. Do not be tempted to beam towards the other station and tune for maximum radiation in his direction, as the correct tuning point is very hard to find; a much more defined tuning point is obtained when tuning for a null.

2. When heading away from a transmitting station, tune C1 for a null. If the station is close (up to 30 miles away) this method works, but depending on band conditions and distances involved your S meter will probably vary more with QSB than with the tuning effect of C1. The tuning of C1 is very frequency dependent, and the front to back ratio will fall off rapidly when moving away from the frequency used to tune reflectors.

## Performance

I have achieved a front-to-back ratio of between three and four S points on both transmit and receive. Unless you have a directional antenna on 3.5MHz it is hard to appreciate what a difference it makes to be able to reduce the strength of signals from mainland Europe, when working the USA or New Zealand on the long path. I am still unsure as to whether I have any gain from the array, as I have no means of making this measurement.

I have tested this antenna when in contact with various stations in other continents and they are able to see the difference in my signal strength when I beam in the opposite direction. In fact, my signal went to "barely readable" after having received a 5-8 report from New Zealand one morning.

## Acknowledgements

I wish to thank the many stations I have contacted on 3.5MHz who have allowed me to test the performance of the antenna with them, particularly my father G4SOR for his many hours of patiently watching the S meter while I tuned the reflectors, after what must seem like endless modifications to the antenna. I am at the moment trying to develop a similar antenna for the 7MHz band for use during the summer months.

## Reference

(1) *ARRL Antenna Handbook* chapter 4. For more in depth reading, Brown's original paper, *Proceedings of the Institute of Radio Engineers* Vol 25, part 1, January 1937, pp 78-145.



G4DKG is 30 years of age and became an swl at the age of 11, gaining his callsign in 1974. After seven years as a radio/electronics officer on BP ships he swallowed the anchor. He worked for South Midlands Communications for a year, and since 1983 he has been a senior electronics technician with the Anglia Water Authority.

# Technical Topics

Pat Hawker, G3VA

WRITERS AND COLUMNISTS can neither expect to, nor in my opinion should they attempt to, please everybody all of the time. Some new-time readers resent being reminded of what they have missed by not being old-timers; some like, some dislike to be reminded of how classic techniques still offer scope for experimentation and development; some apparently believe that any reference to thermionic devices immediately marks one out as a non-progressive despite the fact that 99.999 per cent watch tv on thermionic cathode-ray tubes, with well over 90 per cent of viewers and listeners depending on broadcast transmitters using thermionic power amplifiers, and with space communications still largely dependent on travelling-wave-tubes and up-link klystrons. No matter; anything that happened before the 1980s is of no concern to those who do not ascribe to the view that "science without its history is like a man without a memory". Journalists and technical writers, in the view of some, should be concerned only with "oooh" and "aaah" reporting of discovery, promise, prediction and progress of new superlatives, taken in by shrewd public relations, fashionable to sell technology on behalf of government departments, universities, professional societies, industry, broadcasters, health groups and publicity seekers. I am old-fashioned enough to believe that writers and advertisers and publicists should stay at arms' length. Public relations, it has been said, is organized lying.

Near the mark was that innovative engineer/amateur, J P Costas, W2CRR when he wrote: "We may be far better off to improve what we now have rather than to seek a cure for our present problems by discarding completely the old and accepting something entirely different. This statement may draw the accusation that the writer is not in a progressive frame of mind. I would deny this by stating that progress and increased complexity are not necessarily synonymous. True progress is achieved when improvements are obtained without a significant increase in complexity."

During the 30 years of *TT*, the vast majority of space and encouragement has been given to solidstate electronics and I can think of very few major developments that have not been outlined in *TT* in advance of other UK publications on amateur radio. But current trends in professional communications technology, such as surface-mounted devices, application-specific integrated circuits, 64K memory chips, millimetric-wave GaAs integrated circuits, computer-integrated manufacturing are not advances that can readily be taken on board by amateur experimenters. But for some readers, mention of valves, vacuum tubes or vintage receivers or anything less than state-of-the-art seems to act like a red rag to a bull.

Mark Davitt, G4MEM, for example, complains that he has become more and more frustrated by *TT* which he claims indicates that I would like to see everyone using HROs and No 19 sets. (*wrong!*). He and I agree that early transistor sets may have been poor compared with the valve equipment of the 1960s. He continues: "But the modern sets really do perform well, and rather than knock microprocessor technology, why not see it as an aid for operation which is what this modern technology is supposed to be? Having been professionally involved with valve, transistor and microprocessor equipment, I know which I prefer to work with. The impression given by the column to new amateurs may not be one reflecting the pioneer spirit of our hobby. Perhaps it is time for an author with a more modern outlook, reflecting amateur radio as it is now."

That's a put down and no mistake! Yet virtually by the same post there arrived (from an overseas amateur) a letter that began: "First of all I must thank and congratulate you on Technical Topics. There is always something new to me and I do find it makes *Rad Cam* the finest radio amateur magazine of all."

Perhaps the time is coming for *TT* to be wound up, if only to make more space for all those non-technical topics that seem to obsess so many RSGB members these days! For I still believe that amateur radio should not be confused with amateur information technology, useful as the micro can be for some applications in the shack.

## Using car-radio antennas on 144MHz

Back in February 1981 (*TT*, page 140), details were given showing how a 144MHz antenna could, with the aid of a simple filter, double-up as a standard am/fm broadcast antenna [Fig 1]. In *TT* (September 1986, p637) and in more detail in the full-length article by David Last GW3MZY and Trevor Goddard,




Fig 1. PA0GWF's method of feeding a broadcast car radio from his 144MHz transceiver antenna as described in *TT*, February 1981

GW6RYH "The 'Backlite' mobile antenna for 144MHz" (*Rad Cam*, February 1987, pp106-8) where it was shown that window-heater antennas developed for broadcast reception could be used for two-way radio, including 144MHz, operation.

It is an obvious advantage, even at the risk of a slight reduction in 144MHz performance, to have only a single, ordinary-looking antenna on your vehicle. No extra holes need be drilled but even more important is that there is nothing to suggest to the potential thief or vandal that there is a two-way radio waiting to be torn out. It is claimed that in the UK alone one in-car entertainment (ice) unit is stolen on average each minute of the day, often accompanied by damage to the vehicle. Various techniques to make such equipment less attractive to thieves, including sophisticated security coding, are increasingly being incorporated into the more expensive ice systems but not yet, apparently, in amateur mobile transceivers.

Diek Rollem, PA0SE, has added to the single, unobtrusive antenna approach by developing and describing a filter separating 144MHz signals from those destined for the broadcast receiver. He writes: "All designs I came across in the past were meant for use with a 144MHz antenna doubling for car-radio use. I did it the other way round. My car came with an antenna mounted on




Fig 2. PA0SE's matching filter permitting the use of a standard car-radio antenna on a 144MHz transceiver while retaining its use for broadcast reception

the front side of the roof, immediately above the windscreen. The position seemed acceptable for my 144MHz rig so I decided to give it a try. The filter unit now has the additional task of matching the car-radio antenna to the 50Ω output socket of the transceiver. I use a T-network in high-pass configuration as shown in Fig 2 (L1, C1 and C2). The broadcast receiver is protected by the parallel-tuned circuit L2, C3, resonating at 145MHz. For extra safety, diodes D1 and D2 are added. However, when properly tuned the residual rf on PL2 is of the order of 50mV or less when running 10W rf output from the transceiver, so that the diodes do not conduct. When the broadcast receiver is tuned to a reasonably strong or not-too-weak signal, broadcast reception is undisturbed when transmitting. Only on a weak broadcast station is some blocking noticeable. This can, in fact, be used for fine tuning of C3 which can be set for minimum disturbance of broadcast reception while transmitting.

"When setting up the filter, the car radio is replaced by a resistor (eg a 50Ω dummy load). C1 and C2 are tuned for minimum swr at the transceiver output and C3 for minimum rf voltage at PL2. It is useful to tune L1 in such a way that proper matching is achieved using minimum capacitance at C1 and C2 since this improves the filtering action. Similarly for L2 and C3. Not having a separate reflectometer for vlf, I used the built-in reflectometer that most if not all 144MHz transceivers include for protection of the power amplifier. I fitted a banana socket on the back panel of the radio and connected it to the output of the internal swr-bridge. With a multimeter between this socket and chassis, C1 and C2 were adjusted for minimum voltage.

"The filter has been in use for about 2½ years and no retuning whatsoever has been necessary. Theoretically the car radio antenna can be expected to perform rather worse than 5/8λ whip used previously but, in practice, in view of the wide fluctuations in fieldstrength in mobile operation, this is virtually unnoticeable.

"L1 and L2 are made from 1.8mm copper wire (electricians' wire with insulation stripped). L1 has two and a half turns on 10mm internal diameter. L2 has five turns, 10mm internal diameter. This data to be used as a guideline only. As noted above the coils should be so dimensioned that C1, C2 and C3 are near their minimum value. The filter is mounted in a metal box with lid that happened to be available, dimensions are 10cm wide, 5.5cm deep and 5.8cm high. The unit fits behind the car radio in its recess and is kept in position with some sponge rubber."

## Constant-current charging from 12V batteries

K C Pollard with the "initialised call sign G4KGP" has an FT290 which has eight nicad cells in its battery pack. On camping holidays with his family, the only power source available for recharging the cells is the car battery. The car is little used on these occasions so that the battery is not being recharged for much of the time. In a tent it is not convenient to take out the cells of the FT290.

The nicad cells have an operating voltage of 9.6V but, when charging, a battery pack terminal voltage of about 12V is required to provide the 14-hour or one-tenth charge current. The car battery, in its quiescent state, ie not being charged, has a terminal voltage of about 12.6V. This raises the problem that it is necessary to make the car battery a constant-current source, providing the FT290 battery pack with 120mA at a terminal voltage of 12V, from a power source which varies from 12.6V to 14.5V.

G4KGP uses the simple arrangement shown in Fig 3 comprising just two transistors and two resistors. He writes: "It couldn't be much simpler. It works as follows: the BD132 transistor is turned on by the 3.3kΩ resistor. The current to the battery under charge flows through the 1Ω resistor which thus develops 120mV across it. This 120mV turns on the AC128 transistor, draining away the drive to the BD132. The circuit stabilises at a current of 120mA, so forming a constant current source. Employing a germanium transistor as the current sensing element reduces the voltage loss of this section of the circuit; a silicon device would require about 0.6V to turn it on.




Fig 3. Simple constant-current charging system for re-charging nicad batteries from 12V car batteries




Fig 4. More elaborate nicad charger incorporating automatic float charge for use with AA cells (50mA charging rate) and larger C and D cells (120mA charging rate), as described by P Boyle in Electronics Australia

"The circuit has been arranged so that the negative terminal of the charger is at car ground potential for negative earth cars because the FT290 case is then at the same potential, so avoiding possible short-circuits. For positive earth cars the transistors could be replaced with an AC127 and a BD131. As the maximum applied voltage, when the car engine is running, is about 14.5V, the maximum power dissipation in the BD132 is only about 300mW, 14.5V/12V x 120mA, so no heat sinking is required. I soldered the case of the AC128 to the metal backing of the BD132 (do the soldering very quickly!) to provide thermal feedback. If the BD132 heats up then the AC128 turns on at a lower voltage than 120mV, so limiting the current flow. This makes the circuit thermally stable."

A rather more elaborate nicad charger incorporating automatic float charge is described by P Boyle in *Electronics Australia* (April 1987): Fig 4. This is similarly intended to operate from a 12V car or boat battery, charging up to six cells in series. When charging is complete, a trickle charge prevents the cells from self-discharging. Operation of this charger is as follows: Initially, with the 12V battery connected but no nicads connected, the yellow "trickle" light-emitting diode (LED) will light. Once the nicads are inserted, the red "charge" LED lights and remains on until the nicads are charged. The red light then goes off and the yellow light comes on. TR1, R1 and LED1 form a constant current source. LED1 is lit via the current through R2 providing a 2V drop. The voltage across the base-emitter junction of TR2 is 0.6V leaving 1.4V across R1. When R1 is 27Ω, the current through TR1 is 1.4/27 = 52mA. When R1 is 12Ω the current is 116mA. These currents correspond to the 14-hour charge rate for AA cells and the larger C and D cells respectively.

IC1 is used as a voltage sensitive switch to turn off the charger. It monitors the nicad voltage set by the 10V Zener D2 and trimpot RV1 which is set to the correct fully-charged potential of the cells. When this voltage is reached the output of IC1 goes low and switches on LED2. The resulting 2V across it turns on transistor TR2 via R3 and turns off LED2; this in turn reduces the voltage across R1 to 60 per cent of normal, representing the trickle charge. To adjust RV1, initially turn it fully in the direction of the Zener diode cathode. Charge the nicads for 14 hours and turn RV1 back until the yellow and red LEDs are both just alight. With RV1 left in this position the red LED will extinguish after several minutes. Note that RV1 would need readjustment if a battery with more or less cells is to be charged.

## Vertical arrival angles of dx signals

Most amateurs interested in long-distance communication by means of ionospheric propagation (ie medium frequency, hf and lower vhf) soon come to recognise that results depend to a large extent upon the vertical radiation pattern of their antennas. Power radiated outside the optimum range of arrival (departure) angle is virtually wasted power. With real earths of finite conductivity it is extremely difficult on hf to achieve vertical radiation patterns effective below about 5° above the horizon, difficult enough to radiate much power below 10°. On the other hand, high angles of elevation, associated with horizontal wires at heights above ground significantly less than a half-wavelength, can put very strong signals from F2 or F1 layer reflections into locations less than about 1,000 miles away.

This much, of course, is common knowledge. Yet few of us have any clear idea when we are working a dx station what is the vertical angle of arrival of the signals, or the appreciation that this can vary with the frequency, height of the reflective layer, mode of propagation (chordal hop/grey-line propagation etc) or appreciate that even an antenna with little low-angle radiation can still give good dx performance for limited periods of the time that the path is "open".




Fig 5. Vertical radiation pattern of a vertical dipole located one-half wavelength above earth of finite conductivity ( $n=1$  represents very poor conductivity,  $n=\infty$  represents salt water). Note how at low elevation angles radiated power varies enormously with ground conductivity. (Source: Collins' *HF Communications Data Book*)

In 1937, RCA mounted a successful operation designed to receive in the USA the early 405-line television signals from Alexandra Palace. As part of this work they used an interferometer technique to measure arrival angles not only of the 45MHz transatlantic signals but also (on March 4, 1937) of a number of 28MHz signals from amateur stations dotted around the USA.

The 45MHz signals were found normally to arrive at an angle of only  $7.5^\circ$  above the horizon. The 28MHz signals varied with distance and direction from  $8.1^\circ$  (2,720km, layer height 353km) to  $17.2^\circ$  (1,800km, layer height 360km) and also, in a more southerly direction, 1,960km, layer height 402km. Typical arrival angles were around  $12-14^\circ$ .

In 1960-1 a more extensive set of measurements were made on frequencies around 14MHz by the Post Office (now BT) Engineering Department in the course of an investigation into the cost-effectiveness of raising their point-to-point rhombic antennas from 150ft to 300ft (a project left unfinished). More than 30,000 measurements were made at Bearley and Canewdon on signals from Poona, India; Sydney, Australia; and New York. Arrival angles were found to be largely dependent on the ratio of the operating frequency to the muf, and there was evidence that at times arrival angles were as low as  $1^\circ$  while at other times signals from the same location arrived at angles above about  $18^\circ$ , again  $12 \pm 2^\circ$  was typical for F2 modes. What this implies is that with a transmitting and receiving antenna effective down to very low elevation angles, signals will be received for longer periods of time, even in disturbed ionospheric conditions and at times on frequencies well above the nominal muf. On the other hand it shows that even if your antenna puts only a tiny percentage of your total power below about  $15^\circ$  elevation you should still be able to work dx occasionally. There was little difference in normal arrival angles from New York, Poona and the much longer path from Sydney.

A casual inspection of the vertical radiation patterns (vrp) of antennas tends to fuel the age-old debate on vertical versus horizontal polarisation. It is important to appreciate that this argument cannot be decided on the basis of "free-space" patterns or patterns with "ideal" earth. The effect of the height of a horizontal antenna above "real earth" and for vertical antennas the conductivity of the earth surrounding the antenna out to a distance of up to 100 wavelengths are the determining factors.

A valuable article "Some reflections on vertical antennas" by C. J. Michaels,




Fig 6. Vertical radiation pattern in the plane perpendicular to the axis of a horizontal dipole one-half wavelength above earth of finite conductivity. Note that earth conductivity has little effect on vrp and only slight effect on efficiency. (Source and details as for Fig 5)

Table 1. Measured vertical angles at which signals from England arrived in New Jersey

Frequency (MHz)	Angle below which signals arrived 99% of the time (Degrees)	Angle below which signals arrived 50% of the time (Degrees)	Angle above which signals arrived 90% of the time (Degrees)
7	35	22	10
14	17	11	6
21	12	7	4
28	9	5	3

W7XC in *QST*, July 1987, pp15-18 carries the highly-relevant note: "Many amateurs have observed that on a dxpedition a simple vertical antenna on an ocean beach performs beautifully, while their own vertical radiates equally poorly in all directions."

The author provides useful data to back up his explanation of why a salt-water ground-plane "earth" is very desirable with vertical polarisation, but has only a marginal effect on a horizontal antenna. He gives a useful table of vertical arrival angles (Table 1) that agrees well with the 1960 Post Office measurements but shows, also, how this tends to vary from band to band.

He also warns of the common fallacy that the use of an extensive network of buried or surface radials (up to 120 are commonly used by medium frequency broadcast stations), completely overcomes the disadvantage of a site having poor ground conductivity. He writes: "A ground radial system is often used to reduce the losses in the near field of a vertical antenna. The radial system does just that—unfortunately this has little to do with the low-angle radiation characteristics of the antenna, because the area of ground reflection (Brewster angle) lies quite a bit farther out from the antenna than any practical ground screen, earth mat, radial system (that could be installed by amateurs)." Enormous earth mats have been installed for example in Australia, to permit the reception of signals down to below  $1^\circ$  elevation for signal-interception purposes. He adds: "In selecting a location for a vertical the best sites are marshy areas and those overlooking (salt) water, although radiation towards the inland side will not be as good as the over-water path. Small islands are ideal, especially ones that do not rise above the water to any great elevation."

For horizontally polarised antennas, ground conductivity has far less effect:




Fig 7. Depths at which the current density is 37 per cent of that at the surface for different qualities of earth over the 1.8MHz to 30MHz range (W7XC, *QST*, July 1987). Depth for fresh water (not shown) is 156ft almost independent of frequency below 30MHz

Table 2. For low angle radiation, the higher the better. A sloping wire or a sloping site can also provide good low angle radiation. It is often claimed that a horizontal dipole less than a half-wave above ground is not suitable for long-distance operation. While I have always argued that the higher the better, it should not be forgotten that real earth does not reflect hf signals from the surface but often from quite a few feet below the surface. W7XC provides a diagram showing the depths at which the current density of an rf signal is 37 per cent of that at the surface for different earth characteristics over the range 1-8MHz. The rf gets surprisingly far down.

Real earth may have high or low dielectric constants and high or low conductivity. With very poor earth conductivity, such as a sandy desert (or fresh water) an antenna wire laid directly on the surface or even buried a couple of feet below the surface, will still radiate quite effectively, at least at high vertical angles.

**Table 2. Gain of  $\frac{1}{2}\lambda$ , Dipole as function of height and ground parameters, using lowest lobe**


Height	Approx gain, db/isotropic			Direction of gain, above horizontal		
	A	B	C	A	B	C
$\frac{1}{4}$	8.14	6.28	5.14	90°	90°	90°
$\frac{1}{2}$	8.14	7.16	6.60	30°	29°	29°
1	8.14	7.64	7.30	15°	14.5°	14.5°
2	8.14	7.90	7.72	7.5°	7°	7°
4	8.14	8.03	7.94	3.75°	3.5°	3.5°

A—perfect ground; B—moist soil; C—dry soil

One of the most effective ways of lowering the radiation angle of a horizontally polarised antenna of limited height is to use an array which sharpens the vrp in much the same way as it does the hrp. Such an array is not necessarily the usual Yagi or quad. Long-wire and rhombic antennas etc also show the same effect. A good rhombic, for example, may have maximum radiation at around  $11.12^\circ$  with its  $-6\text{dB}$  angles about  $5^\circ$  and  $16^\circ$ , just the range needed for consistent dx operation!

## Long-wire antennas on 50MHz


In the August 77 I wrote: "Curiously, few amateurs have shown much interest in using long-wire or rhombic antennas for vhf or uhf where they can be fitted into a suburban garden or even a loft-space...". Mike Parkin, G8NDJ is an exception and confirms that a simple long-wire antenna can put out a potent signal on 50MHz. He writes: "Having built a 50/144MHz transceiving system, I was naturally keen to test it out. I did not have a 50MHz antenna so I decided to try my long-wire antenna used for listening on the hf spectrum. Rather to my surprise the antenna loaded after using a length of  $75\Omega$  coaxial cable as a matching transformer. The system worked well and I was constantly asked by the amateurs contacted for the details. It was suggested that I send along the information for possible publication.



**Fig 8. Basic 50MHz 'long-wire' antenna used by G8NDJ**


"Basically the antenna is 8.5m of 28swg copper wire suspended between the house and a tree at the bottom of the garden using insulators and nylon cord. At the house end is attached 1.8m of copper wire to act as feeder between the  $75\Omega$  matching transformer and the horizontal span of the antenna. There is 9cm of this inside the house, the rest (1.71m) attached (by soldering) to the antenna and passed through the wooden window frame.

"Initially the coaxial cable was 4m long and I chopped it back 5–10cm at a time until the swr meter reading dropped to near unity. In practice 3.9m of cable resulted in a match of 1:1:1.



**Fig 9. Details of matching arrangement used by G8NDJ**

"I have been very pleased with the performance. Local contacts fall off beyond about 20 miles but it has resulted in cross-band contacts (via Sporadic-E?) with Norway, Spain, Switzerland, Italy, Germany and Portugal in a few weeks of operation. It provides a simple and cheap antenna and one that would be well suited to portable operation."




**Fig 10. Horizontal radiation patterns of 'long-wire' antennas fed at one-quarter wavelength from one end. Note increasing asymmetry with length of resonant long wire antennas**

The usual way of feeding a vhf long-wire with coaxial cable is simply to connect the coaxial cable to a resonant long-wire, a quarter-wave in from one end. The possibility of using 'stretched' long-wire antennas using capacitors at the appropriate intervals should not be overlooked.

## Negative-line and universal keying circuits

The May 77 included GM4DGT's keying arrangements designed to avoid electric shocks from a floating negative rail. More recently, R B Kerr, GM4FDT has sent along an alternative negative-line keying arrangement that he uses with his CQ110E transceiver; Fig 11. In this  $I_1$  should be greater than the key down current  $I_2$ . The voltage rating ( $V_{bo}$ ) of TR1 must be greater than the key-up voltage. No batteries are required. Logic 1 (ie usually = 5V) represents key down. Resistor R ( $330\Omega$  for the CQ110E) can be determined from  $I_1 = \text{ttl level} - 0.7 / R$  to make  $I_1$  slightly greater than  $I_2$  for reliable operation.



**Fig 11. GM4FDT's negative-line keying arrangement**

Steve Cook, G4ANA ran up against the problem that his key, a magnificent cmos version of the 'Ultimate' had a relayless output circuit which was fine for positive keying, but, on switching to negative keying as used for example for grid-block transmitters, connected the transmitter chassis to the keyer's positive rail, leaving the paddle metalwork connected to the negative rail. He writes: "Several sets of exploding nicad batteries later, I devised a 'kiss' single ic arrangement (Fig 12) which not only enables me to bond all the metalwork together but has also incidentally much simplified the polarity switching and provides a 'universal' design.

"The circuit relies on the same 'same-or-different' switching characteristic of an exor gate, and clears polarity problems completely. Polarity selection is now achieved by connecting the keyer case to one or other of its power rails, leaving nothing 'floating'. IC1a inverts 'case' potential (also brought out on pin C) to provide 'anti-case' (on pin A): the input is protected against static damage by the inclusion of R3. The 'anticase' potential is used to provide the 'pullups' on the paddle inputs via R1, R2, with C1, C2 providing the usual 5ms scratch filtering. IC1b and c then compare paddle potential with that on pin B; by linking this pin A or C, the outputs from these gates may be made active high (positive) or low as required by the main keyer pcb.

"IC1d similarly provides output polarity selection. The logic output of the keyer pcb (which may be of either polarity) is here compared with pin D, which is linked to A or C such that IC1d output is active high on positive keying, active






Fig 12. Dual polarity relayless keyer interface with all metal work bonded to earth (G4ANA)

low on negative. This output drives the bases of TR1, TR2, the high-voltage keying transistors, the emitters of which are connected to the case. If the case is negative and IC1d output goes high, TR1 turns on and, via D1, so does the transmitter. If the case is positive and IC1d output goes low, TR2 turns on and energises the transmitter through D2. R4 and C3 provide the usual click filter. Usefully, the b-e junctions of TR1, TR2 protect one another against excessive reverse polarity.

"Result—Nirvana! My nicads no longer explode no matter what touches what. I commend the idea to anyone with a keyer with a 'floating' paddle!"

## Valves in the museum or shack?

The recent revival of interest (by no means confined to *TT*) in valve technology is not apparently shared by all readers. G Orford, G4FRO complains bitterly that his heart sinks when he looks at *TT* which he considers has degenerated to tedious nostalgia, for those less than sixty, concerning vintage radio, countless valve items, and no longer providing readers with useful or relevant or "where's-the-soldering-iron" items. Well, well—luckily for my morale this view does not seem to be shared by other correspondents, not all of whom are "senior citizens".

Geoff Lomas, G4SYC although admitting to belonging to this apparently "past it" category writes: "Like yourself, I am still fond of using valve equipment, despite having spent well over thirty years at the sharp end of computer and military electronics design. The hf rig is the old Heath SB101 and for general coverage the even older AR77. Both are still in fine condition and seem to work as well on ew as any modern and much more expensive gear. The AR77 has been usefully augmented with a digital read out I described in *Wireless World* in the days when there was only limited choice of integrated circuits. A valve I do not like much is the 6146B which I find subject to internal caltropics; these have been replaced in the SB101 by 6293 valves, a development of the 6146B designed for pulse modulator service and far more robust, although almost identical electrically and physically. When I first acquired the SB101, it suffered from appalling drift. This was tracked down to a six-inch length of coaxial cable joining the vfo to the first mixer. The braid was corroded and varied in capacitance as the rig warmed up. Not one of the more obvious faults!"

Graham Maynard, a keen and experienced listener to medium-wave dx, in the course of a long report on this aspect of the hobby, in *M W News*, writes: "I was brought up in the blue spot, red spot and white world of the early germanium transistors, buying my first OC72 at the age of twelve... during

the past twenty years I've tried bipolar, fet, integrated circuit devices and battery valve designs with inductive, crystal, ceramic and mechanical filters, balanced mixers, differential stages, etc, but for serious dxing I use an 'old-fashioned' valve set, a 1953 Marconi Mercury, type 1017 marine receiver. Indeed, it was the power, size, weight (and later cost) disadvantages that started the thermionic decline and not failings in attainable performance... until I can afford a modern solidstate receiver capable of good medium-wave performance my choice remains with secondhand professional valve gear." One of the disadvantages of much modern solidstate equipment is the use of electronic (diode) tuning in place of the much higher-Q variable tuning capacitor. It is primarily above 100MHz that the low-noise characteristics of modern solidstate devices become important.

Peter Chadwick, G3RZP warns that builders of "replica" transmitters need to ensure that they meet modern band-requirements in respect of chirp and clicks, etc. The need for a T9 and low drift however does not usually present any problem with crystal control. And of course some valve equipment of the 1950s and 60s were first-class performers (eg Collins equipment). But with 'thirties designs emc, tvf and rfi can be virulent unless adequate precautions are taken. G3RZP does not believe we can afford to indulge in the luxury of nostalgic gear with nostalgic performance! He confirms, however, that considerable use was made both in US wartime equipment and for marine emergency receivers right up to the mid-1960s of a low-voltage (12, 24, 28V) ht bus, sometimes using two pentodes (eg 2 x PL84) in parallel to provide sufficient audio output. On the use of Q-multipliers at the front-end of receivers, either valve or solidstate, he warns of oscillator radiation.

## Variometers and the linear variable inductor

The recent *TT* notes on old-style mechanical variometers and the proposed linear variable inductor (lvi) outlined by A S Kislovski of Hastler Ltd in *Proc IEEE* (February 1987, see *TT* September p661) have continued to attract comment. Tim Wright G1BCR/G9BZW reports that what appears to be an identical technique has been used for a decade in the Marconi Instruments fin signal generator type 1066B as a means of controlling the sweep range. A number of readers have pointed out that, in principle, the lvi, although based on the use of two linked toroidal cores, is similar to the long established magnetic amplifiers and saturable reactors widely employed in 50 and 60Hz lighting and other control systems, using conventional E and I laminated cores.

For example, Peter Chadwick, G3RZP, after being finally convinced that the *Proc IEEE* piece was not an April Fool joke warns that any core near saturation would result in horrific intermodulation when used with high-power rf signals for, say, a pa tank circuit or an stu. He also points out there is a problem with mechanical variometers. The inductance is  $L = L_1 + L_2 + 2M$  where  $M$  is the mutual inductance. With "opposing" values of  $M$  the Q inevitably goes down, since the rf ohmic resistance is constant and thus at higher frequencies is appreciably greater than would be in the case for a conventional inductor. He adds: "This is why most marine (500kHz) transmitters only used the variometer for relatively small increments of inductance, providing tapped inductors for the wider changes in inductance". Despite this problem there is still a lot to be said for lvi variometers such as those made by Lorenz etc.

## Relay driver

CE Rowley, G6KVU sends along a circuit for a relay driver that he originally designed for controlling a set of bandpass-filter switching relays in a portable transmitter-receiver but which could clearly have many other applications. He writes: "A disadvantage of using low-voltage relays is that they usually have a low coil resistance and hence draw a correspondingly high operating current. For applications where a number of relays may be required to operate from a standby battery supply, it is clearly desirable to use a relay driver circuit that will maintain the holding current of a relay at as low a value as possible, without impairing its ability to energise it reliably. The arrangement of Fig 13 was designed for this purpose and for a 50-ohm 5V relay, results in a current reduction from 100mA at rated voltage, to a reliable holding current of 25mA."




Fig 13. G6KVU's relay driver circuit can cut battery consumption during the hold-in of low-voltage relays by about a factor of four



"With S1 open, the output from D1 will be close to Vcc and C1 discharged. When S1 is closed, C1 charges through the relay coil, the resulting current pulse through RL1 energising the relay. As the capacitor charging current decays, the relay is held energised by the constant current supplied by the IC1 7805 voltage regulator i.e. The value of R1 is determined by the expression  $5/I_R$  where  $I_R$  is 1.2 times the minimum holding current of the relay. Note that R1 and D1 carry the full output current and should be rated accordingly. The use of an led for D1 provides an indication that the relay is energised. Capacitor C1 should be a good quality electrolytic, suitably rated for the supply voltage. When S1 is opened, the relay de-energises and C1 rapidly discharges.

"The arrangement requires the input voltage to be at least 2V greater than the rated voltage of the relay coil. By increasing this value to twice the rated voltage of the relays, the corresponding overdrive transient, generated when S1 closes, significantly improves the pull-in time. It also permits relays of different coil voltages to be energised from a common supply (Vcc). Since it is essentially a constant-current arrangement, and an added advantage is that the relay supply is protected against a short circuit.

## 15W 12/240V inverter

In the past couple of years, *Electronics Australia* has published several designs for solidstate inverters transforming 12V dc into 240V ac in order to permit the operation of domestic appliances etc from 12V car batteries. One of these, for 300W output published in EA in September 1985, was briefly mentioned in TT, February 1986, page 110.

In the April 1987 issue of *Electronics Australia*, John Clarke describes a "12/240V inverter for portable compact disc players" intended for powering compact-disc players in a car but which could equally well be used for other mains-type equipments that consume 15W or less: Fig 14. The output waveform is basically a stepped square wave (duobinary) suitable for most appliances designed for mains sine-wave operation. Although only a low-power unit, the claimed line regulation is impressive: for an input voltage range of 11V dc to 15V dc, the output voltage changes only from 240V ac to 249V ac. Load regulation at 12V input is also good, changing from 242V ac at no load to 241V ac at 15W load. Efficiency at full load (15W) is 82 per cent with the current drain approximately 1.5A dc. Standby current at no load is 120mA.




Fig 14. 15W 12-to-240V inverter as published in *Electronics Australia*




Fig 15. Waveforms at various points in the 15W inverter

The two fet switching devices (BUZ71) are heatsinked and are signpos devices (Siemens power metal oxide semi-conductors). Several safeguards have been incorporated in order not to impair the audio quality and "to provide protection from the voltage transients common in a car electrical system" (a fact not always appreciated by mobile operators used to battery operation for handhells etc). The negative return of the dc supply is isolated from the signal output ground to eliminate the possibility of a current loop that can give rise to noise and distortion. The unit is based on a standard 15V centre-tapped mains transformer. Four integrated circuit devices drive push-pull switching transformers at 50Hz. The 555 in a stable mode produces a 100Hz square wave with 1:1 duty cycle. The output of IC1 goes to a 4027 J-K flipflop which in effect divides the clock input by two, with IC3 providing buffers. Waveforms at the device pins are shown in Fig 15. Output voltage is adjusted by RV1 to read 240V ac with a 12V dc input.

The EA article provides full constructional details including pcb layout etc but most of the essential detail is given in Figs 14 and 15.

## A hybrid ultimate receiver

Ray Howgego, G4DTC, has been keeping the flag of experimental development flying in Caterham in a quest to develop the ultimate amateur hf communication receiver. In the course of this he has cunningly combined both traditional and novel ideas, some of which (including a novel crystal ladder filter) will have to be held over for another month.

He sets the scene as follows: "I have three factory-produced receivers, each representing different design philosophies: an FRG7, an FT200 transceiver and an Eddystone 940 general coverage receiver of the mid-1960s. (a) The FRG7: Yaesu seem to have been so enraptured with their implementation of a solidstate Wadley triple-mix system that other aspects of receiver performance were ignored. Seven transistors, all prone to cross-modulation, precede the filter. The attenuator reduces this problem but does not reduce the noise level. There are some unexpected spurs. In my experience this receiver is improved beyond belief by fitting an i.f. gain control (eg by manually controlling the age line)




Fig 16. Front-end of G4DTC's ultimate general coverage communications receiver covering 0 to 30MHz. Preselector shown covers 530kHz to 31MHz

revealing the extreme importance of using just the right amount of gain in the i.f. stages. (b) The FT200: The receiver section far outperforms the FRG7 but lacks sensitivity at the higher frequencies. Has just the correct gain in the i.f. stages. In operation, the af gain should be held high, and volume controlled by the rf gain. (c) Eddystone 940: This general coverage valved receiver far outperforms the FT200 even on the amateur bands. The 940 seems to have been sadly overlooked as one of the great receivers. Whoever designed it knew what he was doing. Signals inaudible on the FRG7 stand out against a quiet background. Unfortunately it has three disadvantages: single-conversion to 450kHz (claimed image rejection at 20MHz only 40dB); the use of an easily overloaded 6BE6 for ssb detection; and combined rf/af gain control. This control unfortunately reduces the signal more rapidly than the receiver noise. The problem can be eliminated by removing the gain control line from the ECC189 cascode first rf amplifier. (This receiver has two rf amplifying stages with the front end comprising an ECC189 cascode, 6BA6 second rf amplifier, 6AJ8 mixer, 6C4 local oscillator and two 6BA6 i.f. stages with a single vacuum-mounted crystal providing a 6dB bandwidth of 400Hz, and a four-gang tuning capacitor with the large Eddystone 140; slow motion drive and tuning scale. The five bands covered from 480kHz to 30MHz with a vernier scale - G3VA).

"The point I am making is that although all three receivers have similar sensitivity specifications, and all should produce a noise level below that of cosmic noise, their actual performance is noticeably different. Having heard several other recent receivers it is evident that those using the final generation of valve designs produce a much cleaner sound than those using transistors, provided the gain distribution is correct."

In publishing G4DTC's comparisons, I feel it should be underlined that the Yaesu FRG7 and FT200 models were relatively low-cost equipment built

expressly for the swl and amateur-radio markets whereas the Eddystone 940 was a general-purpose professional receiver built by Eddystone in the era when the company was moving away from the amateur market (for which it was then making the amateur-bands EA12 receiver). Some of the later Eddystone receivers were made for, and marketed by, The Marconi Company which in the late 1960s took over the company completely and pulled out of the amateur market, though Eddystone have continued to produce some fine professional communications receivers. Modern solidstate professional models can cost up to over £20,000 which is not exactly a price tag likely to appeal to many newcomers. To my way of thinking, it has been a retrograde step for amateur factory designers to follow the professionals' footsteps in going for up-conversion to vhf and frequency synthesis with all the attendant problems of excessive phase-noise (jitter), reciprocal mixing and consequent reduction of near-in dynamic range. I wonder how many solidstate receivers built for the amateur market have a performance better in all respects than, say, the Collins 75A4?

But to return to G4DTC's letter: "It was decided therefore to build my ultimate receiver based on a design philosophy that embraced both valve and solidstate devices. The front-end has emerged as in Fig 16, taking into account the following considerations: The 7360 beam-deflection mixer was considered essential, nothing within an amateur budget really outperforms it. Although now quite costly (about £15) it probably still represents best performance per pound. Power supply requirements are modest. The receiver was required to tune dc to 30MHz with an i.f. of 4.433MHz to permit the use of a crystal ladder filter based on low-cost PAL colour tv crystals. The use of the 7360 allows one to tune right across the i.f. without a trace of a whistle. The i.f. rejection is of




Fig 17. Preselector arrangement for vlf reception (0 to 550kHz) used by G4DTC

the order of 50-60dB while the 7360 provides about 25dB of conversion gain.

The equivalent noise resistance of the 7360, at 1,500 ohms, is usually claimed as making it suitable for use as the first stage of an hf receiver. However this implies the use of a good antenna and for amateur applications it is useful above about 14MHz to have a stage of if amplification. A PCC189 (more readily available than the ECC189) in a cascode circuit, with its enr only about 200 ohms, represents the ultimate in signal-to-noise performance. The gain of this stage is controlled by varying the grid bias, I find this better than the usual variable resistor in the cathode circuit since it reduces valve noise and signal in the same proportion, which cathode biasing does not. To reduce the valve to cut-off, it is run at only 100V anode potential instead of the usual 180V; this barely affects the gain. In operation, the gain of this stage is held at or below unity over most of the spectrum but can be increased to 30dB if required. The antenna trim control is essential to compensate for different antennas and ensures adjustable tracking.

Both valves have dc heater supplies through small dropper resistors from a rectified and smoothed 6.3V winding. The 7360 requires  $-1.9V$  bias supply for both valves to be absolutely free of ripple; hence the use of high-value electrolytics. For tuning below 500kHz the alternative circuit (Fig 17) is switched in with R-C coupling between the two stages. The input arrangement of the PCC189 combines a tunable circuit over 500 to 300kHz with a low-pass filter below 300kHz. This arrangement permits signals at frequencies down to a few kHz to be received at good strength.

The deflecting electrodes of the 7360 are supplied from a balanced solidstate Kalliatron oscillator tuning 4.4 to 34MHz in ten switched bands, each 3MHz wide. In my view, synthesised oscillators, with all their problems, should be avoided like the plague. On hf who needs them? The oscillator in Fig 16, after drifting about 4kHz in the first ten minutes then settles down to within 20Hz for an indefinite period (measured at 30MHz); after two hours I became bored with watching for a change in the final digit on the counter. The Kalliatron oscillator has proved exceptionally reliable and provides a very high output, independent of L-C ratio; output is almost as high as its supply voltage. A high degree of buffering can then be employed. It is however intolerant of any imbalance in layout or component tolerances.

The deflecting anodes of the 7360 show a fairly high capacitance (about 10pF) and it proved necessary to supply them from a low impedance source. This also allowed the local oscillator to be situated remotely from the mixer. Hence the 2N3866s which get quite warm. The base circuitry of these devices forms a filter with a steady roll off towards low frequencies and ensures an rms input to the 7360 of 1.5 to 2V at all frequencies. RV1 and TC are set for optimum i.f. rejection. RV2 and RV3 allow equalisation of the antiphase oscillator outputs but are probably unnecessary since these outputs are within 2% of balance. Component values for the 7360 mixer were taken from previously published materials and were found to have been carefully optimised. □

## Comparing simple vertical and horizontal antenna systems

D A BUNDEY, CEng, FIEE, G3JQQ

### Introduction

If there is one subject of amateur radio activity where theory and practice often part company it is that of antenna systems. This is especially true for hf where domestic restrictions often preclude the establishment of sensible antennas or locations, leading to the practical world of compromise and variety in results.

One question that often arises is whether to erect a vertical or horizontal system, particularly for dx working. This article looks at this question for two simple antenna systems, erected side by side but with sufficient spacing to minimise any mutual coupling (approximately 100ft apart) and attempts to explore the issue by practical assessment.

### The antennas – groundplane vertical and horizontal dipole [1] [2]

The groundplane is a conventional 1 in diameter vertical (quarter-wave) with four groundplane elements with the base 8ft above the ground and fed with approximately 90ft of 52Ω coaxial cable, VSWR is less than 1.5 over the band. Aluminium tubing and copper gp are used. The dipole is 66ft centre-fed with approximately 250ft of tuned open-wire line and arranged with right-angled legs to give an omni-directional response; two half-waves on 14MHz. "Wells" configuration, Fig 1. Height above the site is 22ft on sloping ground. Tuning is by means of old-fashioned but excellent Z-match. Copper is used throughout.

### The site (Fig 2)

The site is approximately one-third acre, 400ft above the city of Bath, open from west through north to east but screened by a hill to the south. Ground slope in the open directions is some 10°, giving an antenna height gain of about 1.5 compared with a horizontal location.

A groundplane and 66ft centre-fed multiband dipole with right-angled legs are compared by switching inputs to an FT7B transceiver. Assessed levels are recorded using the receiver S-meter, nominally calibrated at 3dB per division. One hundred and sixty nine amateur signals are compared on a random-reception basis, originating from a variety of directions and ranges, designated for convenience either easterly or westerly. Results, taken from 22 test occasions at differing times of day over a two-month period, are presented in tabular form and some comment and conclusions offered.

### The assessment technique

On all occasions when signal levels are recorded, conditions of noise over-ride prevail (ie, either antenna switched to the receiver produces a discernable increase in background noise level). This ensures that the system is externally noise limited and is not debilitated by poor receiver performance, or unacceptable losses in the feeder connections.

Additionally, antennas are switched and compared against each other for noise without signals present. These comparisons are presented separately in Table 2.

Signals are assessed for each antenna without making any allowance for differing background noise. However, in nearly all cases signal levels are well above noise, making the latter an unimportant influence in determining actual levels.




Fig 1. "Wells" antenna. Two half-waves at right angles (omni pattern)




Fig 2. Site layout

## Results

Table 1 shows the results, where each cross represents one assessed signal. A total of 169 signals are recorded. In attempting to tabulate the results to provide a meaningful picture, a number of points have been taken into account:

- Each result is an assessed average, often for a widely-varying signal, whose peaks occur at different times on each antenna. This is, of course, typical of the hf ionospheric path, [3].
- The effect of adjacent-channel QRM has to be considered in assigning a value of wanted-signal level on some occasions.
- Owing to overall signal variability there is little point in trying to discern differences much smaller than those tabulated for signal strengths or ranges.
- The small proportion of signals nearer the northerly or southerly regions are lumped into the easterly or westerly divisions; eg, Italy, Scandinavia etc.

Table 2 shows the comparison of background noise from the antennas on each of the 22 occasions when signals are assessed.

Table 2. Noise comparisons by numbers of occasions

Daily occasion	Atmospheric noise equal	Greater on dipole	Greater on vertical
Morning	3	2	2
Afternoon	1	0	2
Evening	4	1	7

## Comment

Examination of Table 1 enables a number of observations to be made:

- Nearly half the signals are, for all practical purposes at hf, the same on either antenna; ie, less than 3dB difference.
- Less than 10 per cent of all signals are significantly better on any one antenna; ie, greater than 6dB difference. Most of these are easterly on the vertical.
- Signals from the east appear to favour vertically-polarised reception, possibly due to complex interaction with the earth's field for the E-W path, [3]. Of 106 easterly signals, 59 are greater on the vertical, 31 the same on both and only 16 greater on the dipole.

Table 2 shows that on most occasions background noise is greater from the vertical system, particularly in the afternoons and evenings. However, records show that the noise difference exceeds 3dB on the vertical for only three occasions out of 22. The effect of local man-made noise is not reflected in the table. This can be a predominant influence against a vertical on a poor site.

## Conclusions

Within the limits of this exercise, bearing in mind the relatively small sample size, limited reception times of day and duration, sunspot cycle position etc, my conclusion is that for these simple antennas, little significant difference exists between horizontal or vertical polarisation for this band, unless the predominant interest is easterly. For the latter, a vertically-polarised system would appear to be preferable.

Concerning noise, it is concluded that the greater susceptibility of the vertical system would not negate its advantage for easterly work, because the difference in background noise between the two antennas, in general, is small; 3dB or less.

## Other aspects

Notwithstanding the above, a number of other considerations have importance for the amateur where real estate precludes the erection of more than one antenna system.

**EMC (TVI/BCI/AUDIO/VIDEO etc).** There is much to be said for operating a balanced antenna system in order to minimise imbalance currents in local wiring and thence into neighbour's equipment, accepting that this is not the only mechanism of undesirable coupling. Centre feeding a horizontal system goes a long way towards minimising such problems.

**Feeders.** For vertical systems the cheaper variety of coaxial cable can introduce significant losses if long runs are contemplated, particularly after several years of weathering. Rabbits and vermin will attack cable laid along the ground. For horizontal antennas, tuned open-wire lines for any normal domestic run are virtually loss-less when properly constructed and very long lasting. A pvc cover is preferable if human contact is likely. Siting on poles and away from structures by at least half-a-metre is desirable. Domestic acceptability may be strained when such lines are run directly into the house to meet the Z-match, although spacing can be reduced to an inch or so at this point as a palliative. **System flexibility.** The 66ft system is multiband as it stands and well suited to the lower frequencies where high-angle radiation is desirable for local UK/European operation. Operation of the vertical on lower frequencies is, of course, possible by the use of traps or tuning the feeder. For the latter, losses will be greater and wave launch angle possibly less than desired unless dx is the main interest on these lower bands.

**Cost.** Accepting that the availability of local trees is an advantage, I have always found wire antenna systems cheaper than the alternatives.

**The site.** There is little doubt that an elevated location, of itself, is the greatest contributor to good reception, with the possible exception of an open-sea path. In these tests, both antennas enjoyed the advantage of height. Assessments at different locations by other amateurs would be useful for comparison of findings.

## References

- ARRL Antenna Book
- Transmission and Propagation - Services Textbook of Radio series. Glazier and Lamont.
- Ionospheric Radio Propagation - NBS Monograph US Dept of Commerce.

Table 1. Assessment results. Each cross represents one assessed signal. A total of 169 signals is recorded

Range	Westerly signals			Horizontal antenna greater	Easterly signals		
	Over 3500 miles	1500 to 3500 miles	Below 1500 miles		Below 1500 miles	1500 to 3500 miles	Over 3500 miles
Greater than 6dB					xx	x	
3 to 6dB	xxxxx	xx	xx	xxxxx	xxxxx		
Less than 3dB	x			x			
Equal signals	xxxxx	xxxxx	x	xxxxx	xxxxx	xxx	
Less than 3dB	xxx	xx		xxxxx	xxxxx	x	
3 to 6dB	xxxx	xxxxx	xx	xxxxx	xxxxx	xx	
Greater than 6dB		x	x	xxx	xxxxx		





# NEWS BULLETIN



**5070  
MHz**

## BOTSWANA WORKED ON 50 MHz

.... GM4DGT - A22KZ, 8860Km

You remember that in last month's Bulletin we said that Mike, G3JVL, had heard A22KZ on 50 MHz? Well, just after we went to press (it's always the way in this game, must have a word with the Openings Secretary) it all happened in a big way.

On Saturday 17 October at 1040 GMT G6KHQ heard ZS3E in Namibia on 50.11 MHz at about 4 and 1; John said he got the impression that the Namibian station was working someone in the Mediterranean area. ZS3E's signals peaked 5 and 4 with rapid fading and were only heard for about a minute and a half.

### THE BIG DAY

Thursday 22 October was the Big Day - and as Dave Butler, G4ASR, said in the VHF Newsletter, it was a day "....that six UK operators will not forget easily". G8VR's column will no doubt carry the full story in due course, but briefly the pattern of events went something like this. At 1535 G2ADR in IO93 heard A22KZ calling CQ on CW. Eric didn't have time to get his 50 MHz system running by the time A22KZ had finished calling but luckily the latter then appeared on 2B.B85 MHz - which Eric was also monitoring. Following a successful 2B MHz contact and 2B/50 MHz crossband contacts both ways, they then made two-way contact on 50 MHz at 1547. G2ADR sent a 539 report and received one of 519 from Botswana; Eric was running just 9W to a dipole!

Next to contact Botswana was G4HBA, also in IO93, at 1638. Roger was running 15W to a three-element and gave A22KZ a report of 539; he received 529. Signals were T9 with fading.

### THEN THE BIG ONE

At 1650 the path extended into Scotland and Bill, GM4DGT, in IO86 worked A22KZ over what turned out to be a path of no less than 8,860 km. Bill sent a 539 report and received 519 in return; there were deep nulls and flutter fading. If the Bulletin could award a grand prize for "QSO of the Year" it'd

have to be for this one - what a superb achievement and congratulations to both stations. Who'd have put money on GM-A22 on 50 MHz a year ago?

After that, G1AWP in Northumberland, G4GAI in Rochdale and finally G3CCH in IO93 also made contacts with A22KZ, all at around 1700 GMT. Interestingly enough, both G4GAI and G3CCH heard A22KZ using SSB a little later on with signals up to S5. GM4DGT heard A22KZ again at 1716 on SSB but said that he was virtually unreadable, and again at 1722 with severe flutter.

So - how about that then? We're wondering just what happens after we've gone to press this time.....seriously though, some tremendous contacts. No doubt there'll be some very special QSL cards on a few walls in the UK before too long! Propagation-wise we're still going in for TEP with some sort of E-layer happening at this end of the circuit, but no doubt the Great Brains will let us know in due course. Incidentally, mni tnx to David Butler, G4ASR, editor of the superb, magnificent and totally indispensable VHF Newsletter (free plug, published by RSGB, info on how to get yours each month from Tim at Headquarters or see last month's Bulletin) for his assistance with getting the facts of this story straight a couple of days before press time.

### WHEN IN ROME - 2

Still on the subject of 50 MHz, however, there's a point we really must make about operating on that band in other countries. There have been a few instances this year when G stations (they know who they are) have operated on 50 MHz from

(cont over)

### VENUE FOR THE 1988 ANNUAL MEETING OF THE SOCIETY

For many years the Annual Meeting of the Society has traditionally been held in London. However, in principle the meeting could be held anywhere in the UK, provided that Council is reasonably certain that a quorum, (ie over 50 members) would be present. Council believes that affiliated Clubs & Societies and Registered Groups might like to like to sponsor the Annual Meeting at a venue outside London. The room used for the annual meeting must be of sufficient size to cater for the likely attendance at the meeting and must also have full audio/public address facilities. In addition, facilities for checking members into the meeting and arrangements for the traditional tea/coffee break must be provided.

The 1988 Annual Meeting is scheduled for 10 December 1988. If any affiliated Club, Society or Registered Group wishes to offer or propose a suitable venue, they should write to "The Secretary" at RSGB HQ no later than the end of February 1988, giving full details of the proposed venue and facilities available. Council will discuss the offers made and if a suitable venue is available, a representative from Council will inspect the proposed location to make sure that it meets the requirements. If a suitable location outside London is offered, the 1988 meeting could well be held away from central London for the first time.

### RSGB 1988 YEAR-PLANNER DIARY

For many years, the Society has been considering producing a diary. As part of our 75th Anniversary Celebrations, we will be producing a 1988 year-planner diary which will contain the dates of all known exhibitions, rallies, conventions and RSGB contests as well as a host of other useful information.

The year-planner diary is available to members only and if be sure of receiving your copy in time for Christmas, order NOW!

Price - £2.35 inc p&p.

Credit card orders tel 0707 59015

European countries, either without obtaining permission to do so or knowing full well that such operation was illegal. We don't like having to wash our dirty linen in public and it's nothing short of tragic that the odd UK amateur could be so stupid, but let's spell it out and have done with it. Illegal operation on 50 MHz in countries where it isn't authorised is a damn good way to ensure one of two things. One is that all of us lose the hand in short order, because the country concerns complains to the DTI about interference to its broadcasting service or - conceivably - to military or defence traffic and consequently the DTI has no option but to withdraw 50 MHz from the UK amateur service. The other is that in a few years' time the country concerned vetoes a 50 MHz allocation to amateurs, either in its territory or (at a World Administrative Radio Conference) within Region 1. Either way, amateur radio loses another powerful ally. Certainly the authorities in one particular European country are currently extremely upset at one case earlier this year; we've got it on the best authority that they're considering withdrawing the reciprocal licensing facility to foreign nationals altogether.

We're pretty keen on VHF and UHF DX-chasing here at Headquarters and we'd dearly love to work another dozen European countries on 50 MHz. We hope very much that the time will come when we can, and we'll go on doing everything in our power to make that time come quickly. Until then, PLEASE don't cause major problems for everyone by succumbing to the temptation to take along some 50 MHz gear next time you go somewhere exotic unless you've got it well and truly IN WRITING that you can operate on 50 MHz from that country.

#### PRESIDENTIAL INSTALLATION

The installation of the Society's 54th President, Sir Richard Davies, KCVO, CBE, C.Eng, FIEE, G2XM, will take place at the Town Hall/Corn Exchange, King Street, Ipswich, at 7.30pm on 30 January 1988.

Tickets, which cost £8 each, are available from Neather Norman at RSGB NQ. Please note that the number of tickets is limited and will be issued on a "first come, first served" basis.



## MORSE TESTS

The following list shows the dates and locations of all the available test centres from the beginning of January to the end of March 1988, as we went to press. Because of space limitations, we cannot print a complete list of all the test centres notified to us, but these can be found on the application form itself. If you want to take a test and any of the centres shown is within striking distance, send for an application form immediately. Completed applications will be dealt with strictly on a first-come first-served basis.

Morse tests will be carried out in groups of three and will be of half an hour's duration. Details of the test, the venue and how to get there will be sent to you as soon as your application has been processed and your place confirmed.

COUNTY	TOWN OR LOCATION	DATE
Dyfed	Carmarthen	07/01/88
Tayside	Kirriemuir	09/01/88
Hereford & Worcester	Malvern	09/01/88
North Yorkshire	York	09/01/88
Isle of Wight	Binstead ARS, Ryde	09/01/88
Central	Stirling	12/01/88
Greater London	Wanstead, London E11	15/01/88
Lothian	Edinburgh & OARC	16/01/88
Essex	Colchester	16/01/88
Nest Midlands	Sandwell	16/01/88
Norfolk	Norwich	16/01/88
Berkshire	Reading	20/01/88
Bedfordshire	Luton	21/01/88
South Yorkshire	Sheffield	21/01/88
Powys	Montgomery	22/01/88
Oorset	Dorchester	23/01/88
Surrey	Guildford	23/01/88
Lancashire	Oldham Rally	24/01/88
Buckinghamshire	Bletchley, Milton Keynes	24/01/88
Greater London	Croydon	25/01/88
Norfolk	North Natford	29/01/88
Kent	Tunbridge Wells	30/01/88
Lancashire	NARSA Rally, Blackpool	31/01/88
Oerhyshire	Oerhy & DARS	01/02/88
Guernsey	Guernsey ARS, St. Martins	04/02/88
Cambridgeshire	Naslingfield, Cambridge	05/02/88
Greater London	Eltham, London SE9	05/02/88
Staffordshire	Stafford	07/02/88
Fife	Leslie	09/02/88
Nottinghamshire	Napperley, Nottingham	13/02/88
Northamptonshire	Tiffelfield, Northampton	18/02/88
Humberside	Goole	21/02/88
Greater London	Croydon	29/02/88
Dyfed	Naverfordwest	03/03/88
Tayside	Kirriemuir	05/03/88
North Yorkshire	Scarborough	05/03/88
Co. Tyrone	Oungannon	07/03/88
Lancashire	Fleetwood	12/03/88
Berkshire	Reading	16/03/88
Bedfordshire	Luton	17/03/88
South Yorkshire	Sheffield	17/03/88
Oorset	Oorchester	19/03/88
Norfolk	Norwich	19/03/88
Greater London	Croydon	28/03/88

We receive notification of new centres almost daily and the application form gives a full list of those currently taking advance bookings for Morse tests. There are now active test centres in 90% of counties in the UK. Those remaining are either in the process of having examiners appointed or have not yet found a suitable venue.



# Helplines

## FT102 USER GROUP:

In September's "Helplines" column, we ran an item on an FT102 User Group. As a result, Sean, G14PCQ received over 100 enquiries from readers. Sean tells us that he has established an 80m net for FT102 users held on Tuesdays at 9pm on 3720 kHz. In addition to this, an 8-page newsletter has been sent to all those who made initial enquiries. Some copies are still available and if you'd like one, please contact Sean, G14PCQ who's address is correct in the current Callbook.

## DOUG BURGESS - WHERE ARE YOU?

After having read the item in October's "Helplines" column about the two amateurs who were reunited after 40 years, Harold McAllister, G3OEJ has written to us with a similar request for help in tracing a long-lost friend.

Harold is now 65 years young and has been trying to find Alexander James "Doug" Burgess for the past 40 years; he is making a last attempt through this column to trace him. When they were last in contact, Doug was a 'Clan Line' radio operator and amateur licensee - though Harold can't remember the callsign. Doug used to live in Urmston, Manchester but may now be living in South Africa. If you have any information on the whereabouts of Doug Burgess, or know anyone who may have served with him on the 'Clan Line', please contact:-

Harold McAllister, G3OEJ  
111 George Lane  
Bredbury  
Stockport  
Cheshire. SK6 10H

...and "make his day".

## RSGB PLANNING ADVISORY COMMITTEE:

Q) Are you a town planner, architect, surveyor, lawyer or otherwise involved in submitting or processing planning applications?

Q) Are you an RSGB member?

Q) Do you wish to help fellow members?

If you answer yes to all three questions - READ ON.

The Society's panel of planning advisors is always looking to swell its ranks with professional volunteer helpers, especially those

from Scotland with knowledge of Scottish Law. If you feel that you could give some of your time and experience to helping fellow RSGB members with their planning problems, please write to the chairman of the Planning Advisory Committee:-

Mr Harold Fenton, G8GG  
5 Cromer Road  
St. Annes  
Lytham St. Annes  
FY8 3HD

## WHERE AM I?

Council has recently formed a new working group - the ARDF Working Group - whose function is to advise on all aspects of amateur radio direction-finding in the UK. The specific task of the group will be to develop ARDF in the UK along IARU lines, with a view to eventual UK participation in the World Championships.

Anyone interested in taking part in this new venture should contact Mr Pearce-Bailey, G3JLE (QTHR), who is the group's chairman.

## UNDER-WATER AMATEURS:

David Reid, GJOBZF, would like to get in touch with other amateurs who are involved with the sport of sub-aqua diving with a view to setting up a net to chat about diving and exchange news and information. He's not certain whether such a net already exists, but if anyone is interested they should write to him:-

c/o Horin  
"Moorside"  
Hauptertuis Lane  
La Mare Slip  
St. Clement  
Jersey C.I.

## STOLEN EQUIPMENT:

The following amateur radio transceivers were stolen from G14FUM's car in the Greystone Library car park, Antrim on Sunday 25 October:-

KDK FM2033 - No. 002012  
Yaesu FT790 - No. 4E100346

...any information on the above should be directed to RUC Reserve Constable Corry of the Antrim RUC on 08494-63555.



## RSGB LIAISON OFFICERS

Further to the call for nominations in the September issue, 24 appointments have been made and elections are pending in 9 areas.

A list of areas for which no nominations have been received appears below.

It should be noted that clubs in some of the areas listed have advised us that they feel the area is too large for one person to carry out the job of RLO (see September RadCom for job specification). Council has agreed to the Membership & Representation Committee re-defining some of these areas to make them more manageable geographically. Unfortunately, the meeting of the H & R Committee at which the new areas were to be defined had to be postponed, due to travelling difficulties caused by recent storms in the south.

It is not appropriate therefore to call for nominations until the new areas have been agreed by the H & R Committee at their meeting scheduled for late November.

The list will be published in RadCom as soon as possible, together with a further call for nominations.

The names of RLOs appointed to date will be announced at the RSGB AGM in December and a list will appear in the January issue of RadCom.

## ENGLAND

Cumbria  
Derbyshire/Nottinghamshire  
Dorset  
Durham/Cleveland  
East Sussex  
Gloucester  
Hertfordshire  
Lancashire  
Norfolk/Suffolk  
North London  
North Yorkshire (SW of Ouse)  
Somerset  
South Yorkshire  
Tyne & Wear/Northumberland  
West Sussex  
Wiltshire

## WALES

Gwent  
Powys/Gwynedd/Ciwyd

## SCOTLAND

Dumfries/Galloway  
Highlands/Western Isles  
Lothian  
Orkney  
Strathclyde

## NORTHERN IRELAND

Co Antrim/Londonderry/Tyrone

## BAILIWICK OF JERSEY

# Around the Groups

## WAB NEWS:

A couple more "firsts" in the Worked All Britain Awards Scheme this month.

Perhaps the most encouraging of these goes to G4VOZ who receives the first 70 MHz Basic Award and the Counties Class II award. Both awards are for mixed mode on 70 MHz, which shows the difficulty of finding enough activity on the band. Will this encourage B licencees to equip themselves for 70 MHz operating? We hope so - it seems to be an ideal hand for the keen WABer.

Also, Lionel Parker, G5LP/M receives the WABEMA Bronze Award for areas activated on 80 metres CW.

## Now for some WAB Contest News -

Laurie, G6XLL, has recently been appointed Contest Manager and he is considering instituting a 50 MHz contest some time next year (1988). Also next year, there will be separate QRO and QRP contests on 144 MHz, as well as a separate 430 MHz contest on the same day as the 144 MHz QRP contest. The dates for these contests have not yet been finalised but we'll publish them in this column as soon as we have them. In the meantime, if you have any correspondence relating to any of the WAB contests, they should now be addressed to:-

Laurie Segall, G6XLL  
WAB Contest Manager  
21 Blackstone Road  
Cricklewood  
London NW2 6DA

## AMSAT NEWS/HAART - BALLOON ASCENT:

One evening over dinner during this year's National Convention at the NEC, three members of AMSAT-UK Committee mulled over an idea to put a transponder on board a balloon to carry out tests with a view to extending knowledge and expertise in the field of space-borne communications. In true amateur radio tradition, the original design was sketched on the back of a menu (NOT the proverbial fag packet but the nearest thing). A few months later the possibility of proceeding with this experiment went one step further when a ride was offered aboard a hot-air balloon during a high altitude record attempt. However, several criteria had to be satisfied before the experiment could go ahead. Because of weight problems, the unit was limited to 2kg maximum,

special permission would have to be sought from the DTI and a special licence issued, and finally, the transponder would have to be controlled by an operator in case it had to be closed down for any reason.

The RSGB carefully examined the proposal, in order to ensure that it was consistent with normal bandplanning arrangements and that the tests would be beneficial to the stimulation of further technical expertise within the UK amateur radio community. Having done so, it contacted the DTI and made a formal proposal on behalf of the interested parties.

The weight of the transponder was no problem and the team has already built and tested one unit and has almost completed the Mk2 version. This new version will have a telemetry unit which would allow it to be controlled from the ground as the balloon 'flyer' is not a licensed amateur radio operator. All that remains is for the DTI to give permission and for the Society to arrange for the special callsign, GB5AUK, to be issued.

M.A.A.R.T. stands for High Altitude Amateur Radio Transponder. The plan is for the transponder to hitch a ride on board the balloon which will be piloted by a lady balloonist during her high altitude record attempt. She will be attempting to reach an altitude of 30,000 feet, some 8,000 feet higher than the current record. Two proving flights have already been made from a location near Nottingham and the main flight is expected to take place early in the new year, though weather conditions may be favourable before then.

More details as we get them, but keep an ear on the GB2RS news broadcasts each Sunday and the AMSAT-UK nets on Mondays and Wednesdays at 7pm and on Sundays at 10.15am on 3780 kHz, just in case the attempt is brought forward.

## NEW 50 MHz BEACON AT MARL:

On 30 September, Maureen and Alan Wright, GW3LDH, presented a 50 MHz beacon to MARL-Amateur Radio League (Malta). The beacon is now operational from MARL's HQ in Valletta with the callsign 9HLSIX on a frequency of 50.085 MHz running 25 watts to a 5 element beam. The beam will be directed to different areas depending on the seasonal propagation variations and is currently pointing south. It has been heard regularly with



## DUAL-BAND OPERATORS!:

Janet Attfield, G1DAW, ex-RSGB staff member, was married to Malcolm Appleby, G3ZNU, Chairman of the RSGB's VHF Committee on Saturday 19 September at Otley, near Ipswich. Look out for possible harmonics in the Ipswich area.....

reasonable signal strength in Botswana and southern Africa.

MARL welcomes reception reports and these should be sent to:-

9HLES (50 MHz Beacon Report)  
MARL-Amateur Radio League  
PO Box 575  
Valletta  
Malta

## CRRL MOVES QTH.

On 1 November this year, the Canadian Radio Relay League moved its Headquarters to new and larger premises in Arva, about 4 miles north of London, Ontario on the Ontario Highway. Although the correspondence address for CRRL will remain the same:-

PO Box 7009,  
Station E,  
London,  
Ontario N5Y 4J9  
Canada

...the telephone numbers have changed to (519) 225-2188 or (519) 660-1200.

RADIO COMMUNICATION December 1987



# A truly international affair



Geneva, Switzerland

Whenever a golden opportunity presents itself to influence Governments and those that work in the telecommunications industry it should be seized upon. In essence that is why the International Amateur Radio Union put on an amateur radio stand at the world's largest ever exhibition of telecommunications equipment held in Geneva in October (20-27th inclusive) at TELECOM 87. Over 260,000 people attended TELECOM 87 during the eight days that it was open. Over 40 countries, including the UK, had their own national pavilion and over 800 companies exhibited at the show.

The IARU had been preparing for this major exhibition for over a year and had appointed Jaap den Herder, F6FYI/PA0YJ as overall co-ordinator. In fact, the task of co-ordination was a massive one involving 20 national societies and about 100 individuals who helped with or staffed the stand.

The RSGB's contribution was to put on a live demonstration of packet radio. This involved taking to Geneva not only a 144 MHz packet station for the stand itself, but also a second station set up as a packet radio mailbox. This mailbox was located at the headquarters station of the International Telecommunications Union using the call-sign 4U1ITU.

The Society wishes to thank both ICOM (UK) Limited for the loan of various transceivers which made the demonstration possible and Bob Smith, G8HBE, for providing his Acorn Electron mailbox software which operated flawlessly at 4U1ITU for nine days.

The live packet radio demonstration from the stand attracted much interest. There are obviously many Governments and major multi-national organisations interested in the amateur AX25 protocol. Again, work done by the amateur community finding its way into professional communication systems. In addition to the packet demonstration, the RSGB provided books and copies of Radcom, car stickers, handouts, help with video material and provided staff and administrative help for the IARU stand.

One spin-off from the packet radio demonstration was that many amateurs were exposed to the mode for

the first time. Unquestionably the 4U1ITU packet mailbox aroused much interest amongst local amateurs. The interest was so high that the CERN ARC now plan to establish a mailbox to serve the Geneva area. A special thank you to EA2ADO of the ITU's IARC for his help with the 4U1ITU mailbox.

In fact, it was the CERN Amateur Radio Club team, led by Jaap den Herder, which masterminded the IARU's Telecom '87 stand. Many visitors, both amateurs and non-amateurs, expressed delight at the highly professional appearance of the stand - undoubtedly music to the ears of all the CERN ARC members who had put so much effort into the stand. A few comments from the visitors' book are reproduced over page.

National radio societies in the following countries contributed to the amateur radio stand at TELECOM 87 by supplying equipment, photographs or publications, etc:-

Canada, China, Colombia, Federal Republic of Germany, France, Great Britain, Italy, Japan, Kenya, Korea, Malaysia, Netherlands, New Zealand, Norway, Poland, Spain, Sweden, Switzerland, USA and Yugoslavia.

No report, however brief, would be complete without paying tribute to those who made the presence of amateur radio possible at the highly successful TELECOM 87 event. The CERN ARC team included: Gerard (F1ALB), Han (PA0NOS/HB9PZT), Argyris (HE9DKD), Jacques (F1QY), Yves (F6GIK), Antoine (F6FTA), Gilles (F6HYB), Edith Kaiser, Les (F5LK/G3CML), Frank (F6DEG), Oystein (LA9TJ), Regis (F6LKF), Horst Rehmann, Paul Rehmann, Ted (F8RU), Bengt (HB9BCU/SM5ABC), Fritz (F6IMS/OE6FOG), Frode (LA2RL/HB9CHL), Kayoko Weierud and Claudia (HB9CUY). Other local assistance was provided by Renato (HE9RMH) and Jean-Pierre (HE9JPC). IARU and Society personnel present on the stand included: Naoki (N1CIX/JH1VRQ), John (G3FKM), Dick (W1RU), Phyllis Baldwin, Hans (DF5UG), David (G3OUF), Rosemary Evans, Mirko (YT7MM), Wojciech (SP5FM) and Rosella (I1RYS).



The IARU stand was busy throughout most of the 8 days that the exhibition was open.



The model of the Japanese satellite "Fuji" was a prominent feature of the IARU stand.

# IARU - Influencing those who affect



## 4U1ITU



ITU HEADQUARTERS, GENEVA

*"Welcome and thanks for your participation and collaboration at Telecom 87."*

*R. Butler*

**R. Butler - Secretary General, International Telecommunications Union.**

*"Avec toute mon admiration pour tous les Radioams."*

*J*

**Jean Jipguep - Deputy Secretary General International Telecommunications Union.**



The packet radio station at Telecom '87 provided by the RSGB. The Society wishes to thank ICOM (UK) Ltd for the loan of equipment (IC28E and other equipment) which made the demonstration possible.



Distinguished visitor to the stand, Richard Butler, Secretary General of the International Telecommunications Union, being greeted by Dick Baldwin, W1RU (left), President of the International Amateur Radio Union. Also in the photograph are John Allaway, G3FKM, Region 1 Secretary and Fritz Szencso, F6IMS/OE6FOG (far right).



David Evans, G3OUF and Fritz Szencso, F6IMS/OE6FOG, setting up the packet radio mailbox at 4U1ITU.



Telecom '87 was the largest exhibition of telecommunications equipment ever held. The UK had a very large area dedicated to UK industry and it was pleasing to see Jaybeam Ltd as part of the UK stand.



# the future of amateur radio

**TELECOM '87**  
Geneva, Switzerland

"Best wishes to RSGB."

*W. H. Bellchambers*

**W. H. Bellchambers - Chairman International Frequency Registration Board.**

"Meilleurs voeux de la Tunisie."

*B. Khouaja*

**B. Khouaja - Minister of Communications, Tunisia.**



(Left to right): Dick Baldwin, W1RU, President of the IARU, Hon. John Maetia Kalivae, Minister for Posts & Communications in the Solomon Is., and John Allaway, G3FKM, IARU Region 1 Secretary.

Vasily Bondarenko, UV3BW, demonstrating some amateur-built equipment on the USSR stand, to a group of IARU visitors.



**4U1ITU**

INTERNATIONAL AMATEUR  
RADIO CLUB  
P.O. Box 6 CH-1211 GENEVE 20  
Switzerland



TO	DATE	TIME GMT	BAND MHz	MODE 2X	RST	OPERATOR
						73


Amateur station 4U1ITU is located at ITU headquarters in Geneva. The International Telecommunication Union is the specialized United Nations agency for telecommunications. As of 19 November 1984 it counted 160 members.

The Geneva summit... Join the world's communications community at TELECOM '87, 11th World Telecommunication Exhibition and Forum 19-27-28 Oct 87

**TELECOM '87**  
Geneva, Switzerland



Jaap den Herder F6FYI/PA0YJ (right), the Telecom '87 stand coordinator, looking on as one of the visitors checks out the comprehensive amateur radio database.



One of the features of the stand was a comprehensive display of amateur radio publications in a variety of languages.

# WHEN HELP IS NEEDED AMATEUR

  
**NIAR**  
**NEWS LETTER**  
 AUGUST 1987

**NATIONAL INSTITUTE  
 OF AMATEUR RADIO  
 HYDERABAD-500 482**

## Institute News

**Major Rail accident - HAMS again at rescue work :**

There was a major Rail accident for Dakshin Express bound to Delhi on 8th of July 1987 where several people died and injured. Mr. Santanam IAS., Relief Commissioner of A. P. alerted NIAR/APARS for emergency relief communication in Mancherial. Immediate transport arrangements have been arranged and other facilities have been provided by the govt. to hams for reaching the spot. A station with Mr. Saheb VU2SUS, Mr. Shankar Rao set up on the spot. Several messages were exchanged. A base station at Secretariat was set up. Several Hams all over the country responded to the call of NIAR/APARS and got in touch with relatives and friends of the deceased and injured all over the country and got the necessary communication facilities. People were well informed about the accident and the survived could get in touch with the relatives who came to the spot immediately. Special mention of the Hams who were on radio is given. VU2NB, VU2LK, VU2YFS, VU2RM, VU2AAP, VU2RBI, VU2MY, VU2SUS, VU2MYL, VU2TP, VU2RMU, VU2HEL, VU2NRE, VU2NRL, VU2RQZ, VU2URX, VU2BL, VU2JH, VU2OFX, VU2KAN, VU2CKM, VU2RDM, VU2WC, VU2DS, VU2MRY, VU2JOS, VU2NRJ/NUD, VU2DZ, VU2UEX, VU2GVS, VU2VR.

The following are the texts of letters of appreciation given by the District Collector Adilabad and Relief Commissioner, Govt. of A. P.

S. SANTANAM, I.A.S.,  
 COMMISSIONER RELIEF

Hyderabad,  
 14-7-1987.

DO Lt. No. FC2/1405/87

Dear Sri Suri,

Kindly acknowledge my grateful thanks to you and your men for the timely assistance rendered during the recent unfortunate Mancherial Railway accident. I learnt from the district authorities of Adilabad that your people had done an excellent job in assisting the civil authorities in various operations. Your communication system has been of immense help in the disaster management and I am making special reference of this facility at the ensuing conference we are going to have with the Chief Secretary shortly. I will also take up the matter with the Central Government for developing this channel of communication.

As you may be aware natural calamities have more or less become a chronic feature in our state necessitating continuous exercise for disaster preparedness. I understand that there are some formal restrictions in the use of HAM sets by the Amateurs for conveying messages. I shall be most grateful if you could kindly take up with the appropriate authorities in the Centre to secure separate frequency for this type of work which will be of immense help to the Central and State Governments in meeting emergencies. I shall appreciate, if you could kindly let us know whether you require the assistance of State Governments in moving the concerned Ministry at Centre for securing the facility.

I once again thank you for all the timely and important help you have rendered us in this hour of distress

With kind regards,

Yours sincerely,

(Sd/- S. Santhanam)

Sri S. SURI,  
 Director/Hon'ble Genl. Secretary,  
 APARS/NIAR,  
 5-B, P. S. Nagar, Hyderabad-500 457.

To  
 Sri S. Suri, VU2MY,  
 Director/Hon. General Secretary,  
 APARS/NIAR,  
 5-B, P. S. Nagar, Hyderabad-500 457.

Dear Sir,

I am very much thankful to you for having and Mr. Uddandu Saheb, VU2SUS at Mancherial train accident to Dakshin Express near Mancherial not only to the District Administration but also during their crisis which was of immense help to accident through-out the Nation.

I really appreciate the services rendered flood, cyclone, rail accidents etc. The services certainly deserves special commendation who v. Once again, I thank you for the co-operation exte

Your two officers have been relieved on 12

## Radio hams get SOS from Chile

THREE licensed radio amateurs picked up an SOS from Chile requesting urgent medical help to save the life of a baby.

Mr. Mike Piper (39), of Finglen Drive, Yateley, was with fellow-enthusiasts Mr. David Mann and Mr. Keith Willis on Saturday night when they heard the call for any London station.

The three men made contact and learned that 25-day-old Chilean baby Camilla Garcia desperately needed a piece of medical monitoring equipment, apparently available in London.

Chilean radio amateur Mr. Alf Von Harpe told them he was calling on behalf of his friend, Mr. Herman Garcia, Camilla's father.

### DOCTOR

The three friends decided their best move was to contact the Foreign and Home Offices, and told their Chilean contact they would call him back in an hour.

The caller had told them a doctor in Santiago, Dr. Juan Madden, had said the monitoring equipment could be obtained from an address in Grosvenor Place, London.

Mr. Piper, Mr. Willis of The Gallop, Yateley, and Mr. Mann, who lives on the Broadmoor Estate at Crowthorne, also tried to contact the Chi-

lean Embassy, but got no reply.


"We had managed to meet the guy on the air, and gave him the Chilean Embassy telephone number," said Mr. Piper, whose call sign is G0HQO.

"There was nothing we could do at that time of night. I contacted the Home Office, but they didn't really know what to do," he added.

The Chilean call was picked up while Mr. Piper, Mr. Mann - call sign G0HDX, and Mr. Willis, call sign G4XNA - were searching one part of the radio frequency spectrum.

The three amateurs were in a caravan off Sandhurst Road, Yateley, on a field day - when groups run radios to try and make as many contacts around the world as possible.





## RADCOM ANNUAL EXTRAVAGANZA (RAE)

Yes folks - it's the Christmas edition, so it's time for another super-mega-terrific Christmas Quizword and Cross - no, er, sorry, Crossword and Quiz!

To make life easier for all concerned, this year's Crossword and Quiz can be pulled out from the centre of your Bumper Fun-packed Bulletin so that you can send the whole thing off to us without having to copy the answers out onto another piece of paper. There's even a coupon for you to fill in your name, callsign/RS number, address and telephone number.

You'll find the Crossword on another page, but on this page we present - for your edification and delight - the no-expense-spared RadCom Annual Extravaganza, otherwise known as the R.A.E.

You'll note some changes this year. Practically everyone said that last year's was too difficult since it had a written format - so this year we've gone for a multiple-choice examination - whoops, extravaganza - just to make life a bit easier. The pass mark is the same for both parts and it'll be calculated using the latest hyper-accurate mathematical techniques involving Planck's constant, the Schrodinger wave equations, Hawking's theory of the Big Bang and a newly-installed IBM Total Perspective Vortex.

So, try your luck, skill, knowledge and guesswork ability and have a go at the R.A.E. Simply circle the correct answer and send your entry off to Headquarters. As with last years' quiz, there'll be RSGB book tokens to the value of £15, £10 and £5 and we must receive your entry by HQ closing time on 20 January 1988.

1. A 2N2646 is a ...

- a) transistor
- b) thyristor
- c) UJT
- d) diode?

2. A 3CX1500A7 is a ...

- a) diode
- b) triode
- c) tetrode
- d) pentode?

# Christmas Quiz

## Loads and loads of Yuletide fun!!!

3. What's another number for a 3CX1500A7?

- a) 8038
- b) 8877
- c) 8874
- d) 8904

4. An SFR25 is what sort of resistor?

- a) metal film
- b) cracked-carbon
- c) vitreous wirewound
- d) variable cermet

5. For coming top in Part 1 of this Quiz, we award you a brand-new unused 813. Would you use it for ...

- a) a local oscillator
- b) an IF amplifier
- c) voltage stabilisation
- d) an HF linear?

6. For coming bottom in Part 2, we likewise award you a dud 74HC138. Was it ...

- a) an expandable 3 out of 8 decoder
- b) a quad-state F-type buffer
- c) a dual-differential bus transceiver
- d) a triode-hexode?

7. For failing both parts, we award you a gassy EZ80. Was this ...

- a) a Schottky diode
- b) an audio tetrode
- c) a power rectifier
- d) a double diode-triode?

8. For achieving 100% in both parts, we award you an AR88LF. Is this ...

- a) a traosceiver
- b) a high-level mixer
- c) a receiver
- d) a megawatt noise jammer?

9. For refusing to take the paper at all we present you with an ORP12. Is this ...

- a) a tantalum capacitor
- b) a metal oxide resistor
- c) a GaAsFET
- d) a light-depedent resistor?

10. For writing us a rude letter telling us that the new multiple-choice RAE is much easier than the written quiz you took last year, we hand you a blown fuse with "FF 1,5A" on the end cap. Is this ...


- a) antisurge
- b) semi-delay
- c) very fast
- d) non-enclosed repairable?

11. You call CQ on 144.3 MHz and someone comes back to you. You agree a frequency to QSY to and tune to it. Do you then ...

- a) ask whether the frequency is in use
- b) listen for about ten seconds and then ask whether the frequency is in use
- c) start transmitting straight away
- d) none of the above?

12. You call CQ on 144.3 MHz and receive a reply. Do you say ...

- a) "G7XXX from G9YYY, thanks for the call, let's go to 144.215, over" (having established beforehand that the frequency is clear)
- b) "G7XXX from G9YYY, thanks for the call, your report is 5 by 4, radio 5 and signal 4, in Much-Binding-in-the-Marsh. I'll spell that for you just in case you didn't copy it, M-U-C-H....in the county of Bloggsshire, West Bloggsshire and the personal this side would be Fred. Hope you copy that OK, let's put it back to you - er - sorry, didn't make a note of the callsign - er - G9YYY putting it back to G7XXX, go ahead old man, dab-de-dah"



- c) All of b) plus "Oh, I suppose we'd better pick a frequency, let's try 144.295 - no, that might be busy, go to 144.305, that's usually quiet round here, over"
- d) Both b) and c) plus "The locator is Italy Oscar Nine Nine Bravo Victor - that's Italy Oscar..." (da capo sine fine)
13. You hear a fully readable but extremely weak station on 144 MHz and establish contact with him. You then give him a report. Do you say ...
- a) "You're readability five and strength nought"
- b) "You're readability five and strength two"
- c) "You're radio five and signal one"
- d) "You're lighting up two bananas"
14. Does a report of "5 and 9 plus 30" mean ...
- a) 300 uV across 50 ohms
- b) a field strength of 10V per metre
- c) absolutely nothing
- d) the driven element of your antenna is glowing dull red
15. Should you rely on your S-meter when you give a signal report?
- a) yes
- b) only if it's an LED or LCD type
- c) only if it's driven by PPM or VU meter circuitry
- d) no - you use your ears instead
16. When telling someone your Christian name, do you say ...
- a) "The name this way is Fred"
- b) "My name is Fred"
- c) "The handle this side is Fred"
- d) "The personal name this way would be Fred"



17. When telling someone where you are, do you say ...
- a) "We're located in Birmingham"
- b) "Our QTH is Birmingham"
- c) "My QTH is Birmingham"
- d) "My location is Birmingham"
18. You're an averagely-sited station running 50W to an 8-element antenna and you've just had a phone call telling you that 144 MHz is wide open to Czechoslovakia. Do you ...
- a) pick a clear-sounding frequency and begin a series of CQ DX calls
- b) spend five or ten minutes listening around and then start calling CQ DX
- c) spend five or ten minutes listening around and answer CQ calls from DX stations
- d) go on the local repeater and work DX through it
19. A well-established amateur twenty miles away who's technically clued-up calls you and tells you you're twenty kHz wide. Do you ...
- a) tell him he's a strong signal and also very wide
- b) ask him to stand by while you try a few things like turning down the mic gain, re-loading the amplifier, turning the drive down, etc, and see whether that improves things
- c) tell him to go away
- d) tell him that you're running a Kencomsu FTTC-9480 which can't possibly spread and it must be his Rx
20. What are the most likely causes of wide SSB signals?
- a) too much mic gain, too much drive to the amplifier, poor loading
- b) insufficient IF bandwidth in the transmitter, synthesiser drift, unbalanced mixer
- c) dirty antenna elements, poor earthing of power supply, fault in carrier insertion oscillator
- d) not enough mic gain, lossy cable between Tx and antenna, unsatisfactory s-parameters of front-end transistor
21. Can you get 400W out of a single 4CX250B used as per its data sheet and maintain reasonable intermodulation performance?

- a) yes, easily
- b) no
- c) yes if you have 8V on the heater
- d) yes if the amplifier is properly designed
22. If your solid-state 144 MHz amplifier is stated by the manufacturer to give 100W out for 10W in, what would be a sensible level to drive it at?
- a) 10W PEP
- b) 10W RMS
- c) 7W PEP
- d) 15W PEP
23. Is the PEP output of the average 144 MHz multimode advertised to give 10W out more likely to be ...
- a) 5-7W
- b) 15-20W
- c) 10-12W
- d) 50-60W
24. You've just built a 144 MHz 400W amplifier using 4CX250Bs. What output connector will you use?
- a) N-type
- b) PO jack
- c) BNC
- d) RCA phono
25. You're just getting together the power supply for the aforementioned amplifier. What sort of anode voltage do you need?
- a) about 350V
- b) about 5 kV
- c) about 12V
- d) about 2 kV
26. You've just found a transformer which has a secondary of 2000-0-2000V. What sort of rectifier stack will you need if you plan to use it with a 4CX250B amplifier?
- a) bridge
- b) biphasc half-wave
- c) half-wave
- d) star/delta
27. What order of smoothing capacitance will you need?
- a) 1 uF
- b) 0.1 uF
- c) 30 uF
- d) 3 nF
28. Assuming you have a pair of 4CX250Bs in your 144 MHz amplifier, what sort of reading should the anode current meter show when you're speaking normally and running about 400W PEP output?




- a) 2-300 mA
- b) 7-800 mA
- c) about 1 amp
- d) 50-100 mA

29. Assuming you're running 400W and that the loaded Q of the tank circuit in the same amplifier is about 12, what order of circulating current is flowing in the tank circuit?
- a) 12A
  - b) 120 mA
  - c) 1.2A
  - d) 12 mA
30. Why should you never have more than about 2.5 kV on the anode of a 4CX250B?
- a) it increases the danger of flashover
  - b) it causes ion bombardment of the cathode
  - c) it can increase secondary emission
  - d) all of the above
31. What is the correct CW abbreviation for the Maidenhead locator?
- a) QRA
  - b) QFE
  - c) QLO
  - d) LOC
32. What CW abbreviation would you use during an aurora if you wanted to know the beam heading of the station you were working?
- a) QBH?
  - b) QTF?
  - c) QDM?
  - d) QNH?
33. If you were working an OH station on 144 MHz during an aurora and his signals were fairly good, what report would you send him?
- a) 599
  - b) 559
  - c) 55A
  - d) 59A
34. If you lived in London and wanted to arrange a 144 MHz sked with a German station, what HF band might you use to do so if it was a Sunday evening in winter?
- a) 21 MHz
  - b) 1.8 MHz
  - c) 28 MHz
  - d) 3.5 MHz
35. If you wanted to erect an antenna for 28 MHz in a hurry and decided to put up a half-wave dipole, what length

might you start with before trimming?

- a) 132 ft
  - b) 10 ft
  - c) 15 ft
  - d) 69 ft
36. What handy instrument would you use to get the above antenna to the right length?
- a) oscilloscope
  - b) SWR bridge
  - c) multimeter
  - d) network analyser
37. When calling CQ on the 430 MHz band, is there any point in saying "....CQ, this is G7ZZZ in Italy Oscar Ninety-One Victor November square calling CQ and hy"?
- a) Yes - it might attract a reply from rare DX
  - b) Yes - it allows other stations to get their beam heading right to reply to you
  - c) No - it's a dead waste of time
  - d) No - it encourages Syledis to come up and jam you
38. You go to Andorra for your summer holiday and you've obtained a reciprocal licence. Does it permit you to operate on 50 MHz?
- a) Not unless you have special permission in writing
  - b) Yes, because 50 MHz is available to G stations at home
  - c) Yes, if you have a Class A licence
  - d) Yes, because it's part of the normal Andorran licence
39. You work A22KZ on 50 MHz. What was the propagation mode?
- a) Sporadic E
  - b) Tropo
  - c) TEP
  - d) TEP with assistance from sporadic E
40. You work EI on 7 MHz at lunchtime. What was the propagation mode?
- a) via the E layer
  - b) via the D region
  - c) via the F2 layer
  - d) via chordal hop
41. Your 7 MHz dipole antenna is about 20' off the ground and runs east-west but it seems to be virtually omnidirectional. Is this basically ...
- a) because it has many minor lobes



- b) because its radiation resistance is low
  - c) because it is close to the ground in terms of wavelengths
  - d) because it has no radials
42. You work GBOSWR/MA. Is he ...
- a) maritime mobile in distress
  - b) maritime mobile at anchor
  - c) maritime mobile in territorial waters
  - d) on board a military aircraft
43. Your postal address is in England (because your post town happens to be in England) but geographically speaking you are a few miles over the Welsh border. Is your prefix ...
- a) G
  - b) GB
  - c) GW
  - d) none of these
44. What is the present ERP limit on 50 MHz?
- a) 14 dBW carrier, 20 dBW PEP
  - b) 14 dBW carrier, 14 dBW PEP
  - c) 20 dBW carrier, 20 dBW PEP
  - d) 20 dBW carrier, 14 dBW PEP
45. What is the present ERP limit on 70 MHz?
- a) 20 dBW carrier and PEP
  - b) 26 dBW carrier and PEP
  - c) 10 dBW carrier and PEP
  - d) None
46. What speeds does your modem have to cope with to talk to the RSGB DataBox?
- a) 300/300
  - b) 1200/1200
  - c) 1200/75
  - d) 2400/1600
47. In RS232, to what is pin 20 normally assigned?
- a) request to send
  - b) data set ready
  - c) data terminal ready
  - d) transmitted data



48. In packet radio, what is MAX-PAK?

- a) a 32-bit packing routine for data
- b) a method for maximising packet throughput
- c) part of a packet data repeater's protocol
- d) a Midlands-based packet group

49. Under the new designation of radio emissions introduced in January 1982, how would you express "telephony with two independent sidebands with a 2.4 kHz bandwidth"?

- a) 2K40B8E
- b) 2K4J3E
- c) A3B24K
- d) 2J3E2K40

50 - AND FINALLY. THE TIE BREAKER.

How many radio-related words can you make from the letters forming the words "Radio Society of Great Britain"? In the course of a recent train journey we found 24 - can you beat this? Just the job to keep you brain cells ticking over after the double dose of Christmas pud!!

So there it is - the RAE, and, as we said earlier, the closing date is 20 January 1988. Attempts to bribe the Bulletin staff with large bottles of whisky, brandy, used notes, massive tetrodes, etc will NOT be gratefully received unless done extremely discreetly.

PLEASE FILL IN YOUR DETAILS AND SEND THE WHOLE OF THIS 4-PAGE CENTRE SECTION TO:-

David Gough, G6EFQ,  
News & Information Dept.,  
RSGB Headquarters,  
Lambda House,  
Cranborne Road,  
Potters Bar,  
Herts., EN6 3JE.

Name: .....

Callsign: .....

Address: .....

.....


.....

.....

Tel (day): .....



# Christmas Crossword



## ACROSS:

- 1: A sbady control (8)
- 5: Cut up (6)
- 9: These are seldom full wave (8)
- 10: Take a trimming tool to (6)
- 12: These connections are faulty (7)
- 13: Crystal type (7)
- 14: To deter (anag) (7)
- 15: Enter this (4)
- 19: Sometimes enough (4)
- 20: Power to conserve band-held battery life (7)
- 24: Strength in sleet (7)
- 25: ATU for these (7)
- 26: He steals away to do Morse on the side (6)
- 27: 12 wpm is this with practice (8)
- 28: Views beard from Field Day locations (6)
- 29: Men only (8)

## DOWN:

- 1: Not bandsread tuning (6)
- 2: Is this one in NATO? (6)
- 3: Found again by a drifter (8)
- 4: Symbols and codes must be for worldwide use (12)
- 6: Flat aerial (6)
- 7: Society singer. Getting together for a new set (8)
- 8: May be magnetic (8)
- 11: Resonance indicator (4,3,5)
- 16: Not for rag-chewers (8)
- 17: Lining up a picture (8)
- 18: Take off (8)
- 21: Conversion for some receivers (6)
- 22: Usually out of pocket (6)
- 23: Usually associated with stages (6)

Crossword compiled by GM3YAN.



# OUR RADIO IS ALWAYS THERE

deputed Sarvasi P. Shankar Rao, S. W. L.  
On 5th July morning when there was a  
al. They have rendered timely co-operation  
to the close relatives of the deceased  
ur them to get information about the rail

by your Organisation during crisis like  
ffered by your above mentioned two olli-  
worked untiringly during day and night.  
nded by your Organisation.

2-7-1987 after-noon.

Yours faithfully,  
Sd/-

for COLLECTOR, ADILABAD.

## GREEK AMATEURS ASSIST FIRE-FIGHTERS

There are about 25 radio amateurs on the Greek island of Rhodes, and almost all of them were involved in providing emergency communications during the ferocious forest fires which raged across the southern part of the island last August.

Dimitris, SV5ADM, secretary of the island's amateur radio club, told us that the amateurs were actively involved in the fire-fighting effort for over a week and had very little sleep until the emergency was over. The island's 144 MHz repeater has excellent coverage and was used to good effect.

### NEW CLUBROOM

The Mayor of Rhodes was so impressed with and thankful for the efforts of the amateurs in the club that he's given them a pre-fabricated building to be used as a super-de-luxe shack - this will be sited on top of a hill overlooking the old town of Rhodes. The club will meet there as soon as its members have completed the building and erected the antennas.

When the club is fully established in its new QTH, they hope to have some activity periods and Dimitris will be writing to us with the details soon. Most of the amateurs on the island use 144 MHz and there are only three who are active on the HF bands because of a shortage of HF equipment. When the club shack is complete, many more will have the opportunity of working HF and they look forward to making contacts with UK amateurs.

Edmonton Examiner, Sunday, August 9, 1987



Ham operator  
Len Kochan  
and his set.

## Hams provide disaster phone service

By PHILIPPA DEAN  
Staff Writer

For hundreds of Edmonton amateur radio operators, the August long weekend was a grueling test of stamina as they relayed messages and replies from concerned friends and relatives around the world to Edmontonians.

Long distance telephone lines into the city were jammed as soon as the story of the tornado hit the newscasts around the world.

The worried outsiders who couldn't get through on the clogged telephone system contacted local ham operators, who in turn called up Edmonton operators.

When a message came through, the local operator phoned whoever the message was for and relayed their answer by radio. The system was repeated at the other end.

Provincial civil servant Len Kochan, known on

his ham radio as VE6 LEN, spent 50 hours monitoring eight amateur radio stations in eastern Canada which were collecting messages for Edmontonians.

He estimates he made over 300 calls while he was on duty.

"I've helped out with disasters before, but I never thought I'd see one happen in Edmonton."

Kochan, who got his first amateur radio operator's license in 1975, explains ham operators all over the world get involved whenever a disaster strikes anywhere.

Stations are usually set up in conjunction with the local Red Cross. People will call the Red Cross for help locating friends or relatives they are concerned might have been affected in a disaster. The Red Cross turns the information over to the ham operators.

"I was working during the 1985 earthquake in

### The Aftermath

Mexico, for example. People in Edmonton wanted to know if their family or friends in Mexico were safe, to broadcast their messages to operators in Mexico who tried to get answers and let me know. Then I'd phone whoever sent the original message with an answer."

The system works in reverse, as well, he says. People in a disaster zone want to let others know they are well, so they have

the hams transmit messages of reassurance out.

Besides disasters, ham radio operators, using their own equipment and on their own time, help out with a variety of causes.

For instance, Kochan and a number of his ham friends provided two-way communication for security and first aid at all the venues at the just ended Alberta Summer Games.

## RSGB comment.....

*These are just some of the many reports that we hear of each year where amateur radio operators are involved in providing emergency communications or assistance in all kinds of situations. Individually, amateurs may stumble across a call for assistance on the air or may, as part of an organised group, be called out by the emergency services to provide back-up or alternative communications.*

*In many countries there are organised groups within the amateur fraternity who train for such emergencies and develop their skills in handling third party traffic in a calm and concise manner. Here in the UK we have*

*RAYNET - the Radio Amateur Emergency Network - who are ready and able to provide assistance efficiently and effectively when called upon by the User Services.*

### RARE DRUGS

*Having said that, it's worth reminding readers that if any amateur or short-wave listener receives an urgent request for rare drugs or medical assistance from overseas, they should contact the British Red Cross Society on 01-235 5454 and ask for the "International Welfare Dept". The BRCS will then contact the Red Cross in the country concerned and progress the request.*

## 50 MHz CROSSBAND LADDER

Callsign	Countries	Best DX	Pos
G3BDQ	25	4827km	1
G2ADR	24	8500km+	2
G4I2H	19	2280km	3
GW1SSQ	19	1957km	4
G4IDE	16	1729km	5
G1KDF	15	1928km	6
G0GZI	14	*	7=
G0IMG(G1SEP)	14	*	7=
G4TLY	13	*	9
G4SJJ	12	*	10
G4INL	11	1894km	11
G1SMD	11	1868km	12
G8DKF	9	1700km	13=
G1CWP	9	*	13=
G4GDY	8	*	15=
GM4ULP	8	*	15=
G8PYP	7	1866km	17
GW3WSU	6	*	18=
G6BFP	6	*	18=
G1AHM	2	*	20=
G4IDF	2	*	20=

Well, did anyone spot the deliberate mistakes in last month's 'Crossband Ladder'? Yes, quite right, we listed G1KDF and G8DKF twice - sorry about that!

The closing date for final entries in the 'Crossband Ladder' was Monday 23 November so we didn't know the winner when this Bulletin went off to the printers on 11 November (though we a pretty shrewd ideal). The final table and winner will be published in the January 1988 issue.

### CALLBOOK ON DISK?

From time to time we're asked whether the Call Book could be supplied on a disk file. In principle there's no problem, of course, but to produce a one-off set of disks or diskettes or whatever you like to call them would make it an expensive exercise and we'd have to make a fairly ferocious charge for a one-off. However - we're always keen to try and improve our service to members so we'd like to assess how interested you'd be in having a high-tech double-density floppy Call Book, so to speak. If this is potentially appealing, please drop a line to the HQ Manager at Potters Bar and tell him the type of computer system you're using and what size and storage capacity the disks for it are.

### PREFIX HUNTERS TAKE NOTE:

To mark the 200th Anniversary of the US Constitution, US amateur radio clubs that have registered with ARRL will be permitted to use special "200" prefix callsigns (ie W"200"XXX) during designated one-week periods from now until the end of 1988. (CRRL News)

932



RSGB President, Mrs Joan Heathershaw, G4CHH, visiting the national station (ON4UB) of the Belgium Society, UBA. Her visit coincided with the National Annual Meeting of UBA, held last May.

### PUNS EXPEDITION:

In 1986, the members of the Polar Universal Natural Science, (PUNS) Expedition flew to Ward Hunt Island, located just off the north coast of Canada about 450 miles south of the geographic North Pole. Because of its location, this particular spot in the arctic is often used by explorers as a starting point for journeys to the North Pole. A canvas hut was used as the base for a number of scientific programmes including flora and fauna sampling, meteorological tests, air sampling - as part of a project looking into industrial pollution in the arctic region, and a drilling programme to look at ice samples from depths up to 10 metres.

Radio propagation studies were carried out using computer predicted optimum working frequency charts provided by RACAL Communications and these tests covered areas from Europe to Antarctica. Amateur radio operation was conducted by Laurence Howell, GM4DMA/portable VE8, on all HF bands using RACAL transceivers of 100W pep with the power supplied from a 24 volt battery charged by a pair of wind turbines. The temperature in the hut was, at times, as low as -52 degrees C, but

the equipment still operated without fault. However, there were other problems: the operator had to be very careful that his fingers did not freeze onto the radio equipment and the local wildlife population took a fancy to the taste of the coax cable which was coated with a special silicone coating.

One of the other projects was to attempt to travel as far north as possible without the aid of mechanical transport. Several of the members of the expedition set off from the Ward Hunt camp pulling sledges weighing in excess of 300 pounds behind them. Within 14 days they had broken the existing record.

In February next year, the four members of the group, Sir Ranulph Fiennes, Oliver Shepard, Dr. Mike Stroud and Laurence Howell, will return to the area to complete their science programme and to try to reach the North Pole - a distance of around 450 nautical miles - without support or resupply. GM4DMA/portable VE8 will be active again and some 144 MHz operation is envisaged as part of the propagation tests. Sked times and frequencies will be given as soon as we have them.

RADIO COMMUNICATION December 1987



# It's a long way to Tipperary - the adventures (and misadventures) of a VHF DXpedition

Dave Hardy, G8ROU

## ABSOLUTE BEGINNERS

The origins and motivations behind VHF DXpeditions are shrouded in obscurity, although they have some undoubted similarities with the annual migration of lemmings. Both groups appear to have an irresistible annual urge to rush off and display strange (if not positively bizarre) behaviour which is completely beyond the ken of mere mortals! The involvement of the Derbyshire Mills Contest Group in these peculiar practices dates back to 1981, when your scribe idly suggested that it might be fun to mount an expedition. "Good idea - arrange it!" was the response, and I seem to have been suffering ever since.

In 1981, 2 and 3 we "did" Wales, and in 1984 it was the turn of Eire to suffer our attentions. Looking back on what was a highly successful DXpedition it's easy to forget the problems involved in organising amateur radio operation in another country; however, these were ably dealt with by a member of the group and, having persuaded Irish Customs to let us into the country, we located a site and set about getting on the air. This was, incidentally, when we discovered the benefits of mains electricity - with petrol at £3 per gallon we couldn't afford generators! We ended up with about 300 yards of mains cable running across the fields to a cottage at which we had negotiated to plug in....

1985 saw the group stranding itself on North Ronaldsay, one of the more isolated islands in the Orkneys with a ferry once per week. Poor tropo conditions were to some extent counterbalanced by good MS and aurora. We decided to take a break from DXpeditions in 1986, but last Christmas the old familiar urges returned and we decided that we'd go back to Eire in 1987.

## THREE WHEELS ON OUR WAGON....

Once again the planning of the 1987 event fell to your scribe. Letters went off to the magazines for advance publicity and I set about recruiting victims (sorry, operators) to take part in the trip. G4VVZ and G8ROU were joined by G4XUM - who had been prevented from joining our last epic by work ORM - together with G4UYZ and



finally Dave, G4FRE, who had to be difficult and wanted to join in the GB2XO/GB4GD expedition as well. I would have loved to have seen the travel agent's face when Dave asked for a three-legged trip to the Isle of Man.... Tony, G4APA, kindly agreed to lend us a van and generator, so at this stage everything seemed to be going well.

Time passed - rather a lot of it, actually - and some members of the group began fretting somewhat at the lack of EI licences falling on their respective doormats. Enquiries via EI2CA revealed that there was a strike on in the licensing department! Fortunately, the IRTS applied a little pressure on our behalf and the problem was resolved.

The time of departure rapidly approached. Most of the equipment had been stockpiled at the QTH of G4XUM in Nantwich, which was to be our "assembly point" prior to departure. Came the day and we all converged on Nantwich for the ceremonial loading of the van; this completed, we set off for Holyhead at about 8pm - allowing, as we thought, plenty of time to catch the ferry. But fate was not on our

side, and a few miles down the road disaster struck! A loud knocking noise forced an immediate stop, and the diagnosis was a wheel bearing failure. Aid, in the form of G4APA and G4XUM's father, was summoned but it was decided that nothing could be done that night. Quick adjustment of plans, 'XUM and 'YUZ were inserted into 'FRE's Metro along with a fair amount of gear and launched in the general direction of the ferry. The rest of us were "grounded" for a while.

In the morning the RAC towed the van into a garage. Inspection revealed that the entire stub axle assembly would have to be replaced, but unfortunately - it being a Saturday - not all the parts necessary to mend it could be located that day. Consequently, the van wouldn't be repaired until Monday - gloom, depression, etc.

In the meantime the rest of the party had crossed into Ireland without any further problems and were soon bumping their way across country. Irish country roads aren't exactly your six-lane motorways, and if we're being frank they're pretty dreadful; every time the Metro hit a hump there was another hump on 'YUZ's head! Battered and bruised, the party finally arrived at the house which had been rented in VN square - but of course without either their suitcases or any VHF equipment! Ultimately, of course, they discovered that it would be three days before the "van party" could join them, so to while away the time they set about improvising 3.5 and 14 MHz dipoles which could be used with 'FRE's FT901. To keep his hand in for the VHF DX to come Dave worked about 100 stations on 3.5 MHz CW, and in between times the group undertook reconnaissance missions in search of promising-looking portable sites.

## BUT WE'RE STILL ROLLING ALONG....

Monday morning saw the "van party" still stranded in England looking for parts with which to repair the van. These were duly obtained from a variety of sources and eventually - three days behind schedule - we were on our way. On arrival at Holyhead we paid a visit to Customs in order to get our equipment list certified. This is a very important move, since otherwise you might

have problems in getting the gear back into the country when you return. At this point, by the way, we must give credit to the helpful B + I staff at Holyhead, who allowed us to change our ferry bookings twice with no problems.

The sea crossing was fairly uneventful and on the Tuesday morning we rolled off the ferry and into the Red Channel at Customs. On the occasion of our last visit it had taken about two hours to negotiate this formidable obstacle, but I put on a confident face and told the Customs officer what we wanted to do and within five minutes we were setting off across Dublin whilst most of the cars were still queueing for the Green Channel! After a humpy ride across country the group was reunited and we set about unloading the van.



As usual, I drew the short straw and had to go and ask the neighbouring farmer for permission to use his field for the 144 MHz antenna system. This was granted and we started erecting antennas; however, we almost immediately had a minor contretemps with the 144 MHz antenna system and it dawned on us that we were all extremely tired, so we unanimously decided to leave it until the following morning. However, Wednesday morning saw the thing erected without any further "prangs" and we were finally on the air!

Gear for 50, 70, 430 and 1296 MHz was also erected and it was all systems go. However, we didn't work many stations on 430 and 1296 (15 and 7 respectively) before the equipment had to be dismantled to go off to GD with 'FRE on the Saturday. However, we attempted 430 MHz contacts with DK1PZ via MS and HB9CRQ via EME. Although signals were received both ways on both occasions, we didn't manage to complete either contact. 70 MHz was a struggle since we were so far west, but we did manage 14 contacts in 7 squares and 4 countries, including a crossband to 144 MHz with DK1PZ via MS. A regular 3.5 MHz sked was maintained with G4NZU

934

so as to keep people in the UK informed of what we were up to.

The star performer was, of course, 144 MHz. On this band we made about 400 contacts on tropo under the callsign EI2VPX and gave many stations their first contact with VN square. If you called us hut failed to work us, we're sorry hut it is a long distance and you'll have to build a bigger station! More ERP should do the trick next time.... MS operation was very successful, with no less than 145 stations worked. The squares total from VN was ultimately 103, in 24 countries; best DX was YU at about 2300 km, and a probable first was EI to OHONC/OJO. All in all, a very successful expedition!

### THE WILD ROVERS

One of the more ambitious proposals for this expedition was for a "detached" portable station which would activate UN and UO squares. After Dave abandoned us at the end of the first week for the delights of the Isle of Man, we decided that we would at least do UN hut that we probably wouldn't have time to go to UO because of the fact that we were running three days late on schedule. So Ian and myself duly headed off on the Sunday morning in the general direction of UN square, and by the evening EI4VCH/P was active. The station was located on a sand dune by the Atlantic Ocean. In two days we worked about 100 stations on 144 MHz on tropo and 35 on MS, resulting in a grand total of 35 squares and 16 countries.

During the period when we were doing our thing from UN square, there was an amusing incident hut at "hase camp". They were well into their stride in the middle of an operating session when three members of the Garda - the Irish police - appeared and started to ask all sorts of questions. The most startling was whether they were "members of a subversive organisation"! Resisting the urge to say "yes, the Radio Society of Great Britain" the answers produced by the group were evidently



satisfactory since, after a second visit, we heard no more. Apparently our antenna farm had created a certain amount of interest; certainly passers-by on the main road were wont to stare at it, obviously wondering what was going on.



We got back from UN square in good order; so much so, in fact, that we decided that we would, after all, make a quick attempt on UO on the Thursday. We blasted off in a torrential downpour and eventually arrived at The Mullet having negotiated flooded roads and all manner of other obstacles; at that point the rain stopped. We set up shop in the middle of a peat bog - which was about the only remotely viable site - and had the added interest of having to put the antennas up in the teeth of a Force 8 gale which had added to the meteorological situation. Everything people say about Irish weather is true! Having got the station on the air we found, not surprisingly that tropo was fairly limited - there are, after all, some enormous mountains in the way - hut we still worked the best-equipped stations. On MS we worked 41 stations in less than 24 hours before we had to heat a retreat, which added up to 17 countries.

At the end of the week the return to the UK came as an anticlimax and - much to our surprise - took place without major disasters. We all thoroughly enjoyed ourselves and no doubt we'll be off somewhere in '88 - so prepare to work us (or even better, come and join us).





## HOW TO READ TECHNICAL ARTICLES:

People sometimes complain that RadCom technical articles (or any other technical articles) are difficult to read and understand. Well, thanks to the excellent Central Scotland FM Group newsletter "FM News" - which gave us the idea for the following - you'll never have that problem again. Here's a translation of the meaning of some of the more common technical phrases seen in articles.

SENTENCE	MEANING
It can be shown that....	It isn't at all clear to me, but I'm shaming you into taking it for granted
It did not operate as well as had been predicted	It burst into flames
High transient thermal impedance	I burnt my fingers on the BF981 in the preamp
After much experimentation, a solution was found	I fiddled about with it for ages and it suddenly started working
A typical sample	The only one which did more or less what I wanted, once
Transient tests were carried out	The fuses blew every time I switched on
This value is a first approximation	This value is flagrant guesswork
It should be possible to improve the method	Nothing whatsoever worked
The fundamental engineering principles are now outlined in detail	I nicked this from another article
The equation was solved numerically	I averaged eight answers that looked vaguely right
It is of interest to compare....	It isn't of the slightest interest, actually, but it'll fill more space and I'll get paid more and I can also have a go at G3...s efforts in the other mag.
There are certain practical difficulties in realising this figure	All the transistors are simultaneously destroyed if you tweak RV3 with power on
The gain figure is sub-optimal	It has no gain and a 22dB noise figure
The efficiency has not been optimised	It's giving 4W out for 900W in and glowing red
On-air performance is extremely good	I called CQ for three hours and worked one station who gave me 4 and 2
The author wishes to thank G3... for his comments on the manuscript	G3... completely rewrote the article
The author wishes to thank G4... for his constructive comments on the project	That nuisance G4... kept calling me and complaining about the signal.
The author wishes to thank G6... for his assistance	G6... got it to work

So now you know. Simple, isn't it?

RADIO COMMUNICATION December 1987

## WHERE'S MY RADCOM?:

Commencing with the September 1987 issue, the printing of Radio Communication was placed in the hands of a new printer who was local to Potters Bar and also had in-house mailing facilities. Unfortunately, during the production of the October issue, the new printer decided to dispense with its in-house typesetting facilities. The consequent disruption of the production schedule resulted in the October issue being posted on 2 October and the November issue on 6 November, both being about a week after the scheduled publication dates. This has had a 'knock-on' effect and it seemed likely, at the time of going to press, that this issue would also be posted about a week late. In the meantime, we have made an urgent search for local typesetters who can undertake the work of setting the text for RadCom and, if all goes well, it is hoped that production will be back on schedule for the January issue. However, if your January issue has not appeared on your door-mat by the scheduled time, please give it a few more days before contacting HQ for a replacement. The delay may be due either to our typesetting problems or general delays in the post-Christmas post.

## UK FREQUENCY ALLOCATIONS:

In conjunction with the DTI, HMSO plans to produce a coloured leaflet showing how the radio spectrum (up to 400 GHz) is allocated to all the different services. The Society hopes that this new leaflet might be made available to members. As we went to press, we were discussing this possibility with HMSO and if we can obtain copies in bulk for redistribution to members, we'll let you know in January's Bulletin.

## DTI ANNUAL REPORT PUBLISHED:

The Radiocommunications Division of the DTI has just published its second Annual Report for 1986/87 - a copy flopped on our desk just as we went to press. Here next month, but you can get one free on request from Waterloo Bridge House.

## RSGB HON. TREASURER RETIRES:

After ten years of sterling service, Mr David Cornish, G3COR, has resigned from his position as the Society's Honorary Treasurer as a result of continuing ill-health. The Society wishes formally to place on record its thanks to David for his efforts on its behalf. The new Honorary Treasurer will be appointed at the first Council meeting of 1988.

# Council Brief...

10 September 1987

Following earlier requests from the membership at previous Annual General Meetings, the Society's Council considered the selection of the venue for the Annual Meetings of the Society for 1988 and beyond. It was agreed to invite affiliated clubs, societies and registered groups to put forward suggestions for the Annual Meeting venue - a notice would be published to this effect in the December issue of the RSGB Bulletin. Council also discussed the use of audio/video equipment at this year's AGM and agreed to issue the following policy statement with the Annual Meeting Agenda - "as an experiment, the Society will make available for sale official audio tape recordings of the proceedings. The use of video equipment at the meetings will not be permitted".

Council had previously wished to change the format of the proxy voting paper so that members could vote for or against each particular motion to be discussed. This would involve a change to the Society's Articles of Association. A draft notice/agenda for an EGM to be held on 5 December was approved by Council.

Council spent some time discussing reports from its Committees for the 1986/87 financial year (a summary of these reports was published in the Society's Annual Report in the November 1987 issue of Radcom). It was agreed that in future a special President's Advisory Group would consider the detail contained in Committee reports in order to assist Council in its deliberations.

Council considered its annual awards and agreed recipients for the following trophies: Founders, Rotab, Courtney-Price, Norman Keith Adams, Ostermeyer, Wortley-Talbot and Raynet. Council also proposed two new Vice Presidents whose appointments would be discussed at the next meeting of Council.

Mr. B. O'Brien introduced the financial report. Only draft accounts for the 1986/87 financial year were available. These showed a loss which had been anticipated because of the recruitment of new senior staff and other expenditure. It was noted that the financial report for July had been made available to the F & S Committee, who would circulate it to Council for discussion at the next meeting. Mr. B. O'Brien commented that the

new financial reporting methods appeared to be working well.

The Secretary reported on a number of matters including: attracting young people to amateur radio, DTI matters including the licence review, packet radio and CEPT licensing, the future of the Society's publication programme and EMC. He noted a number of staff changes at HQ; one from the despatch section, two from accounts and two new recent recruits to the MSD. Senior HQ staff felt that the Call Book/Members Handbook had had a notable effect on getting routine information to members at large. Consequently, it was now planned to print more information in the next edition of the Call Book. The Secretary also reported on a recent meeting in his office to revitalise interest in Amateur Radio Direction Finding. Council welcomed the Secretary's report on this topic and agreed to set up a new ARDF Working Group once a Chairman has been appointed. The Secretary also reported on the recent visit of Mr M. Mandrino, YT7MM, to RSGB HQ and on new antenna planning legislation being proposed by the Manx Government. The latter had been referred to the Society's representative on the Isle of Man and the Chairman of the Society's Planning Committee.

In addition, Council also discussed the following topics:

- a) arrangements for the 75th Anniversary celebrations
- b) awards to Committee members
- c) time-consuming enquiries from members
- d) the DP Act
- e) future mailing shots
- f) lapsed members
- g) the cost of RSGB publications
- h) the development of closer links between the Society and the RAIBC.

24 October 1987

Several main items of business dominated the Council meeting held on 24 October 1987. The Society had received some very positive comments concerning the new RSGB Liaison Officer Scheme, together with a few letters of criticism. One point which had been brought out was the need to reduce the size of some of the areas even further to make the job of the RLO more manageable. It was agreed that the M & R Committee (to be reformed as the Membership Liaison Committee on 1 January 1988) should look at the

question of areas again, and a further call for nominations for those areas where the post of RLO had not yet been filled would be made. It was also agreed that a deputy RLO could be appointed by the RLO with the agreement of the Committee in areas such as major cities. In connection with the new RLO scheme it was agreed to ask M & R to clarify the position of registered RSGB groups.

Further discussions took place with regard to arrangements for the 75th Anniversary celebrations for 1988. Council approved in principle a schedule of events during the period 15 to 31 July inclusive. It was now hoped to activate a special event station from Windsor Castle as part of the Society's celebrations.

Under the heading of financial report, Mr. McClintock reported that the final outcome for the 1986/87 financial year showed a deficit after tax of £33,786 compared with the surplus made of £3,903 during the previous year. Council discussed in detail the financial reports for July and August 1987, which had been produced as a result of the new software recently installed at HQ. The main area of concern at present was book sales and the Secretary was urged to take a special look at this area in order that the F & S Committee could reconsider book policy in the light of the down-turn in sales. Council unanimously reaffirmed its policy that the Society provide high standard, up-to-date, reasonably priced books for the radio amateur. Council approved the 1986/87 accounts for signing and publication.

Council noted that David Cornish had recently had to go into hospital again and had expressed his wish to retire as Monoray Treasurer. It was noted that Mr. B. O'Brien, G2AMV, had recently expressed the view that he now wished to make himself available for the post of Honorary Treasurer if Council so wished. In view of Mr. B. O'Brien's imminent hospitalisation for a routine operation, it was decided to leave the appointment of a new Honorary Treasurer to the 1988 Council. In the meantime, F & S would be able to call upon the expertise of Mr. N. O'Brien, G3LP. Council noted the outstanding services of Mr. Cornish during the past 10 years and intended to recognise his work in an appropriate manner. (over)

RADIO COMMUNICATION December 1987



(cont from previous page)

Attracting newcomers to amateur radio was another main theme for discussion by Council. The Secretary reported on meetings he had held with the Scout Association and that a new group had recently been formed under the Chairmanship of Don McLean, G3DNQ, to work on a recruitment video presentation. It was intended to seek financial assistance from outside sources for this project. Many professionals involved in the media had recently met at HQ and it was hoped to produce a first video on recruitment by July 1988. Council noted progress with the development of ideas for the Student Licence and the DTI's Young Amateur of the Year project.

The Secretary reported on his recent attendance at TELECOM 87, the value of the IARU stand at the event and the people that he had met who would influence amateur radio in the future. A special feature on TELECOM 87 would appear in the December Bulletin. The Secretary reported that during

TELECOM 87 he had had an opportunity to visit the Mercury stand and that as a result he had asked the HQ Manager to carry out a study on the relative merits and costs associated with Mercury and BT telephone systems.

A number of awards for contests were approved by Council. In that context, a discussion followed as to how Council could best show its appreciation of volunteer Committee members who often gave up a considerable amount of their spare time to RSGB work for the benefit of amateur radio. Council approved two new Vice Presidents, Dr. D.S. Evans, G3RPE, for outstanding service to the Society, and Mr. D. Willies, G3HRK, for outstanding service to amateur radio through Raynet.

In order to further develop Amateur Radio Direction Finding in the UK, Council appointed Mr. Pearce-Boby, G3JLE, as Chairman of a new Council Working Group.

The draft agendas for the forthcoming AGM and EGM were discussed by Council. Following advice from solicitors, Council

agreed to incorporate an item onto the agenda of the EGM concerning members of Council over 70 years of age.

In addition to the above, Council discussed the following business:-

- a) the Data Protection Act
- b) the Format of Club News
- c) Committee budgets
- d) the forthcoming edition of the UK Call Book
- e) Radcom staffing
- f) the authorisation of direct debit facilities
- g) life membership
- h) membership composition of the EMC Committee
- i) the agreement of scrutineers for the 1988 Council elections
- j) the commercial interests of Committee members
- k) slow morse frequencies on the 144 MHz band which was referred to the VHF Committee
- l) the RAE Advisory Group.

Council accepted with thanks an offer from the Telford & DARS for a trophy for a 50 MHz contest.



#### WORLD SCOUT JAMBOREE

Some months ago, we mentioned that there was a strong likelihood of some amateur radio operation taking place from the World Scout Jamboree, which will be held at Cataract Park about 70km SW of Sydney Australia from 30 December 1987 to 10 January 1988. The latest news is that an amateur radio station, using the special callsign AX2SWJ, will be located in a building on site. Three 24m poles have already been erected for the antennas - though we don't know what type of antennas will be used. There's been some difficulty in finding enough scout amateur operators to man the station for the duration but this has now been resolved with the help of local non-scout operators. At least one UK scout amateur operator is known to be attending the Jamboree; Matthew Neal, G0HLW (ex-G1VIJ) who is a Pack Leader with the 2nd Olton Scout Group.

Initial plans are for the special station to be active throughout the Jamboree and if you'd like to contact AX2SWJ, try one of the following frequencies as propagation permits:-

3590 kHz  
7090 kHz  
14.190 MHz  
21.190 MHz  
28.390 MHz

...all plus or minus QRM!

RADIO COMMUNICATION December 1987

## RSGB STAFF APPOINTMENTS

### WANTED - EDITOR:

The Society is looking for a new editor for RadCom. "Hutch", otherwise Alf Hutchinson, the indefatigable editor of the Society's magazine "Radio Communication", retires in 1988 and we shall shortly be commencing our search for someone equally talented and tireless to replace him. It goes without saying that the editor of our magazine occupies a key position in the Society's affairs and it's important that we find the right person. This is by way of being an advertisement for such an individual!

These are the qualities we're looking for:

- \* experience of magazine editing (essential)
- \* licensed amateur or swl (a positive advantage)
- \* literacy and fluency (indispensable)

We offer a highly attractive salary to the right person, commensurate with the importance of this position.

If you're interested and think you measure up to the requirements of this pivotal post at RSGB Headquarters, write to the Chief Executive and mark your envelope

"Confidential - RadCom Editor". Enclose a comprehensive CV and tell us exactly why we should appoint you as Editor as opposed to anyone else and what you could bring to the position: we also want to see examples of your work.

We'd like to hear from you by the end of February at the latest.

### NEW MSO:

We need another Membership Services Officer, and we're looking for a very special person. Basically, the position involves the processing of applications for special event stations and Morse tests but there's much more to it than that. Amongst other things you'll need to be able to type reasonably well and not be terrified by computers and suchlike, since you'll be working a lot of the time with our IBM System/38 computer. A flair for administration and a positive genius for handling queries on the telephone are also important qualities we're looking for. In MSD you're in the front-line and operating as part of a professional team - so you need to be good!

We're an equal opportunity employer and offer an attractive salary to the right person. If you're interested, give Brett Rider a ring at HQ for a preliminary discussion. Oh, we almost forgot - you'll need to have held an A or B licence for at least two years.

# Events Diary

## Mobile Rallies

This is a list of all rallies, exhibitions and conventions notified to HQ (as at press date). Items are given in detail for the next three months. For full details see brief thereafter. Please send detailed information, including contact details and telephone numbers direct to HQ and marked 'Bulletin'.

### 6 DECEMBER

\*Verulam Christmas Rally - St Albans City Hall. Details Hilary C4JKS, tel: 0727 59338. Trade tel: Watford 52959.

### 13 DECEMBER

\*Leads & District ARS Christmas Rally - Pudray Civil Centre, Danvers Corner, Pudray, nr Lode. Details C4WYD, tel: 0274-685039.

### 24 JANUARY 1988

\*Oldham Amateur Radio Rally - Queen Elizabeth Hall, Civil Centre, Oldham. All the usual attractions including a bring & buy stall. Doors open 11am, talk-in available on 522 from 9am. Free equipment finding service. Details Cathy, C4ZEP tel: 061-652 8617.

### 31 JANUARY

\*26th MARS Exhibition - Norbrook Centre Exhibition Centre, Blackpool. Free venue, usual traders. \*RSCB stand\*. Details Peter C6CCF, tel: 051-630 5790.

### 27 FEBRUARY

\*Rattham Radio Rally - Parkwood Community Centre, Drimond Drive, Rattham, Clitham, Krt. (5 miles from H2 June 4). Open 10am, many traders, bring & buy stall. Talk-in on 522, SU22 one 29.500. This PM by GB4RRR. Details Bob CILKE, tel: Hedwy 362154.

### IN BRIEF - More details later.

### 5 MARCH

\*Blue Star Rally - High Coalworth Park (Newcastle Riverside). Details Lynne ARS, 13 Lochlan Court, Newcastle, Tyne & Wear NE5 312.

### 6 MARCH

\*Welsh Mobile Rally - The Barry Leisure Centre, 111 Holton Road, Barry. Details Mike G4EHO, tel: 0446-711426.

### 13 MARCH

\*South Essex ARS Mobile Rally - The Paddock Community Centre, Cervey Is, Essex. Details G0BBN, tel: 0268-755150.

### 20 MARCH

\*8th Annual Portlaoise Component Fair - Carleton Community Centre, Portlaoise. Details C0AAD, tel: 0977-43101.

\*Mid-Davon Rally - Parrish Mkrkt, Ilverton. Details C4ISW, 110 Davon Rally, PO Box 3, Ilverton, Davon.

### 27 MARCH

\*White Roar Rally - University of Ledsa. Details C0ECM, tel: 0532-676368.

### 10 APRIL

\*North Cornwall Radio Rally - Laureaton 10m Hall. Details Maggie, RS90696 tel: Launceaton 5632.

\*Laugh Erne ARC Rally - Killihavlin Hotel, Enniskiller. Details B11ly, tel: 0365-24905.

### 17 APRIL

\*Trallord Rally & Component Fair - Lortashill County Cricket Ground 101d Trallord, Talbot Road, Old Trallord, Mrrcheater. Details Graham C11JK, tel: 061-748 9804.

### 24 APRIL

\*BATIC Rally - Rugby Post Mouan Hotel, Crick, Northants. (MI Jurr 181. Details Trevor G8CJS, tel: 0532-670115.

\*Swesrae ARS Rally - Patti Pavillion, Snarree. Details Roger, tel: 0792-40422 evening.

\*Marske-by-the-Sea Rally - Marske Community Centre, High Street, Marske, nr Saltburn, E.Cleveland. Details Jimmy G1VLG, tel: 0642-219586.

### 1 MAY

\*RSCB VHF CONVENTION - Sardon Park Rerocourae, Erbar, Surrey. Details G3FZL. Trade - Lts, G5HD tel: 040 928-342.

\*Sth Anglo-Scottish Rally - Ialt Hill, Kelso. Details Andre G43VLD, tel: 0573-24664 (evening).

### 2 MAY

\*Mid Cheshire ARS Rally - Civil Hall, Winsford, Cheshire. Details David, tel: 0606-77787.

### 8 MAY

\*Swindor & DARC Radio, Electronics & Model Engineering Fair - Seimre Museum, Swoughton, nr Swindor, Wilts. Details Krr G85FV, tel: 066689-307.

\*Yovil DRP Convention - Pretor Centre, Horka Dale, Yavill. Details Dave C1PHN, tel: Yavill 79804.

\*Drayton Manor Rally - Drayton Manor Park, nr

Lawmorth, Staffr. Details Norman, tel: 021-422 9707.

### 15 MAY

\*Cambridge & DARC Rally & Car-boot Sale - Colaridge Community College, Radgund Road, Cambridr. Details Brian G4IRO, tel: 0223-353664.

### 29 MAY

\*Plymouth RC Mobile Rally - Plymouth School, Plymouth. Details Joe G1RKR, tel: 0752-662511.

### 5 JUNE

\*Southend Mobile Rally - Rorhway Centre, Rorhland, Essex. Details G3EFG, tel: 0268-755331.

\*Bolton ARC Mobile Rally - Venue to be announced. Details Kenneth G2JIL, tel: 0204-696906.

### 12 JUNE

\*Elvaaton Castle Mobile Radio Rally - Elvaaton Castle Country Park, nr Derby. Details John C4PZY, tel: 0332-767994. Trade enquiries, C4HJD, tel: 0335-43241.

\*MARS Annual Mobile Rally - HMS Mercury, nr Peterborough, Herts. Details C4UJR tel: 0703-557469.

### 18 JUNE

\*RAFARS Golden Jubilee Radio Rally - RAF Halton Air Show, Wymover, nr Aylrbury, Bucks. Details Terry G4PSH, tel: 0296-85760.

### 26 JUNE

\*31st Longleat Mobile Rally - Longleat House, Wiltshire, Mlts. Brian C4FRG, tel: Portlehead 848140.

### 10 JULY

\*Worrestor & DARC Strawberry Rally - Droltwirh High School. Details Steve, tel: 0905-24151.

### 15/16/17 JULY

\*RSCB 75th ANNIVERSARY NATIONAL CONVENTION - \* National Exhibition Centre, Birmingham. Details \* RSCB HQ. Trade - Norman, G3MYV tel: 0277-225563.

### 24 JULY

\*McMichael 88 Rally - Hymill Centre, Burnham, nr Slough. Details Bob C0BTY.

\*Angilar Mobile Rally - High Woods Sports & Leisure Centre, Severella Lane, Colehester. Details G4H01, tel: 0206-882403.

### 29-31 JULY

\*FASAT-UK Colloquium - Univalty of Surrey, Guildford. Details G3AAJ, tel: 01-989 6741.

### 14 AUGUST

\*RSCB MOBILE RALLY - Woburn Abbey, Bedfordshire. Details RSCB HQ. Trade - Norman, G3MYV tel: 0277-225563.

### 21 AUGUST

\*Red Ross Rally - Bolton Sports & Leisure Centre, Silverwell Street, Bolton. Details David G1100, tel: 0204-24104, evening.

### 28 AUGUST

\*Torbay ARS Rally - SIC Social Club, Belxham Road, Pelefort, Devon. Details G3KZJ.

### 4 SEPTEMBER

\*21st Prirton ARS Rally - Univalty of Lancaster. Details Godfrey G30XD.

\*Lallord Radio Rally & Exhibition - Dattir Harton C1UKY tel: 0952-55416.

### 11 SEPTEMBER

\*Lincoln Hamlet '88 - Lincolnshire Showground, 4 miles N of Lirrol nr AIS. Details John G5VGF, tel: 0522-25760.

\*Yanga ARS Rally - Nicholas School, Lalrator Road, Barliden, Details Alan G4DJH, tel: 0277-624386.

### 17 SEPTEMBER

\*Scottish Amateur Radio Convention - Aberdeen. Details C4AUK.

\*Patterborough EARS Rally - (Provisional) Details C4PXY - QTH.

### 18 SEPTEMBER

\*Bristol Radio Rally - Brunel's Great Iron Shed, Temple Meads Station, Bristol. Details Dave G4WUB, tel: 0272-839855.

### 25 SEPTEMBER

\*RSCB HF CONVENTION - Bellry Hotel, nr Oxford. Details RSCB.

### 2 OCTOBER

\*Great Lunley AR & ES Rally - Community Centre, Great Lunley, Chaeor-ir-Strant, Co.Durham.

\*Wakefield Mobile Rally - Details Steve G4CH, QTH.

### 8 OCTOBER (Provisional)

\*Midland VHF Convention - Details Peter G3UBX.

### 9 OCTOBER

\*Armagh Rally - Drumshill House Hotel, Armagh. Details C1BRHX.

### 26/29 OCTOBER

\*Lalrator Amateur Radio Show - Cranby Hall, Lalrator. Details Frank tel: 0533-553293 daytime.

### 13 NOVEMBER

\*Bishop Auckland Radio Rally - Venue to be advised. Details Morris, tel: 0525-314638.

### OTHER EVENTS

#### 5 DECEMBER 1987

\*RSCB ANNUAL GENERAL MEETING - IEE, Savoy

Place, Lander WC2 starting at 2pm prompt. Harrold underground station, Embankment or Charing Cross, 6 DECEMBER 1987

\*Pembrokehire RS Bring & Buy Sale - Further Education Centre, Lower Hill, Haverfordwest. Starts at 2.30pm, trade space available; radio, electronics, anything, bargain sale! Arrivals, multi-price radio. All are welcome and details from Brian C4OIER, tel: 06462-2825.

## GB Calls

The list below shows ALL the special event stations licensed for operation during December - (see at press date)

It is taken direct from the GB Calls file or the HQ computer. These call signs are valid for use from the date given but the period of operation may vary from 1 to 28 days. There's now no need to send details direct to the editorial office.

### 1 DECEMBER

C80CDE - COASTAL DEFENCE 'E': Fort Purbrook, Loder: 10 90 LU. Details C00HZ.

C81CDS - COASTAL DEFENCE 'S': Fort Southwick, nr Portsmouth, Grid: SU 628 069. Details G6WY.

C81ECC - E15200F00: Alxandra Dock, Newport, Gwent. Details G4WYX.

C8ANPS - MOUNT PLEASANT SCHOOL: Southampton. Details C4NHP.

### 3 DECEMBER

C82CDW - COASTAL DEFENCE 'W': Bridgely, Coaport, Herts. Details C0GIA.

### 4 DECEMBER

C80CXX - COASTAL DEFENCE 'X': Golden Hill Fort, Freshwater, IOW. Details C3RUX.

C82ASS - ASHURST SPECIAL SCHOOL: Skelmersdale, Lancs. Details G4WJR.

C82HMS - HER MAJESTY'S SHIP: Caterbridge, Birmingham. Details C0EBW.

C86GD - GUIDE DOG: Village Hall, Colkirk, Fakenham, Norfolk. Details G4DCJ.

### 5 DECEMBER

C80CGR - COASTAL DEFENCE 'R': Cowes Castle, The Royal Yacht Squadron, Cowes, IOW. Details C4ZFO.

C82SHP - ST NICHOLAS PATRONAL: St Nicholas Church, Warrick, Details C0GNF.

C84CVR - GREAT WESTERN RAILWAY: Didcot Railway Centre, Oxon. Details C4PFF.

### 6 DECEMBER

C82MS - MULTIPLE SCLEROSIS: Skelmersdale, Lancs. Details C4NDO.

### 7 DECEMBER

C82EC - E15200F00 CASNEWYDD: Newport, Gwent. Details C4WFX.

### 8 DECEMBER

C8SSH - STAMFORD MUSEUM: Broad St., Stamford, Linca. Details G3HEE.

### 11 DECEMBER

C80COT - COASTAL DEFENCE 'O': Bridgely, Coaport, Herts. Details C0GIA.

### 12 DECEMBER

C80IBC - INVALID BLIND CLUB: Layland, Lancs. Details C0GPI.

### 13 DECEMBER

C81CDW - COASTAL DEFENCE 'W': Fort Monkton, Grid: SZ 612 978. Details G6WY.

C82WYR - WEST YORKSHIRE (RUDSEY) RALLY: Yarnbury Ruff, Hereford, Leeds. Details C4WYD.

### 15 DECEMBER

C82DD - COASTAL DEFENCE 'D': Romer, Coaport, Hants. Details G4LIX.

C82CDR - COASTAL DEFENCE 'R': Romer, Coaport, Hants. Details G4LIX.

### 16 DECEMBER

C81CDJ - COASTAL DEFENCE 'J': Round Tower, Portsmouth, Grid: SZ 631 993. Details G6WY.

C81CDO - COASTAL DEFENCE 'O': Square Tower, Portsmouth, Grid: SZ 631 993. Details G6WY.

### 17 DECEMBER

C81CDE - COASTAL DEFENCE 'E': Fort Purbrook, Grid: SU 678 064. Details G1XJR.

### 19 DECEMBER

C82YRS - YORK RADIO SOCIETY: Toller, York. Details G3TRN.

### 20 DECEMBER

C82WS - WINCERWORTH SCOUTS: The Hutt, Wingerworth, Chesterfield. Details G3YBO.

### 24 DECEMBER

C81CDV - COASTAL DEFENCE 'V': Fort Cumberland, Portsmouth. Details C8THO.

### 27 DECEMBER

C82IVS - INTERNATIONAL V SCOUTS: 91st Leicester Scout HQ, Leicester. Details C4SJK.

### 29 DECEMBER

C81CDS - COASTAL DEFENCE 'S': Fort Southwick, nr Portsmouth, Grid: SU 628 069. Details G6WY.



# NEWS & VIEWS

## HF

John Allaway, G3FKM\*

THE EDITOR has received two letters — one complaining that rules for a contest were not published early enough and the other that too much space in this column is used up with contest information! Not a landslide of complaints exactly, but an indication of one of the problems of producing a monthly magazine....

G4NXG/M has now worked 211 countries as a mobile and wonders if this is a record?

Photographs for use in *HF* are always most welcome and where possible will be returned to their owner if so requested. However, accidents do happen and I would like to advise anyone with an irreplaceable picture to not send it — just in case.

### Computer propagation forecasting

G3JAG has written about the excellent *Miniprop* forecasting program which has been produced by Shel Shallon, W4EL. It covers 3 to 30MHz and needs only the date, the predicted sunspot number and the coordinates of the ends of the relevant path. It calculates bearings, sunrise/sunset times and grey line directions for both ends of the path. A user modifiable atlas is included, based on prefixes. John says that there are several versions — version 1.0 which is the original and requires 39k of free memory and is claimed to run on all machines under CP/M 2.2 or 3.0 but it didn't seem to work properly on any Amstrad and dropped stone dead under CP/M 3.0 (CP/M Plus). However he has created a reliable version for the Amstrad CPC 464/664/6128 under CP/M 2.2 only. The minimum requirement (for the 464) is one disc drive. Version 2.0C is the latest, enhanced, *Miniprop*. It is completely menu-driven and runs under CP/M 2.2 or 3.0 on the CPC 6128 as well as under 3.0 on the PCW 8256/8512. Because it needs more memory it will not run on the standard CPC 464/664.

Version 2.0M, is exactly the same as 2.0C except that it is for MSDOS machines eg PC compatibles such as the Amstrad PC1512. All versions run well in a 256K Ramdrive/silicon disc if available. *Miniprop* is a copyright work but Shel Shallon makes it available for personal, private use. He requests donations from those who find the program useful and it is available from him for US\$25 — however this is not on an Amstrad compatible disc and he can only supply a limited range of disc formats. Members of the CP/M User Group can obtain it from the Library in most CP/M or MSDOS formats.

RSGB members can obtain customised Amstrad copies from G3JAG on standard SS/DD 178k data format three-inch discs and he is also able to put the files onto 5.25in floppy disc but only by prearrangement. MSDOS copies will have to be on a standard 40-track 5.25in SS/DD disc. If a system disc is sent an auto-boot RAM drive version will be supplied. If a formatted disc (preferably with an ASCII text file on it for checking the format) together with call sign, exact QTH (latitude/longitude), is supplied together with £2 for expenses John will send the program. It is then up to individual users to send their donation to W4EL. Please note that these programs will not run under Basic on any machine and that they are not available as a listing. Those interested should send an a/c to John Cruik, 4 Sandyway, Prestwich, Manchester, M25 8PG.

### Western DX Group

I recently gave publicity to the Chiltern DX Club and this time it is the turn of this group which exists in SW England and S Wales. It is not a club and has no formal structure. Its purpose is to bring together those actively interested in pursuing hf dx by providing immediate information about dx station activity as it occurs. Information is passed on or relayed to other group members by the use of 144MHz fm on 144.525MHz. The group started in 1982 using the same frequency as the Chiltern DX Club. Today there are nearly 30 dx information contributors from Monmouth to Yeovil and across to S Devon. Some can hear all stations while others rely on relayed information. It is now

becoming increasingly possible to exchange information not only with Chiltern DX Club members but also other groups elsewhere in the southern UK who are also using the same frequency.

The value and added enjoyment that the group provides can be seen in the number of newly licensed amateurs in the area who have immediately become dx enthusiasts. Some GW0 and G0 operators have already worked in excess of 260 DXCC countries and are anticipating the honour roll. Others who have been chasing dx for many years have increased their six-band scores and found enjoyment in helping the new dx operators. Anyone who seriously pursues DXCC is welcome. Listen on 144.525MHz and if you can hear dx information from the Western DX Group then join in. You will be welcome.

*DX News Sheet* has written: "The 2m frequency 144.525MHz fm has long been used by groups of hf operators around the UK to discuss dx matters. At the HF Convention several members of the Western DX Group suggested that publicity should be given to this activity and attempts be made to have the frequency identified in band plans as a meeting frequency for hf/dx operators. DXers using 144.525MHz fm for this purpose are invited to write to DXNS so that activity may be assessed. The DXNS office is at 123 Reading Rd, Finchampstead, Wokingham, Berks, RG1 4RD."

### DX news

According to the *Long Island DX Bulletin*, TJDL, in Cameroon follows the propagation paths around 14.025, 21.025, or 28.025MHz beginning about 1500, and also occasionally uses ssb near 21.330kHz. FRSES on Reunion likes 14.195kHz around 1600 and he may visit Europa, Glorioso, and Tromelin Is. From Botswana A22RB is regularly near 21.255kHz from 1900. YU2NA will be in Angola until next March and it is rumoured that he has been promised a licence.

3X0HBR in Guinea-Bissau has been working in the UK on 21MHz ssb around 1900 and I have correspondence from M Sotero Sousa, who is president of the Radio Club Guineen — this might well mean that we are about to see increased activity from there soon. Morse practice tapes and two Project Gnodwill kits have been sent to the club by ARRL.

QSL cards for contacts with 5U7/12VA have now been accepted for DXCC credit, and TU4BR/5U7 has been working into Europe on 21 and 28MHz ssb and he will be visiting the USA and taking documents with him to show that he is licensed.

According to *DX News Sheet* F6AJA has confirmed that unfamiliar FT prefixes may be heard from the French Antarctic Territories. FB1MSR may be FT2X?, ex-F1.8DD may become FT4X?, and ex-FY7BH may appear as FT5X? — all from Keigelen. F5NB will be FT5Y? from Adelle Land, and FCIHJO and F6CZB may appear as FT3Z? and FT5Z? respectively from Amsterdam Is. FT8WA on Crozet Is is reported by *DX-NL* to be found on 3.795MHz from 0300 and to be willing to move to 1.8MHz on request.

9XSCM has recently appeared on 14MHz ssb around 1800 and is reported to be likely to remain in Rwanda for two years. TSGI is believed to be Italian and claiming to be in Somalia, and he has been reported around 14.150MHz at 0830 and later on 14.200MHz at 1930. Larry, TZ6VV, from Mali, is believed to like 21.271MHz from 1400 and should have a tri-band beam up by now. S92LB is regularly active between 21.300 and 21.330MHz after 1900, and ST5RA, in Mauretania, is often a little higher in frequency at the same time. Lastly from Africa SV7SA in Togo was often to be found near 14.160MHz at 2100 at the time of writing.

W7SW/KC4 is on a project with the US National Science Foundation and will be at McMurdo Base, Antarctica, until February 1988. He will be active on a number of bands. ZS7ANT is located at 70S 02W and has worked into the UK on 14.227 around 1900 and also on 28.525kHz around 1600. He will remain there until about the end of February. Sojo, VK7ZSJ, who was formerly VK0SJ, may be on the air as ZL6BA by the time this column is being read. From the USSR part of Antarctica 4K1A is running 1kW power into a rhombic antenna and has been on the low end of 14MHz around 1800.

In mid-October the situation concerning the proposed expeditions to the Saharan Arab Democratic Republic was unclear. According to EA2JG in *DXpress* the activity first began to be planned two years ago and all systems were go for early August. He suggests that the arrival of the German group just two weeks before this planned date caused confusion among the RASD and Algerian authorities who therefore decided to postpone everything for the time being. EA2JG, EA1QF, EA4DO, and EA2XC again met the RASD authorities on 5 September and both sides agreed to reserve judgement on what had happened. They agreed to carry on with the project and (according to EA2JG) the Lynx DX Group still holds the original and, so far only, permission to operate from RASD territory. The group regrets the inconvenience caused by this postponement.

Rumours of an expedition to Yemen which is being organised by OE6EEG for this month appear in the *Long Island DX Bulletin*, and the same news source quotes Ron, ZL1AMQ, as saying that he may join a scientific expedition to the Auckland Is (ZL9) in late February.

\* 10 Knightlow Road, Birmingham B17 8QG.

LUIZA, who is believed to be on the S Orkney Is, has been active on 7MHz cw around 0300.

Peter, PA0CRA, is planning a return visit to the Caribbean and hopes to visit FY, 8R, FS, FJ, VP2M and VP2EJ, during a two week spell beginning about 15 December.

VK4ZG is reported active again from Willis Is following the recent staff changeover. Dave Shaw, VK3HDF, is back on Heard Is with this season's ANARE scientific expeditions to Antarctica and Macquarie Is. He hopes to be on the air with his VK0HI call whenever time permits, until he leaves in March or April. He will have dipoles on all bands from 3.5 to 50MHz, and it is believed that there will be no cw operation.

Those looking for a QSO with the Sovereign Base Area of Cyprus will like to know that ZC4AP keeps a schedule with G0JHK every Sunday on 21.265MHz at 1300, after which he is available for other contacts, 9M6AE is now on from Sabah and has been working into the UK on 14MHz ssb between 1300 and 1500. He has a FT757 and a vertical antenna and will be particularly looking for UK stations on 14.165MHz from 1500 on weekdays. XU1SS is still to be found often with YB3CN on Mondays and Tuesdays at 1300 on 14.165MHz. Anyone making a contact and sending a QSL to any address in Thailand is asked particularly not to mention a callsign on the envelope.

G5JL has sent in a note received in response to his QSL request for a contact with ZA0RA. It came from Radio Tirana and says simply "We do not know any radioamateur with the sign ZA0RA, therefore we are sending back your QSL..."

Ken Randall, GD3RFH, well known to older dxers for his VP8HF/VP8 operation from the S Sandwich Is over 23 years ago, says that he has an Admiralty chart of the area which is available to anyone else contemplating a visit! However, he does not have any QSL cards left.

## Welcome...

...to the following who became members of the Society during September: EA6FB, F6CCW, IK2BLA, VS6XMG, WA5LNB and G3WQU/4X. New listener members included J Zelisc (PA0), N Langmead, P Palamghat (VU), and L Jones (DL).

A special welcome also this time to a famous dx personality — Mary Ann Crider, WA3HUP, who is JYI's QSL manager as well as QSL manager for the W3 area and for many dx stations in addition to being an honorary member of RJARS.

## Contests

### The UBA SWL Competition

0000 1 January to 2400 31 December 1988

The object is to log as many different DXCC countries as possible during the year on six bands: 1.8, 3.5, 7, 14, 21, and 28MHz. Each country heard counts one point on each band and each country counts as a multiplier. The final score is the total of countries heard on each band added together multiplied by the number of different countries heard. There are five categories — (1) Phone (2) CW (3) Rty, Amtor and Ascii (4) SSTV and Fax (all single-operator) and (5) all modes club — this category must mention more than one operator. To enter the competition an interim result has to be submitted twice during the year — no later than 1 April and 1 September, and the final log has to be sent before 31 January 1989. Copies of the full rules are available from me in exchange for an sase. This contest didn't produce many British entries in 1986 which to me seems to be a pity as it is an interesting test of DX copying ability. RS88825 scored 48,471, G1VDW 15,752, and RS28198 14,630 in the Phone Section. In the cw section RS52868 scored 56,405, and RS84869 44,955.

### Happy New Year Contest

0900 to 1200 1 January 1988

3.510-3.560, 7.010-7.040, and 14.010-14.060kHz cw only. Open to all licensed amateurs and listeners. Class 1 max 500W input, Class 2 max 100W input, Class 3 max 10W input, and Class 4 — listeners. Exchange RST and QSO number. AGCW members

## QTH CORNER

FEA3A Jean M Duthilleul, 515 rue du petit ham, Bouvignies, 59870 Marchiennes, France.  
JW5E Nao Akiyama, Box 210, N-9401 Harstad, Norway.  
PA0M Nao Akiyama, NICIX, PO Box 655, 225 Main St, Newington, Conn. 06111, USA.  
PA0Y WSA3HF, Robin Hughes, 17494 Via Alamitos, San Lorenzo, CA 94560, USA.  
VK9AB Ron Wright, ZL1AM0, 28 Chorley Av, Massey, Henderson, Auckland 8, New Zealand.  
VK9YH Hans Ten Haik, PO Box 191, 05004 Nice Cedex, France.  
VK9YV (UK only) G3TBT, RS Hodgson, Brackendene, Hollwale Rd, Passfield, Bordon, Hants, GU35 0AE.  
VK9ZG A. Hairs, VK6KZH, 4 Rae Place, Leeming, WA 6155, Australia.  
VK0HI VK3EVN, 64 Orana Drive, Watsonia, Vic 3087, Australia.  
VU4GDG Coimbatore ARC, PO Box 3733, 84 Avanashi Rd, Coimbatore 641-018, India.  
ZF10PW Cayman ARS, PO Box 1023, Grand Cayman, Cayman Is.  
ZL8HV Peter Fisher, c/o 2 Arpen Drive, Hokitika, New Zealand.  
1A0KM (cw) 10JX, Tony Verinucci, Via R. Lanciani 30, I-00162 Rome, Italy.  
1A0KM (ssb) 10JL, Tony Verinucci, Via Caracciolo 34, I-00199 Rome, Italy.  
5T5EV Halmul van Edig, BP 372, Nouakchott, Mauritania.  
8P9HR (CQ Contest) K4BAI, PO Box 421, Columbus, GA, 31902, USA.  
9M6AE PO Box 14277, Kota Kinabalu, Sabah, E. Malaysia.

will also send membership number. Each QSO counts one point and a station may be worked once per band and only DXCC countries in Europe may be worked. The multiplier is one for each QSO with an AGCW member. Final score equals total points times multipliers. Enclose usual declaration and post logs before 31 January to Fritz Bach Jr, DK1DV, Eichendorf Str, 15, D-4787 Geseke, FR Germany. In the DRP Winter Contest 1987 (Class A) G8PG was top score with 12,012 points, G3DNF second with 6,335 and G4BUE third with 5,811. G3KDB scored 818.

The results of the 1986 LZ DX Contest list G3ESF with 16,884 points, G3DFV 8,820, and G6NK 4,016 in the Category A, G4ZPE with 2,367 in Category B (14MHz) and G4QDV 546 (21MHz).

In the 1987 ARRL International DX Contest (Phone), Single-operator section UK scores were as follows: (Multi-band) GW4BLE 580, 086, GJ3ZAY 173, 952, and G2QT 129, 921 points. On 14MHz G6BAR scored 22, 263, and G4ZXC 3, 969 points. In the Multioperator Single-transmitter category G4ANT scored 226,545 (multi-band), and G6OI 10, 179 (14MHz).

In the CW section rather more UK stations are listed and scores are as follows:

GW3YDX	(All band)	1,055,735	points	GW3JL	(All band)	63,840	points
G3FXB	(All band)	977,451	points	G6QQ	(All band)	12,168	points
G4CNY	(All band)	757,809	points	G3ILO	(All band)	11,700	points
G3LYY	(All band)	301,290	points	G3SJK	(All band)	5,481	points
G2QT	(All band)	156,600	points	G6BSO	(All band)	3,366	points
G3RAO	(All band)	138,498	points	G3XWZA	(1.8MHz)	6,930	points
G3ESF	(All band)	74,880	points	G3TBC	(3.5MHz)	13,524	points
G3APN	(All band)	68,856	points	G4HQF	(14MHz)	4,092	points

In the Multi-operator Two transmitter section GB4DX was top European with 1,193,808 points.

Special congratulations to G3FXB who, as leading G in the cw section wins the Society's Braalen Trophy and to GW3YDX who as leading all-band entry from the UK (other than G) wins the Milne Trophy.

### ARRL 160m Contest

2200 4 December to 1600 6 December

Single- and multi-operator, single-transmitter sections. Exchange RST (1MM and 1AM stations send ITU zone). Multiplier is total of ARRL sections (plus VE8 and VY1 — a total of 74) and DXCC countries worked. QSOs with dx stations count five points. Note that the ARRL band-plan requires intercontinental contacts only to take place between 1.830 and 1.850kHz. Indicate multipliers first time worked and if more than 200 QSOs are made a duplicate list must be submitted. Official log forms are available from ARRL Communications Dept, 160 Contest, 225 Main St, Newington, Conn. 06111, USA (please enclose large sase and two ircs). Entries must be posted to this address before 6 January 1988.

### YL/OM Midwinter Contest

0700-1900 9 January (CW)

0700-1900 10 January (SSB)

3.5 to 28MHz following IARU Region 1 band plans. Copies of rules from G3FKM (sase please).

In the results of the 1987 PACC Contest published in the October column G4ZIB's callsign was printed as G4IZB. This was due to an error in the VERON listing and apologies are made to G4ZIB.


## Awards

### The GB Award

Available to licensed amateurs and listeners for confirmed QSOs/Reports with UK special event stations using GB calls. Basic requirement is 100 QSOs/reports, and stickers are issued at each additional 50 stage. Send log extracts certified by two other amateurs plus £1.50, US\$3, or eight ircs to: 91st Leicestershire Scouts, c/o M J Harriman, G4SJK, PO Box 49, Leicester.

### The YL/Year 88 Award

Class 1 — for having QSOs with eight YL operators each month for 11 months. The same station may be worked again each month. Class 2 is for working 11 YL operators each month for eight months. On 29 February 1988 each QSO counts two points and a maximum of these can be used as joker points. The award is issued by the DfG-PA (the Dutch section of the Diplome In Resen Gruppe) and applicants should send a list of contacts, signed by two other licensed amateurs, plus 10 ircs to: M Woll-Wildeboer, Pilotenweg 14b, NL-8303 EJ Emmeloord, Netherlands. Listeners may apply but must submit the relevant QSLs from their reports.



A group of officers of the Radio Sport Federation of the USSR. L to r: A Savelsky; A Pazoornov, UW3EE; Vera Sverolova (who runs Box 88); Vasily Bondarenko, UV3BW; Nick Kazanski, UA3AF; and Interpreter.

## ALL TIME BAND TABLE - CURRENT COUNTRIES No 7.

(Table Serial No 22)

Call Sign	1.8MHz	3-5MHz	7MHz	14MHz	21MHz	28MHz	Total
G3KMA	124	236	298	317	315	300	1,590
G3GKQ	70	207	258	314	313	295	1,457
G3MCS	64	211	259	314	314	294	1,456
G3XTT	151	197	237	286	278	244	1,393
G4DYO	66	184	233	309	302	283	1,377
G3UML	31	217	233	315	285	243	1,324
G4GIR	92	198	232	282	258	245	1,307
G2DMR	57	179	196	305	292	259	1,288
G4BWP	93	209	227	279	237	240	1,285
G4FAM	64	180	238	268	265	240	1,255
G3ALI	2	213	221	302	271	231	1,240
G3XOU	48	171	191	293	272	242	1,217
VK9NS	80	184	226	290	243	192	1,215
G4LJF	31	201	231	287	252	207	1,209
G3TFX	64	162	185	261	246	206	1,124
G3IGW	104	148	223	226	190	172	1,063
G3NOF	4	84	82	313	310	264	1,057
G3YMC	80	107	171	240	243	187	1,028
GW4QFO	52	222	196	215	189	135	1,009
GM3YOR	75	137	186	220	200	180	998
G4DBK	118	123	149	214	178	140	922
GM3PPE	59	140	155	187	170	141	852
G4JBR	62	142	124	142	156	172	798

Average 69 176 207 269 251 222 1,194

(Band leaders in bold type)

Next deadline - All-time with deletions - to reach G3GIQ by 8 January 1988.

## 10MHz Countries Table

	All-time	1987
G3PJT	101	71
G4YWG	64	49
G4VDX	71	37
G4OBK	57	36
G4YSN	1	1

## 1987 28MHz Countries Table

G4XAH - 124 (ssb)	G4NXG/M - 50
G4JBR - 122	G4DXW - 42
G3XOU - 114 (ssb)	G4RWP - 39
G4VPM - 103	G0BXQ - 35
G0AGP - 88	GW4TEJ - 27
G4MUW - 85	G4IDF - 25
GD4XTT - 72	GM4CHX - 22
G0DNV - 70	G5HD - 10(ORP)
GDOELY - 67	G4YMG - 9
G4OBK - 66	G0FYD - 2

100sfu and the general level was high enough, coupled with the seasonal improvement in the northern hemisphere, to give much improved conditions on the higher bands. These improvements began to show from about mid-September, and by the second week in October both the 21 and 28MHz bands were opening at times to all continents though some of the openings on the higher band were only brief. Fortunately for those who took part, the 21/28MHz Phone Contest fell on one of the better days.

"During the early part of October there was a considerable amount of short-skip propagation on 28MHz (distances of up to 2,000km and less). At this stage of the cycle this must be presumed to be due to abnormal E-layer reflection. It was present at the same time as the normal F2 propagation and reached a peak on 12 October. It is interesting to note that this was just about three solar rotations after the extensive July openings on 28 and 50MHz, presumed to be the result of widespread abnormal-E reflection.

"In its September bulletin the SIDC, Brussels, has revised its prediction for the cycle peak, which is now forecast to have a smoothed sunspot number of 115-125 in the spring of 1990. This is at the lower end of the "consensus" prediction attempted in the last report. For the immediate future it seems probable that the rise in solar activity may slow down for a month or two and that the next major upsurge may occur about February and March."

## Band reports

To begin with the latest progress report on Cycle 22 from G8KG.

"Although average solar activity declined somewhat during September and early October, both months saw some days with the daily solar value above

## HF F-layer propagation predictions for December 1987

The time is presented vertically at two-hour intervals 00(00)gmt to 22(00)gmt for each band, ie 1 = 0000, 2 = 0200, 3 = 0400 etc.

The probability of signals being heard is given on a 0 (indicated by a dot) to 9 scale; the higher the number the greater the probability with 1 meaning 10 to 19 per cent of days, and so on. Additionally, 50Hz F-layer and 1.8MHz openings are indicated by a plus (+) sign in the 28 and 3-5MHz columns respectively.

Time / GMT	28MHz	24MHz	21MHz	18MHz	14MHz	10MHz	7MHz	3.5MHz
	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802	000001111122 024680246802
00 EUROPE								
MOBSCOW	.....431....	.....2663....	.....5886....	.....79982....	.....188886....	431576678422	986644346888	++53...24++
MALTA	.....1221....	.....2543....	.....68772....	.....88882....	.....188888....	563665568754	998743347899	++4...4++
G1BRALTAR	.....111....	.....332....	.....16633....	.....38885....	.....88888....	242186667842	89874335098	++43...25++
ICELAND	.....	.....22....	.....2531....	.....4873....	.....18898....	1...6777861....	674165557875	++442224++
01 ASIA								
OBABA	.....	.....	.....2....	.....4....	.....73....	.....164223111	1...131125664	.....24+..
HONKONG	.....11....	.....32....	.....651....	.....773....	.....16762....	1...13445311	2...11125675	.....25+4
BANOKOK	.....351....	.....373....	.....7861....	.....16873....	.....146664....	2...14357223	3...1125787	.....25+5
SINGAPORE	.....341....	.....3763....	.....7886....	.....16881....	.....136674....	2...14357324	2...1125786	.....25+3
NEW DELHI	.....432....	.....664....	.....7871....	.....26883....	.....346661....	521113355224	731...125788	5...25+4
TEHERAN	.....4341....	.....6763....	.....18886....	.....37781....	1...555675....	643322357445	8831...125788	+5...25+4
COLOMBO	.....4542....	.....6764....	.....16887....	.....257882....	.....224676....	32...1357445	51...125788	5...24+..
BAHRAIN	.....5331....	.....7652....	.....27775....	.....466871....	1...5336751....	7432...1357655	873...125788	+5...24+..
CYPRUS	.....5654....	.....7876....	.....188883....	.....388896....	321776788311	886643468877	977311135898	++4...25+4
ADEN	.....5443....	.....6665....	.....266782....	.....355784....	2...422478211	8232...147877	872...24788	++4...4+..
02 OCEANIA								
GUAVA/B	.....	.....	.....31....	.....253....	.....5663....	.....344561....	.....421252....	.....2...+
GUAVA/L	.....11....	.....321....	.....7531.2....	1...87532421	111186666731	.....156334651....	.....2311132....	.....2...+
WELLINGTON/B	.....	.....11....	.....341....	.....663....	.....47661....	.....64453....	.....421251....	.....2...+
WELLINGTON/L	.....	.....	.....21....	.....431...21....	112...75423532	.....126334642....	.....1311131....	.....2...+
SYDNEY/B	.....232....	.....4531....	.....7774....	.....8886....	.....277673....	.....14445611....	.....2112551....	.....22...+
SYDNEY/L	.....	.....1...1....	.....31....	.....1531.11....	1...56542531	.....54345731....	.....2111341....	.....2...+
PERTH	.....4542....	.....6764....	.....17887....	.....268882....	.....246676....	1...14357433	.....1125762....	.....253...+
NDNDULU	.....	.....	.....	.....	.....12....	1...1122541....	.....13.411242....	.....24...+
03 AFRICA								
BEYCNELER	.....1243....	.....3465....	.....145782....	.....343784....	2...212478221	821...147877	84...24788	++4...4+..
HAURITUB	.....3443....	.....5665....	.....166783....	.....245785....	32.222478322	851...147888	73...24789	++4...4+..
NAIROBI	.....3443....	.....6666....	.....166884....	.....255871....	41.422268542	9432...37888	872...14788	++4...4+..
NARARE	.....12441....	.....34562....	.....55686....	1...14557821	54.322238654	9832...25899	872...3789	++4...4+..
CAPETOWN	.....2552....	.....24774....	.....456771....	1...4568321	53.222236775	9842...13699	873...1478	++4...4+..
LABOB	.....36553....	.....67775....	.....776781....	11...75468421	66.252136876	99652...3799	8883...1588	5+5...2+..
ABENBION 1	.....5434....	.....27656....	.....576672....	11...7546421	564.63223676	99843...1489	88851...169	++2...3+..
DAKAR	.....6654....	.....17766....	.....487672....	1...77557521	454.75225775	889452...2589	88872...279	55+4...4+..
LAB PALMAB	.....5543....	.....17775....	.....488881....	.....7888841....	233.87667853	88957535798	989852112589	++4...2+..
04 S. AMERICA								
Bth BHETLAND	.....1122....	.....12344....	.....456662....	1...67766311	344.76533343	46634321.123	233321...1	.....2...+
FALKLAND 1	.....1144....	.....2365....	.....25662....	.....476531....	344.76322233	6883531...124	467531...1	.....342...+
R DE JANEIRO	.....21.1....	.....4223....	.....64442....	.....2754431....	344.66322344	889363...147	88973...15	++5...2
BUENOS AIRES	.....1.2....	.....2224....	.....154452....	.....4754431....	234.76322233	7893641...24	889731...2	3+5...+
LINA	.....453....	.....763....	.....8762....	.....8653....	2...1632221	5572233...13	588741...1	2+3...+
BOGOTA	.....453....	.....665....	.....8762....	.....8653....	1...12632221	5461443...14	7886411...2	4+55...+
05 N. AMERICA								
BARBADOS	.....453....	.....6651....	.....38762....	.....585541....	2...6622331	6572443...36	887741...15	++55...2
JAMAICA	.....153....	.....1164722....	.....68662....	.....7753....	.....1164222....	43515331...23	7786411...3	4+55...+
BERMUDA	.....153....	.....375....	.....6872....	.....17764....	.....465453....	435144321245	8786411...16	++5...3
NEW YORK	.....43....	.....165....	.....3872....	.....6874....	.....166552....	324.24332343	87844211.25	++5...2
MEXICO	.....32....	.....54....	.....862....	.....863....	.....27421....	224.43341...1	47844211...1	++4...+
MONTREAL	.....32....	.....154....	.....3872....	.....5874....	.....167662....	223.24443343	878442111125	++5...3
DENVER	.....1....	.....3....	.....161....	.....373....	.....6641....	122.31153221	478241121...2	2+3...+
LDB ANDELB	.....	.....1....	.....4....	.....62....	.....2641....	122.22.44211	268242121...1	4+5...+
VANCOUVER	.....	.....	.....	.....11....	.....54....	121.21.26421	36714212321	4+5...+
FAIRBANKS	.....	.....	.....	.....	.....11....	12...13255521	355.42124532	244...22..

The provisional mean sunspot number for September 1987 issued by the Sunspot Index Data Centre, Brussels, was 335. The maximum daily sunspot number was 67 on 8 September and the minimum was 10 on 26 September. The predicted smoothed sunspot numbers for December 1987 and January, February and March 1988, are respectively: (classical method) 30, 30, 31 and 32; (SIDC adjusted values) 37, 38, 39 and 39.

From that encouraging piece to the list of stations worked or heard during the period under review, but first a special seasonal "thank you" to all those who write regularly and give me the material with which to write the column. This month these included G2HKU, G5JL, G3s AGZ, GVV, KSH, YRM, G4EHQ, GW4KGR, G4s LRS, NXG/M, OBK, UZN, VPM, XAH, GD4XTT, G0AGP and G0ELY.

Callsigns in italics were of stations using A1A.  
 1-8MHz. 0100 W1CF, 2100 UA1ZEQ, 2300 UA9FAR.  
 3-5MHz. 0500 HD8CQ, HK, YV, 2100 T77T, TA2Y, 2200 TP2CE, VK6LK, VP2MO, 2300 HH7PV, U0AG (=UA0AG), UZ9FKC, VO2AE, W3MFW.  
 7MHz. 0500 HC8MA, TR8JLD, ZL1-ZL4, 7X3AT, 0600 VK2APK, ZL2-ZL3, ZL7TZ, 5L2BG, 0700 JA, 1700 U1BAHA, 1800 R110A, 2000 VU4GDG, 2100 1A0KM, 2200 VK6HD, VP2MNE1RM.

10MHz. 0600 U191WZ, VK2-VK4, 0700 VK3XB, ZL4QY, 1300 YB7HBF, 1500 RD4DR, 2100 VK3DQ, ZS2HB, 2200 K9YL.

14MHz. 0700 A35SA, KC6HA, KD6TB/KH2, V85HG, Y11BGD, 0800 BY1SK, BY5RT, FX8FG, HLOM, HS0B, JA, NL7DM, VK, ZL, 0900 HV1CN, VE8RCS, 1000 AL7GA,

## HF BEACONS

Freq	Callsign	Location	Country	Lat/Long
14,100	CT3B	Funchal	Azores	3245N1655W
14,100	JA2IGY	Ise City	Japan	3427N13647E
14,100	KH6QIB	Honolulu	Hawaii	2125N15755W
14,100	LU4AA	Buenos Aires	Argentina	c36S 58W
14,100	OH2B	Espoo	Finland	6015N2503E
14,100	W6WXB	Stanford	USA	3725N1211W
14,100	Z56ON/B	Pretoria	S Africa	2544S2812E
14,100	4U1UN/B	New York	USA	4045N7600W
14,100	4X4TU/B	Tel Aviv KM72JC	Israel	3241N3445E
21,150		Reserved for IARU International Beacon Project (IBP)		
28,050	PY2GOB	Sao Paulo	Brazil	
28,175	VE3TEN	Ottawa	Canada	
28,195	JY4M	Bologna JN54QK	Italy	
28,200	G63SXE	Crowborough	England	5102N0000E
28,200	KF4MS	St Petersburg FL	USA	
28,201	LU8EO	(see 28280 LU8EB7)		
28,2025	Z5SVHF	Durban KQ50JG	S Africa	2944S3050E
28,305	DL0IGI	Mil Predigisluihl	USA	4742N1253E
28,2075	W8FKL	Vonice FI	USA	2720N8224W
28,208	W1IOB	Marlboro Ma	USA	
28,210	3B8MS	Tamarind Falls	Mauritius	
28,210	K4MZ	Elizabethtown Ky	USA	
28,212	ZD9GI	Gough Is, S Atlantic		4021S0952W
28,212	EA6RC M	Paimo JM19HO	Majorca	
28,215	GB3RAL	Slough IO9IRL	England	
28,215	LU4XI	Cape Horn	Argentina	
28,217	W89VMY	Oklahoma City OK	USA	
28,220	5B4CY	Zyrr		3445N3319E
28,222	W9UXO	Chicago Ill	USA	
28,225	HG2BHA	Tapolca	Hungary	
28,225	EA6AJ	Palma BZ45A	Majorca	3929N0483E
28,230	ZL2MHF	Mil Climio	New Zealand	4109S17508E
28,232	W7JPI	Sonoma Az	USA	
28,232	KD4EC	Jupitor FI	USA	
28,235	VP8BA	Homilton	Bermuda	
28,2375	LASTEN	Oslo	Norway	
28,240	0A4CK	Lima FH17MW	Peru	1203S7657W
28,240	5Z4ERR	Kiambu K18MX	Kenya	
28,2425	ZS1CTB	Cape Town	S Africa	
28,242	LU4FM	Rosario	Argentina	
28,245	A92C	Bahrain		
28,247	EA3JA	Borcolono	Spain	
28,248	K1BZ	Bellasi Mo	USA	
28,250	Z21ANB	Bulawayo	Zimbabwe	
28,250	4N3ZHK	Mil Kum JN76MC		4606N1502E
28,252	W84JHS	Ourham NC	USA	
28,255	LU1UG	Gral Pico FF84OH	Argentina	
28,257	DK0TEN	Konstanz JN470Q	FR Germany	4741N0910E
28,260	VK5WI	Adelaide SA	Australia	
28,262	VK2RSY	Oural NSW (Nr Sydney)	Australia	3342S15103W
28,264	VK6RWA	Perth WA	Australia	
28,265	VK	Allocated	Australia	
28,268	VK6RTW	Albany WA	Australia	
28,268	VK8VF	Oarwin NT	Australia	
28,2685	W9KFO	Eaton Ind.	USA	
28,270	Z56PW	Pretoria	S Africa	
28,270	VK4RTL	Townsville OL	Australia	
28,272	VK7	Allocated	Australia	
28,275	AL7GO	Jackson Miss	USA	
28,277	DF0AAB	Kiel JO54GH	FR Germany	5419N1033E
28,280	YV5AYV	Caracas FK6ONI	Venezuela	1021S6653W
28,280	LU8EB	(B.A.7)	Argentina	
28,281	VE1MUF	Newfoundland	Canada	
28,284	VP8ADE	Adelaide Is	Antarctica	6734S6808W
28,286	KAI YE	Rochester NY	USA	4302N7741W
28,287	W8OMV	Ashville NC	USA	
28,287	H44SI	Honiara	Solomon Is	
28,288	W2NZH	Moorestown NJ	USA	
28,290	V6STEN	Mil Mairida	Hong Kong	
28,292	LU2FFV	San Jorge	Argentina	
28,295	WB8UPN	Cincinnati Ohio	USA	
28,296	W3VD	Laurel Md	USA	
28,295	WB4OJS	Fl Lauderdale	USA	
28,299	PY2AMI	Sao Paulo GG67G	Brazil	2245S4716W
28,300	Z51LA	Stillbay	South Africa	3423S2124E
28,315	Z56DN	Irene	S Africa	
28,888	W9IRT	Hollywood	USA	3412N11828W
28,890	W09GOE	Freeburg Ill	USA	
28,992	OL0ANN	Meritzberg FJ47a	FR Germany	

Notes: Callsigns 1 are IBP stations.  
 Beacons on 14,100 KHz are sponsored & supported by the Northern California OX Foundation (NCOXF).  
 Much of 28MHz information supplied by K2OLG and DL1FL.  
 Corrections, based on good information, would be welcomed. Please send to G3OME, QTHR, quoting source.

BY5AA, NY6M/KH2, 4K00. 1100 KC6JC, KH0AC. 1300 BY9GA, VK0GC. 1400 JA, VK, VU, VU4GOG. 1500 HS0B, KH2F, SV2UF/SY. 1600 FT8ZA, 1A0KM, 9M8PV. 1700 V85WS, VU4GDG, XX9JN, 9M2RI. 1800 KH6FKG, T5GG, VE6-VE7, W6-W7, 8Q7MT, 9M2HB. 1900 P40M, VP2M/VE1RM, VP8BPC. 2000 KP2AH, TZ6VV, W6. 2100 OD5OI, TL8HB, VO1KS/4U (=YK), 2200 VP8ML.

18MHz. 1400 5B4DG. 1800 VE2LI.

21MHz. 0700 9Q5DA, 0800 AP2P, BY4AY, JA, HL, OH6XY/4U, 807AD, 0900 JA, VK, 1000 BV6IA, VU40TTC. 1100 DU6TW, FR5DX, HS0B, SV2UA/SY, T5GG. 1200 VP8MKS, VS6DO, XX9JN, YB. 1300 9V1WP. 1400 FT8WA, OD5VT. 1500 YB3AK, 9M2FS, 9V1NO. 1600 PY1QVN/PY9. 1700 TL8DC, TU1BS, VP8OP, W6. 1800 S92LB, W6-W7, YC0AA (via LP), ZD8RP. 1900 KH6DBV, W6-W7, VP8OP, 3X0HBR, SU7TU4BR. 2000 J87CF, VP2EZ, VP8BKK.

24MHz. 1500 KV4AD, ZS6BMS. 1800 AY6UO, K6STI, PY1HPR, W1HMD. 1900 AA4TV, LU1DQW, QA4ZY. 2000 KP2J, 2100 KA1PE.

28MHz. 0800 JY5CI, ZD8RP. 0900 VK9AB, VU4GDG/TS. 1000 FR5EM, HZ1HZ, OH0BH, VU4GDG/CE, YC0MCA. 1100 PA3AXU/SU, VK9AB, 3B10B, 4X4OOO, 524RT. 1200 A71BJ, FR40L, FT8XD, KP2/W4UWH, W1-W4, OF9FA/P4S7, 7P8DP, 1300 FM5WE, J87CD, W1-W2, ZD7BJ, 1400 FY7AN, HC5EA, TZ6MG, VP8PTG, W00EV. 1500 FH8CB, VP2VA. 1600 HK0HEU, PA3AXU/SU, TZ6FIC, ZF2JV, 3D6BW, 3X0HBR. 1700 A22BW, CE6DFY, J73LC, OY9JD, ZD8MAC, ZD9BV, 4M5T, 5N9GM, 7P8DX. 1800 CS3CR, J73LC, G4DZC/W2. JG1FVZ/5N27, 9L1RH, 1900 CP, CX, D44BC, FM, LU, PY, VE1-VE3, VP2EZ, W1-W5, W8, W9, 5H3RB, 6W7OG. 2100 VO1OU, 2200 C6AN1, WB4RFZ/HC7.

Thanks also to the following for items extracted: *Lynx DX Group Bulletin* (EA2JGO), the *DX Family Newsletter* JH1KRC), *DXpress* PA3CX, *CQ Magazine* (W1WY), *DXNL* (DL3RK), *Long Island DX Bulletin* (21YX), *DX News Sheet* (G4DYO), *The EX-G Radio Club Bulletin* (G13OEN/W6), *DX Report* (VK9NS) and *Long Skip* (VE3IPR).

Closing date for receipt of material for February issue is 8 December. □

## COMMONWEALTH CENTURY CLUB AWARD

The Commonwealth Century Club Award was introduced on 1 January 1984, and is based on effecting two-way communication since that date with amateur radio stations located in at least 100 Commonwealth call areas as defined in the current list available from the RSGB or from the awards manager.

Full details of the Commonwealth Century Club and other RSGB hf awards appear in the *RSGB Amateur Radio Callbook*, as do the general rules on applying for the various awards. However, in the unlikely event that you don't have a callbook to hand, here they are in brief.

The aim of the award is to achieve confirmed contacts (or swl reports in the case of listeners) with 100 Commonwealth Call Areas on any of the hf bands (not including the WARC bands). On submitting your claim to the RSGB awards manager (GW4BKJ), together with the appropriate fee (currently £1.50), \$2 or six ircs for RSGB members), you will receive an attractive certificate. A handsome plaque, bearing name, callsign, date and the number of the award is also available to those applying for membership of the Commonwealth Century Club on payment of an additional charge. In all cases, applicants should submit proof of their RSGB membership. Overseas amateurs who are not members may also claim the awards, but the charges are twice those detailed above.

The first amateur to apply for the CCC Award was Tim Timrell, G4STH, who put in his claim in May 1985. Since then only three other amateurs have claimed the award, G3AAE, G4ADD and G3NOF. However, it is known that several others are working at it, or awaiting QSL cards.

For any amateur who succeeds after the starting date of the award in working and confirming all the Commonwealth Call Areas on the list at the time of application, an engraved cup will be available.

As if all this challenge isn't enough, the RSGB has also introduced a five-band version of the Commonwealth Century Club Award. The starting date for this is 15 November 1945, so there is some scope for digging out those long-lost QSLs cards. The live-band award is available in five classes as follows:

- 5BCCC Supreme - 500 stations;
- 5BCCC Class 1 - 450 stations;
- 5BCCC Class 2 - 400 stations; with a minimum of 50 on each band;
- 5BCCC Class 3 - 300 stations, with a minimum of 40 on each band;
- 5BCCC Class 4 - 200 stations with, a minimum of 30 on each band;

Certificates will be issued to winners of all classes. Additionally, as in the case of the CCC Award, winners of the Class 1 award will be eligible to claim a handsome, suitably inscribed plaque, while winners of the supreme award will be eligible for an engraved cup.

Details of further RSGB hf awards will appear in future issues.



# DATA COMMS

Ian Wade, G3NRW\*

IT'S CHRISTMAS TIME AGAIN, and it's two years since this column first appeared. And what changes we have seen in these two years! AX.25 packet networks now abound, with satellite data links to North America, India, Australia and New Zealand, available to anyone who can put out a few watts to a groundplane on 144MHz. Mailboxes talk to each other through the night, relaying messages up and down the country. Gateway stations automatically convert packet messages to AmTOR, for onward transmission to virtually anywhere on earth on the hf bands. Packet and AmTOR are becoming the standard workhorses for emergency communications.

The days of steam age tty are now well and truly numbered, with all those rusty old 7B and 444 teleprinters being redirected to /dev/null. Hardware costs are coming down, and it's now possible to get an all-mode data comms box for around the same price as a simple tty terminal unit.

It would take a brave man to speculate in detail on what the next year will bring, but I think the general direction is quite clear. Speeds are going up and up. Modems for 9.6 and 56kbps are undergoing beta test, and should be generally available over the next few months. High speed microwave links will form data backbones across the country, hopefully relieving 144-650MHz of the bread-and-butter mailbox traffic. Data networks will expand in size and complexity, with packages like NET/ROM and NET.EXE becoming commonplace. Maybe we will even be able to establish reliable data links with continental Europe; although we can talk to Bruce in Australia with little difficulty, we still can't get messages easily to Hanspeter in Munich!

Altogether, we are probably going through the most exciting period ever in the history of amateur radio. To be sure, the pioneers of the 'twenties and 'thirties must have been exhilarated by the hitherto unframed possibilities of communicating around the world (and I well remember the revolutionary development of single sideband in the 'fifties), but these experiences seem to pale in comparison with what is happening today as we hurtle towards the 'nineties.

To those of us who are concerned about the dwindling number of young newcomers to our hobby, surely the area of computers and data comms is the place to focus our attention. To those who say that keyboard communication is unnatural and not amateur radio, let's realise that it won't be very long before we can talk to each other, using our mouths once more, over digitised speech channels. The commercial and military worlds already use digital techniques extensively for voice and picture communication, and it's only a matter of time before we amateurs do the same. Just think, in a few years time we will be looking back nostalgically at steam age tty!

## The Sixth ARRL Computer Networking Conference

Last month I listed the papers which were presented at the networking conference. These papers have now been published as a 179-page document (available from ARRL at \$10), and as usual are well worth reading to gain a detailed insight into current packet thinking.

On the hardware front, Terry Fox, WB4JFI and vice president of AMRAD gives some details of the new Pac-Comm PC-100 line board which plugs into an IBM PC. The board is half-slot size, and has an 8530 serial communications controller, which drives either an RS-232 connector or on-board modems. It can provide two different channels of packet operation, and more than one board can be chained, allowing you to build a switch to service many rf channels. The standard on-board modem is an AMD 7910 world-chip, and a TCM 3105 cmos modem is also available as an option.

Talking of modems, the conference proceedings contain details of the 56kbps modem designed and demonstrated recently by Dale Heatherington, WA4DSY. It is implemented as a low level (1mW) rf driver on 28MHz; that is, data input to the modem is converted to a modulated rf signal at 28MHz, which can then be retransmitted to the desired band for transmission. The modem uses a form of minimum shift keying (msk). This is similar to ordinary frequency shift keying (fsk) but with precise control of frequency shift and phase; with msk, the frequency shift is exactly a quarter of the baud rate, and the phase of the carrier shifts exactly 90° during each baud interval.

The modem has no exotic or hard-to-find parts, and is simple to set up. The line to which the modem is connected does not need a band rate generator, or circuitry for clock recovery and NRZ-to-NRZI conversion, as these functions are included in the modem itself. The design is fast enough for real-time

digitised speech (at 56kbps, the speech quality is as good as typical comms quality fm), and will probably work at 64kbps with the cheap pulse-code modulation coder/decoder chips (codecs) used in telephone networks.

## Bit error rates

Coming back down to earth, there are some interesting contributions in the proceedings on assessing the quality of modems, by measuring bit error rate (ber). Essentially, the technique involves sending a pseudo-random data stream to the modem under test, and counting the number of bits which are received incorrectly over a given period. In a paper by Hugo Lorente, LU4DXT, there is a summary of ber tests carried out on several demodulators, including amongst others the celebrated EXAR 2211 and AMD 7910 chips found in many ordinary tics, and the JAS-1 and G3RUH psk designs for FO-12 satellite reception. Results are shown in Fig 1.




Fig 1. LU4DXT's bit error rate (ber) tests on several data demodulators. The vertical scale shows the bits received in error for signal-to-noise ratios between 5dB and 25dB. For a ber of 10<sup>-4</sup> (ie one bit in 10000 received in error), the JAS-1 demodulator is close to the ideal, requiring a s/n of 9.7dB. At the other extreme, the EXAR 2211 used in many tics is much poorer, needing a s/n of 24.2dB to achieve the same error rate. The AMD 7910 and G3RUH demodulators lie somewhere in between.

## The PS-186 packet switch

Still with the hardware, there is a most interesting paper by the San Diego Packet Radio Association (SANDPAC) in California, describing the so-called PS-186 multi-port packet switch. It supports data rates up to one million bits per second, and can be used not only as a high performance switch but also as a local packet node, mailbox system or gateway in other networks. It is based on an Intel 80186 cpu running at 8MHz, and will handle up to four independent full duplex packet channels. Data transfer is by direct memory access (dma) to up to 1Mbyte of local memory.

The hardware is implemented on a six-layer pcb measuring just 7.75 by 11.5in, the same size as two 5.25in disc drives. Operating system software for the device is well advanced, and is organised as a multi-tasking system which will allow all the standard protocols such as AX.25, KISS, SLP and TCP/IP to run under it. Altogether a remarkable beast, but most incredible of all is its power consumption of only 2.1W, and the fact that it will sell for between \$200 and \$300, depending on the options installed. A significant contribution indeed to the world of packet.

## But wait, there's more

Packet users worldwide will recognise the catch phrase "But wait, there's more", coined by Tom Clark, W3IWI. The "more" in this case is yet another very interesting conference paper by Tom, this time on digital signal processing (dsp). He highlights the almost unbelievable flexibility of dsp chips such as the TMS 320 family, which can be programmed by software to function as complex adaptive filters, compressors, psk modems, pulse-code modulators, weather map decoders, 56kbps msk modems with coherent demodulation, woodpecker filters, and so on. Much practical work remains to be done in writing the software for all these things, but already he and his co-workers have successfully produced a spectrum analyser and a weak signal detection system for emergency

\* 7 Danbeney Close, Harlington, Dunstable, Bedfordshire LU5 6NF.

which run under MS-DOS. One of the biggest problems with dsp is the shortage of people able to write such software, and Tom would like to hear from anyone who can help in this fascinating area.

Next month, a further look at the conference, concentrating on the software and packet protocol issues. In the meantime, my thanks as usual go to all who have helped me in compiling this column over the past year. Have yourselves a good Christmas. □

## VHF/UHF

Ken Willis, G8VR\*

AS ANOTHER YEAR slips away, it is my pleasure to wish one and all a very merry Christmas, and health, prosperity and fun on the vhf/uhf bands in 1988. It was a pretty good year in radio terms with, in the end, some good tropo despite an indifferent summer. The sporadic-E was up to expectations, and there were even some good auroras in a normally fallow period for these events. The general release of 50MHz facilities, though not destined to turn everyone on, brought a new dimension to vhf operation in a part of the spectrum likely to prove of even greater fascination during the next few years as solar Cycle 22 approaches its peak.

### Some early tep results

In the October issue, the possibility of transequatorial propagation was mentioned, together with plans for stations located in the most strategic places monitor 50MHz throughout October. The Mediterranean is one of the few areas in the northern hemisphere situated to take advantage of this mode, so it was very timely that Alan, GW3LDH, and his wife Maureen, GW8ZCP, were able to visit Malta at the end of September to deliver the 50MHz beacon built by G4IJE for installation on the island.

As we know from our readers there, Malta's amateurs are not represented by a single organisation, but rather by four groups which are active there, as described in *VHF/UHF* September 1986. Recognising the delicacy of the situation, Alan and Maureen adopted a diplomatic approach by arranging a party for local amateurs at which the beacon was formally handed over to representatives of all four groups. Subsequently, beacon 9H1SIX became operational on 1 October on 50.085MHz, running 10W to a horizontally-polarized Yagi antenna.

Within 24 hours, signals from the beacon were being copied in Botswana by A22KZ, surely a classic example of the value of the beacon service. Within two or three days, ZS stations were reporting reception of 9H1SIX, which, for the duration of the tep tests, was beamed towards the south, but by the time this is in print, it should be directed more towards the UK so that we can take advantage of any sporadic-E propagation which typically occurs late in the year at frequencies high enough for 50MHz operation. GW3LDH told me that during October, 9H1BT had managed more than one contact with A22KZ while on 12 October around 1730gmt, both 9H1CG and 9H1FL (the latter a newcomer to 50MHz) worked the Botswana station. Beacon keeper is Fortunato, 9H1ES. After March 1988, 9H1SIX will be beamed towards South America. On 17 October ZS3E was heard on 50MHz by G6XHQ, and on 22 October A22KZ had two-way 50MHz contacts with G2ADR, G4GAI, G4HBA and GM4DGT to create records for this band. It seems that the mode was extended tep, since some Maltese stations were worked on 50MHz from the UK at about the same time.

On 17 October at 1450, CT4KQ worked ZS3E on 50.110MHz. Not to be outdone, 9H1BT also worked the ZS, and at that date, these contacts represented the best tep dx of the season. There was the hope that during October some sporadic E propagation would extend the tep coverage to higher latitudes, and certainly on 18 October there was good 50MHz Es during which EA3CGN worked G18YDZ on 50.28/50, while EA1MQ, CT1WW and CT4KQ were all strong signals in the UK.

### Way out West

Do you wonder what it would be like to live in the great American wild west, with its wide open spaces, large backyards and not much in the way of planning restrictions on antennas? Then just look at what Russ Wicker, W4WD/7, did last summer. He set himself four major projects:

1. Build and put up new 432MHz eme array
2. Put up a new 75ft tower and move the 14/21/28MHz beam from its 25ft tower to this one.

3. Build a four element 24MHz beam. Take down the 50MHz antenna (shame on you) and put the 24MHz beam in its place.

4. Install a 3m dish for the 2GHz downlink for the new Oscar Phase 3 bird. Until Oscar goes up, put a 4 and 12GHz feed in the dish for satellite tv reception.

Russ says that 20 years ago it would all have been done in two months, but now he finds it takes twice as long to do anything. It gets worse as you go on, Russ. I put up a three element for 50MHz and changed the 144MHz antenna. Took me the whole summer.

### Repeater news

Not a lot of repeater information this month, but the latest issue of *FM News* published by the Central Scotland FM Group contains its usual wealth of news and entertainment. On a more sinister note, however, the editor refers to the proposed charges by IBA for the use of their sites by repeater groups, also mentioned last month in connection with the Speyside Group. A group like the CSFMG, which relies heavily on the use of IBA sites, would need to find some £250 per annum, representing the need to recruit a further 50 members just to cover these costs. They urge users of their repeaters who are not members of the group to join up, especially if they drive an E-registered car! Seriously, though, these groups cannot survive without funds, and if the group disappears, so does the repeater. If you use a box in your locality, take a minute to work out what it saves you in phone calls each year.

GB2RS news announced the switch-on of repeater GB3GH (R15) to 10 October. The site is at Ullenwood, four miles to the south of Gloucester, and reports of its reception would be appreciated by G6AWT, QTHR.

### Wet squares expedition

One of the most imaginative expeditions ever staged gave hundreds of vhf operators some rare new squares between 8 and 10 October. Flemming Jul-Christensen, G4MJC/OZIEVA, and Jan Ablas, G4XNL, both now resident in Eastbourne, are ex-Merchant Navy officers, so perhaps it was not surprising that they conceived and planned this sea-going expedition with continuous operation as the ship made its way through "wet" squares normally inaccessible to vhf operators. Maritime mobile operation is not new, but this was on a scale unlike anything which has been done before. They chose the 14,500-ton ferry *Dana Anglia* which regularly plies between Harwich and Esbjerg, and by arrangement with the ship's owners, a mast was fixed to the railings to carry antennas for 144 and 432MHz some 80ft ash. Operation from the ship's boardroom required feeders in excess of 150ft. Navigational information was supplied by the bridge so that they could tell with considerable accuracy when they entered and left each square en route.

One thing they could not control was the weather. When they set off on the evening of 8 October, gales were already sweeping the south coast of England. As the night progressed, sea conditions deteriorated steadily, and Flemming and Jan, assisted by G6VYH and G4MDZ, could be heard commenting "the ship is going up and down as if there is no tomorrow!". As they left port the rolator jammed, so their only beam heading on the outward journey was towards the southeast. A large funnel obstructed the antennas in the forward direction, so any radiation off the back of the beams towards OZ was minimal. All through the first night they could be heard working station after station, operating superbly, giving the impression that they were tucked up in a warm shack ashore. On arrival in Esbjerg on the Saturday, they spent only four hours ashore before setting off back towards the south. This time the funnel blockage favoured the OZs rather than the British operators. I heard them sign off in BM square around 0730gmt on Sunday 10 October, sounding as fresh as if they were just starting out.

The result of this remarkable expedition was 700-plus contacts in six countries on 144MHz, and a further 62 in four countries on 432MHz. Squares activated were BM, BN, CN, CO, DO and DP. Best dx on 144MHz was G3IMV (645km) and on 432MHz OZIGMP (343km). I asked them if they would do it again, and they replied, "yes, we would". They plan to write it all up for *Rad Com*, illustrating the article with photographs, so I have tried not to steal too much of their thunder. But someone needed to congratulate them, for I suspect they are too modest to praise their own achievements. Don't forget to enclose that sae when you write for your QSL. Expeditions like these are rather costly.

### Midlands VHF Convention

Peter Burden, G3UBX, who organised the Midlands VHF Convention held on 10 October, confessed to being disappointed at the low attendance this year. He feels that this must in part be due to the fact that the GB2RS script writer gave the wrong date for the event! About 150 attended, and they were treated to some excellent lectures during the afternoon session. Ian White, G3SEK, discussed the design of Yagi antennas, highlighting the virtues of the DL6WU family while pointing out that the NBS designs must now be regarded as somewhat out-moded. There are computer programs to assist would-be Yagi designers, and at least one trader at the convention was offering them on floppy disc.

\*6 Lerryll Gardens, Broadstairs, Kent CT10 3BH.

Trevor Brown, G8CJS, and Barry Chambers, G8AGN, gave talks on 24cm aiv and microwave amplifiers respectively, which are outside the scope of this column but will no doubt be reported by Mike Dixon in his *Microwaves* feature.

An open forum on repeater topics preceded the lectures, from which it appeared that few changes are envisaged to Midlands vhf and uhf repeaters, but there is much interest and activity surrounding data communication and packet radio via repeater networks.

The final part of the day's program was a forum to air vhf/uhf matters, during which a very wide range of topics was discussed. I will mention these in more detail next month.

There is surely a need for a regular vhf convention at a location further north than Sandown Park, so let's hope that this one will not suffer from a lack of interest. I am sure that G3UBX would appreciate any comments or suggestions which might assist in planning next year's event, so drop him a line if you have anything to say.

## Contest information

Jochen Fischer, DH2NAF, reports that the 1988 "All Europe VHF/UHF/SHF Contest Calendar" is now available. It lists over 450 contests, firstly by date, and then by country, and provides all information on the rules and relevant addresses to which entries should be sent. It is written in German and English, and can be obtained by sending three IRC's to Ham Press Verlag, PO Box 1101, D-8078, Eichstätt, West Germany.

## Meteor scatter

The popular Geminids shower is due this month, and the accompanying illustration shows the estimated best times for contacts along specific paths. If you are new to this mode, 10 crosses indicate a maximum probability of meteor reflections occurring in the right spot to support propagation along the relevant path. Zero or low numbers give the times when the radiant is near or below the horizon, and these might be good times to snatch some sleep if you plan long periods of operation. The figures relate to my QTH, and so will vary slightly for other latitudes, but they are in any case only a guide, not a guarantee of meteor activity. There are always sporadic meteors which will provide reflections even when the print-out suggests a no-go situation, hence individual opinions of the precise time when the shower peaked tend to vary considerably.

Geminids				MAX, 12/13 Dec.	DIR 90	RAIANT AT RA 11.1, DEC 77	
HRS	AZ	EL	N/S	NE/SW	E/W	SE/NW	
00	117	41	XXXXXX	XXXXXXX	XXXX	XX	
01	142	69	XXXX	XXXXXXX	XXXXX	X	
02	179	72		XXXX	XXXXXX	XXXX	
03	216	69	XXXX	X	XXXXX	XXXXXX	
04	241	62	XXXXXX	XX	XXXX	XXXXXX	
05	258	53	XXXXXXXX	XXXXX	XX	XXXXXXXX	
06	271	44	XXXXXXXXXX	XXXXXX		XXXXXX	
07	292	34	XXXXXXXXXX	XXXXXXX	XX	XXXXXX	
08	292	25	XXXXXX	XXXXXXX	XX	XX	
09	302	17	XXXXX	XXXXX	XX	X	
10	312	7	XX	XX	XX		
11	323	3	X	X	X		
12	335	-2					
13	347	-5					
14	360	-6					
15	13	-5					
16	25	-2					
17	37	3	X		X	X	
18	68	9	XX		XX	XXX	
19	58	17	XXXX	X	XXX	XXXXX	
20	68	25	XXXXXX	XXX	XXX	XXXXXX	
21	79	34	XXXXXXX	XXXXX	XX	XXXXXXX	
22	89	44	XXXXXXXXXX	XXXXXXX		XXXXXXX	
23	102	53	XXXXXXXXXX	XXXXXXXX	XX	XXXXXX	
24	119	62	XXXXXX	XXXXXXX	XXX	XX	

Geminids				MAX, 7-8 Jan.	DIR 100	RAIANT AT RA 230, DEC 48	
HRS	AZ	EL	N/S	NE/SW	E/W	SE/NW	
00	34	14	XXXX	X	XXXXX	XXXXXX	
01	47	27	XXXXX		XXXXXX	XXXXXXXX	
02	62	34	XXXXXXXX	X	XXXXX	XXXXXXXXXX	
03	77	40	XXXXXXX	XX	XXXXX	XXXXXXXXXX	
04	68	40	XXXXXXXXXX	XXXX	XXXX	XXXXXXXXXX	
05	15	40	XXXXXXXXXX	XXXXX	XX	XXXXXXXX	
06	27	34	XXXXXX	XXXXX	X	XXXXXX	
07	25	27	XXXX	XXXX		XXX	
08	120	25	XX	XX			
09	140	14	XX	X	X	XX	
10	207	74	XXXXX	XXX		XXXX	
11	170	65	XXXXXXX	XXXXXX	X	XXXX	
12	206	56	XXXXXXXXXX	XXXXXXXX	XXX	XXXX	
13	204	46	XXXXXXX	XXXXXXXX	XXXX	XXXX	
14	301	39	XXXXXXXXXX	XXXXXXXX	XXXX	XXXX	
15	307	31	XXXXXX	XXXXXXX	XXXXXX	X	
16	318	24	XXXXX	XXXXXX	XXXXX		
17	327	18	XXXX	XXXXX	XXXX	XX	
18	336	14	XX	XXXX	XXXX	XX	
19	346	11	X	XX	XXX	XX	
20	356	9		XX	XXX	XX	
21	6	10		XX	XXX	XXX	
22	16	11	X	XX	XXXX	XXX	
23	16	10	XX	XX	XXXX	XXXXX	
24	34	12	XXXX	X	XXXX	XXXXX	

Since the Quadrantids follow hot on the heels of the Geminids, a print-out for that shower is given also. Note that the azimuth and elevation figures relate to the shower radiant, not to the direction in which you should point the antenna. Most operators simply beam towards the locator they are trying to work, though theory indicates that some specified off-set on the direct path should be employed. My experience has been that if you want to try off-setting the antenna leading, be sure the operator at the other end knows what he is doing, otherwise you can both end up widely off a heading likely to produce a contact.

## From here and there

Alan, GW3LDH, QTHR, says that if you need a card from 9H1BT for a 50MHz contact, then send the QSL to him and enclose a sae since he is acting as Paul's QSL manager for this band. For other bands, send direct to 9H1BT, 94 Buskett Road, Rabat, Malta, or via the bureau.

According to Ray, G2AHU, beacon HC8SIX is being established on Galapagos Island (0-30°S 91-0°W) operating on 50-080MHz. It's a bit early in the current solar cycle to hope for any trace of its signals being heard in the UK, but after what has happened on the band this year anything seems possible!

Geoff, G3ENY, reported an increase in sunspot activity during October with some new groups appearing in the solar northern hemisphere. I visited his QTH recently to see how it was done, and was sufficiently impressed to dust off the home-brew telescope at G8VR which had lain on the shelf for years. Sure enough, the spots are easy to see, so if you bought one of those telescopes so much in vogue during the pass of comet Halley, you can do it too. Sorry to mention it again, but **do not under any circumstances** view the sun directly through any form of optical instrument or it will permanently damage your eyesight. This is particularly important if you have children around who might squint up the tube while the telescope is unattended. Use a projection method, very simple, as any suitable book from the library will illustrate.

The monthly report from Ron Livesey of the British Astronomical Association auroral group stated "September was an active month with more sunspots evident. The new cycle has begun, and aurorae are beginning to be seen in mid-latitudes." The report refers, of course, to visual observations by members of Ron's group, not to radio aurorae, but all the evidence points to a welcome increase in solar activity.

Christopher Rutt, G0AMG, (Hatfield) who also holds the call C30LDF, wrote on the subject of visitors to Andorra who abuse local amateur radio regulations by using unauthorised frequencies, power levels etc. In addition, the Andorra prefix is apparently being pirated by operators outside the country, causing concern to the locals who fear that the antics of these operators will prejudice their own position. Christopher describes the Andorran official attitude towards radio amateurs as being a rigorous one, and was told that the licences of two resident operators had been cancelled in the past year, one for operating outside the country, and the other for making false claims about the power levels permitted under the terms of the Andorra licence, this leading to an EI group making a totally abortive and expensive trip to the country. Although it affects a minority of UK amateurs, it should be said that while it may be tempting on a trip abroad to use a radio to give the folks back home a new square or country, if this involves unauthorised operation, forget it. Quite apart from the ethics of the situation, I am sure that our vhf awards manager, Jack Hnm, G5UM, will take the view that any QSL card submitted which arises from unoffical operation will be unacceptable. Listen on unauthorised frequencies and work cross band using legal ones by all means, but think how you would feel if an overseas visitor set up a station in your area and used a band not available here, causing enough tvi to rouse the neighbourhood.

Roger, G4RUW (Newbury) has added to the list (October VHF/UHF) of dates on which sporadic E was present this year. Signals heard or worked at his QTH were 8 July, weak SV, 13 July EA and CN8 and on 26 July a short opening to Italy. He reckons he has developed a sixth sense for smelling out Es which seems to have paid off since he caught 12 openings between 28 May and 26 July. Roger is seeking information on the location of IS0YFG.

Arthur, GW8FKB (Anglesey) may now be active on 70MHz from XN square since he wrote to say he was building a Mecon transceiver for the band. He already uses one on 50MHz, and heard the OX beacon on 16 August. Next day he copied VE1YX for about 10mins on 50.110MHz around 2155 gmt, but was unable to raise him.

Jack Hum, G5UM, reported that John Matthews, G3WZT, has claimed a 250 squares award (No 3) for the 144MHz band. Nos 1 and 2 are held by G3IMV and G3BW respectively. Jack says that many amateurs who he meets at club events seem unaware of the vhf/uhf awards offered by RSGB. Send Jack in sae QTHR if you need further information. □

# SWL

Bob Treacher, BRS32525\*

AS CHRISTMAS AND THE NEW YEAR APPROACH, time to wish all readers a happy festive season and a happily and healthy 1988.

With the thoughts of the up and coming winter dx season on the lower frequency bands beginning to occupy our minds, I do not apologise for referring listeners again to my comments on lower frequency dxing which appeared in the magazine twelve months ago. It contained many tips on where and when to listen and will still, hopefully, be relevant to this year's dx season.

## January Challenge

Once again, time to remind listeners of my LF Challenge. For the last few years, I have run a competition based on the number of countries heard on the lower frequency bands between 1-31 January. Last year saw a drop in the number of entries, but it normally inspires a good number of entries from around the globe.

The aim is to log only one station from each DXCC country on 7, 3·5 and 1·8MHz. All normal contest rules are abandoned for this event. It is meant solely as a guide to the number of countries active on the three bands, as well as providing the incentive for the listener to add to his all time country totals. Scoring for the event is simple enough, but different to recent years. Only one point can be gained for each country heard on 7 and 3·5MHz from your own continent, with two points for each dx country heard. On 1·8MHz, two points can be claimed for countries in your own continent, with five for dx countries. Stations do not have to be in QSO. Logs should include date, time, full call sign of station heard, signal report and points claimed. Please try to make your signal reports visible. I do not expect to see S1 reports quoted on 3·5MHz as the noise level is consistently S6/7, and S1 signals would simply be lost in the noise! Any station less than 3x3 on sxb, or 339 on cw will be deleted from the log. It is debatable whether stations quoted as 2x2 are actually heard or are just figments of the imagination! Logs should be sent to me at the address at the foot of the page, postmarked no later than 26 February 1988.

## The 1988 tables

Interest in the tables has continued to waver this year, even though the format was changed to try to attract a few new faces. However, to withdraw the tables would upset those who enter every year and take an interest in monitoring their progress against other listeners. The tables will therefore be retained, but in view of the lack of space they will have to appear as and when space permits.

The hf table for 1988 will revert to its original format, i.e. one table covering all six bands. Simply send me your band score and the number of dxcc countries heard by the date given at the foot of each swl column, and I will endeavour to include the table whenever I can.

The all-time and uhf/vhf tables will remain in their present format.

## White Rose Contest

Time to notify listeners of the White Rose Society's efforts to provide competition on the lower frequency bands. The phone section will be held from 1200 to 1200 on 16/17 January, while a separate cw section will be held from 1200 to 1200 on 30/31 January. The full rules are different to recent years and copies can be obtained by writing an a/c to G3ZGA, White Rose ARS, 146 Street Lane, Leeds, LS8 2AD. We all hope that conditions are good and the event is well supported.

## Other news

Dean Allison BRS88384 had improved his antenna set up and now has a delta loop which has improved the distances he is able to reach. In particular, he had heard some good dx on 14MHz in help him towards his DXLCA certificate. He had purchased an rttv program from JEP Electronics and would like to know how to change to a different band rate by using the calculation in the manual. If anyone can help, please write to Dean at 3 West Terrace, Stakeford, Choppington, Northumberland NE62 5UL.

Martin Parry BRS52543 admitted to having been caught by a severe bout of inactivity. His EA12 has been away for an overhaul, so he is raring to go now we are well and truly into the winter dx season.

David Whitaker BRS25429 has confirmed that he will be active on 50MHz in 1988 and he was hoping to go one better than me by putting up a beam. Because of the move to 50MHz, David is to abandon his dxing on 432MHz.

\*93 Eltham Road, Eltham, London SE9 1QL.

## ALL TIME COUNTRIES TABLE

Station	dxcc	28	21	14	7	3·5	1·8	Total
BRS25429	342	280	315	338	265	248	113	1,556
BRS32525	326	268	306	321	270	268	112	1,545
BRS8841	320	256	294	317	248	233	77	1,425
BRS48909	—	216	255	276	205	189	80	1,220
BRS52543	—	196	241	259	207	191	100	1,194
BRS50134	275	178	219	245	196	185	96	1,119
BRS1066	298	198	215	276	185	135	93	1,102
ORS45992	301	217	262	286	169	136	19	1,089
ONL5810	278	163	233	266	177	168	41	1,048
BRS20249	256	139	200	206	99	102	29	775
BRS31976	248	145	117	166	84	135	64	711

Average — 205 242 269 191 181 75 1,163

The next table will appear when space permits.

He has over 100 squares heard on the band but feels that for two or three tropospheric openings on the band each year his time will be better spent monitoring the E on 50MHz, plus of course the real dx that will appear on the band as we move further into the new sunspot cycle. David had a fine time at the HF Convention and was pleased to meet ON4UN, ON5NT and LA1EE (nif 3Y fance). On the dx front, he had heard the SY expedition to Mount Arlon and the superb VU4 expedition to the Andamans on both 7 and 3·5MHz.

I had enjoyed a break from the office during October and had heard the VU4 trip on all five bands and added CE0Z and KH6 on 7MHz sxb. The VU4 on 28MHz was my first new country on the band since February 1983! My impressions of the hf bands were that they were beginning to come nicely to life. Robert Small, BRS8841, shares that view. His letter included much dx logged on 28 and 21MHz. Good to see the dx returning to those bands. 14MHz once again proved the most rewarding with loggings from the Pacific, the Far East and Central America.

Lastly, I mentioned 24MHz last month. Spurred by the reference to sxb on the band, I took a look and in two sessions logged nine countries. Best dx included FY5AU, NE51/0A8, KA1BFC/Z56 and 9Y4JJA. These were all logged between 24,940 and 24,962kHz at around 1600-1700. Any more 24MHz news?

## DXCC list

I have lost track of the number of listeners who have asked me for a copy of the DXCC list. For 50p or one lb, I can now provide a copy of the list, together with a country check list by continent with space for you to annotate the list each time a new country is heard. An ideal Christmas present!

## Finale

There you have it for 1987, I would like to record my thanks to those listeners who regularly provide information for the column. I hope the number will grow in 1988. News, views, and do not forget your table score, for inclusion in the February issue should reach me no later than 8 December.

# MICROWAVES

Mike Dixon, G3PFR\*

## Season's greetings

As yet another year comes towards its conclusion, may I wish all readers a merry Christmas and a happy and prosperous New Year? Let us all hope that next year's weather will be a little more productive of good conditions and activity!

Wearing both a chairman's hat and a columnist's hat, my special thanks must go to all those who put pen to paper on a regular (or irregular) basis and supplied the information, both operating and technical, to this column and to the *Microwave Newsletter*!

I must also record the Microwave Committee's thanks to Dr Dain Evans, G3RPE, who, because of prolonged (possibly permanent) absence on business, has resigned from the post of microwave manager. Dain has put many years of hard work into the microwave scene, both at home and in the international field: he has represented the Society at many top level conferences and in fields other than microwave. He is a past president and long serving member of Council, a holder of the Marconi Medal and a past prolific writer for *Rad Com*. We wish him well in his posting in Germany.



I would, at the same time, like to welcome Dr Charles Suckling, G3WDG, as the new microwave manager and wish him luck and success in his new role; a very important one at a time when the face of amateur microwaves is changing under the influence of both new technology and spectrum pressure. His job will not be easy and he will need a lot of support from all the UK microwave fraternity.

## Hangover

No, not the effects of seasonal over-indulgence! I ended last month by saying that covering letters for some microwave claims submitted to G5UM had expressed persistence in pursuing operating objectives.

The three 10GHz distance awards went to G0CZD/P and GW4OIH/P and GW4OIG/P. G0CZD, of the Telford group, operated from the summit of the Old Man of Conislon in the Lake District, a two and a half hour footslog carrying 100lb of gear. From experience, this is a steep and rocky path and a real grind, particularly in bad weather. 'OIG and 'OIH did a less steep two hour tramp through three feet high wet heather and horizontal driving rain onto the top of Ruabon Mountain (grid SJ237458). Despite the appalling weather, contact was made almost immediately on 10GHz after intercepting G0CZD's first CQ call on 144MHz talkback.

G0CZD and other members of the Telford group made the 150+ mile journey especially to create activity and the other stations made an even longer journey from Northampton into North Wales. Full marks to all for persistence and determination. This month's photograph shows some of the group on their hunt ground, Brown Clee, a well known north midlands microwave site, the home of the 1.3GHz beacon, GB3CLE, built, run and maintained by the group.

At the other end of the microwave spectrum, G0CPU's efforts with a relatively poor 1.3GHz fixed station are also worthy of commendation. Mark used 2W, feeder with 3dB loss and a single 23 element Yagi without masthead preamp from his Essex QTH. Using this equipment he has succeeded in working 16 squares (five confirmed for his first claim) in five countries to date, but has now improved his antenna to four by 23 elements, and has plans to increase power and improve the feeder, plus a masthead preamp. This is a good example of how persistent operating can yield results and how, perhaps, the average station should evolve from modest beginnings.

## 24GHz and extended (winter) activity.

The Microwave Committee has for some time been trying to encourage more operation on the 24GHz band and, at the same time, extend the operating season through the winter months. A few key components for the 24GHz band are available through the components service and the techniques, at least for wideband, can be near-identical to those used by most beginners on 10GHz. We would also like to see more winter activity on almost any band!

Following a long debate in committee, it was agreed that the 24GHz Distance

Award (150km +, as on 10GHz) is far too difficult to achieve in the UK unless operators are prepared to operate on high sites over line-of-sight paths in conditions of extremely low humidity. Even then it is extremely difficult! Water and water vapour are starting to play a significant part in propagation on this band, although not as much as at, say, 47GHz. In the UK, low humidity implies sub-zero temperatures — hence the difficulty in getting the magic 150km +. As far as I am aware the certificate for 150km + has not yet been issued for 24GHz operation, although the awards manager, Jack, G5UM, will no doubt tell me otherwise!

In order to encourage beginners (particularly), it has therefore been agreed that three categories of award will be made in future: "Beginners" at 25km +, "Intermediate" at 75km +, and "Advanced" at 150km +, as now. The first category should be reasonably easy to attain with simple but efficient wideband gear under fairly normal conditions. The intermediate award will need more skill, a better path, some operating experience with well set-up equipment and favourable conditions, while the advanced award will need really good equipment, considerable experience and good conditions when using wideband techniques. Although it should be somewhat easier for narrowband stations, it will not be so easy as to devalue the award, since building working narrowband in itself is not easy! It is suggested that verified contacts (QSL) after 1/1/87 should count and it is hoped that the first awards can be made in the new year: this will give the awards manager (Jack, G5UM, QTHR) time to do the necessary!

Another innovation, starting with immediate effect as a result of suggestions from a number of operators, is to nominate the first Sunday of each month, November to March inclusive, as microwave activity days, particularly on the higher bands and particularly portable. No rules, no prizes, no trophies, but a chance to work some of the longer distances during what has traditionally been the closed season. The format could well be similar to the Summer Cumulatives, but the important thing is to go out, create activity and make contacts! Authenticated contacts on any band will, of course, be eligible for any of the distance or squares awards, subject to the usual rules, copies of which are obtainable from G5UM (QTHR). It would be appreciated if intending operators could give some advanced notice of their intentions to the editors of the *Newsletter* (G3PHO and G8AGN, both QTHR).

## Midlands VHF Convention

A good cross-section of enthusiasts, from 50MHz up, was present at this event at Telford. On the microwave side, committee members G3PFR, G8AGN, G3YGF and G3WDG were present, as was the components service. No doubt a more detailed report will appear in *VHF/UHF*, especially concerning the Management Group forum, the general vhf forum and some of the lectures pertaining to vhf. Ian, G3SEK, gave his talk on long Yagis, and Trevor, G8CJS, talked on 1.3GHz atv. Barry, G8AGN, gave an interesting talk entitled "The In's and Out's of Microwave Amplifiers", concentrating on amateur computer

amplifier design programs, comparing the results with professional performance analysis programs and outlining the main reasons why (unpredictability of manufacturers' S-parameters in practical circuits) there have not been any definitive amateur designs, particularly for the higher bands where they are most needed! It was noted the even the now notorious SSB Eleconics 10GHz transverters (which certainly work well) are full of weaknesses: the need to individually optimise in this way is probably one of the reasons why pcb designs appear to have been largely neglected by UK amateurs. Few home constructors have the necessary test equipment, or even easy access to test equipment, of the calibre needed to effect such optimisation, although with a little thought and improvisation, even the simplest of test gear can yield meaningful results. This is, perhaps, one area where there is considerable scope for the traditional amateur ingenuity? The means to design and build pcbs is now open anyone with a micro, reasonably good etching techniques and some patience! Suitable substrate is available from the components service, and the middle bands up to 3.4GHz should begin to benefit from Modamps, Modeons and inexpensive GaAsFets which are appearing in the service and elsewhere: let's see some designs!

On the commercial side, there were some JVI-style loop-quad Yagis for 1.3 and 2.3GHz and power splitters for the two bands, along with some nicely engineered 2C39 amplifiers and cavity kits for such amplifiers (all from Micromax). □



Members of the Telford group, Martyn G0CZD, Kevin G8UPF, Jim G8UGC, Martyn G3UKV, on Brown Clee, site of the 1.3GHz beacon G3ZME/P.

# QRP

Rev George Dobbs, G3RJV\*

## Will the Argonauts sail again?

The American QRP ARCI have been looking into the chances of the re-introduction of the flagship of commercial low power transceivers; the Ten Tec Argonaut. The Argonaut has been a favourite for QRP operators from the early 1970's until it ceased production a few years ago. It is a five band (80/40/20/15/10 metre) ssb and cw transceiver capable of 5W RF output. The Argonaut ran through three models: 505, 509 and 515 and, for a limited period, a 100W linear was available. Ten Tec's replacement transceiver for the Argonaut was the Argosy, a transceiver with power output options of 10 or 50W.

I have owned both the Argonaut 505 and the 515 and have shared in the owners love of these transceivers. The circuitry is understandable and reliable and the transceiver is built on accessible and serviceable sub-boards. Usually owners praise the receiver and the full break-in facility. The Argosy has never been so acclaimed probably because of endemic receiver problems.

Members of the QRP ARCI have approached Ten Tec about the possibility of a further production run of the Argonaut 515. The reply has been kindly but cautious. The commercial truth is that it is almost as expensive to produce a low power transceiver as a conventional power output transceiver and the market is smaller for QRP dedicated radios. Ten Tec feel kindly disposed toward QRP operators who have given years of unflagging support to the company's products and would consider a further production run if sales were assured. They seem to require commitments for some 200 units worldwide.

I suspect they would sell their 200 Argonauts without any problem but that it is difficult to obtain such commitments in advance. If you wish to see the Argonaut 515 for sale again and would be interested in buying one, please let the company know. Send a postcard to: Ten Tec UK via: Rowley Shears, G8KW, KW Ten-Tec Ltd, Vanguard Works, Jenkins Lane, Chatham, Kent, ME4 5RT. I wonder if the Argonauts will live to fight again?

## Eastern European QRP

During the summer I had the pleasure of visits from two QRP operators from eastern Europe. Vitak, SP9MRO, called for a very brief visit and later Petr, OK1CZ, stayed at my home for a few days. Both told me of the interest in QRP operating and equipment construction in their countries.

In the UK, we have a vast array of commercially available amateur radio equipment but very little commercial equipment is available in either of their countries. Amateur radio and equipment construction go hand in hand, rather in the manner I recall from the early days of my licence. The availability of suitable components is variable and a lot of adaptation and ingenuity is required to build up a station.

It may sound like a difficult state of affairs for the radio amateur but the overall result seems to be a hobby in which people know what they are doing and what they are talking about. I was most impressed by the expertise and ingenuity of Petr and his station. His only piece of commercial equipment is an old AR88 receiver. His multiband transceiver equipment is driven by the local oscillator of the AR88. The result is a station which is known, and frequently worked, by QRP operators throughout Europe. How many of us would, or could, run an amateur radio station on this basis? OK1CZ did buy a little commercial equipment on his visit here which, I am sure, will be fully exploited and lovingly maintained to its full advantage.

There have always been good links between QRP operators in the UK and Czechoslovakia and in recent years we have shared in activity periods. Once again in the New Year we are to have a joint activity weekend. Any radio amateurs are invited to seek cw contacts using 3W rf output, or less, according to the plan set out below:

### OK/G activity weekend: 23 and 24 January 1988.

0000-0100	1,815/1,845/1,900kHz	1100-1400	14,060kHz*
0500-0600	1,815/1,845/1,900kHz	1400-1600	10,106kHz
0600-0700	3,560kHz	1600-1700	7,030kHz
0800-0900	3,560kHz	1600-1700	7,030kHz
0900-0900	7,030kHz	2100-2359	3,560/70kHz
0900-1100	10,196kHz		

1700-2100 test period

\*Also 18MHz if open

UK QRP operators active during this period are invited to submit logs and notes to G8PG, see below for address.

\*St Airlan's Vicarage, 498 Manchester Road, Rochdale OL11 5HE.

## The G QRP Winter Sports

In my profession, there are many complaints about the hijacking of Christmas by self-interest groups. Certainly Christmas suffers from the ice cream van syndrome. Have you noticed how if anything interesting is happening anywhere; the ice cream vans turn up? The arguments about the peripherals of Christmas are best fought elsewhere, but one worthy Christmas tradition I can commend here is the G QRP Club Winter Sports. This event has been going for several years now and for many people it marks the highlight of each year's QRP operating.

It is not a contest but an activity period, what our American friends call a QSO party. The idea is to achieve as many two way QRP QSOs as possible. The Winter Sports runs from 26 December to 1 January, inclusive. It is a cw event centred around the QRP calling frequencies of 3,560, 7,030, 10,106, 14,060, 21,060 and 28,060kHz. Operators are asked to call, or listen for CQ QRP using an rf output power of 3W or less. There are no appointed times for each band but a good rule of thumb is to try the highest band open at the time of operating.

Although not a contest, one award is available for the best overall log received for the event. This is the G4DQP Trophy; a plaque, which is held for a year, with a small keepsake. So we invite all radio amateurs to join us over this period and to submit logs and comments to: Angus Taylor, G8PC, 37 Pickersill Road, Greasby, Merseyside L49 3ND.

## Transcontinental QRP nets

As the conditions on the hf bands gradually improve, operators may like to try a couple of QRP transcontinental nets in North America. The American Transcontinental Net has been running for many years and has provided many UK operators with their first intercontinental two way QRP contacts. The net is every Sunday on 14,060kHz at 2300 with W5LXS as net controller.

The Canadian Transcontinental Net also operates on 14,060kHz on every Sunday at 1900. The net controller is VE6BLY. Both of these nets are worth trying for transatlantic two-way QRP QSOs.

## The annual AGCW-DL Winter QRP Contest

Twice a year the German AGCW runs a QRP contest. The winter contest is on 16-17 January (third complete weekend). The rules are as follows:

1. Date Each year in the third complete weekend in January.
2. Time 1500 (Saturday) to 1500 (Sunday) GMT.



G8PG (right) presents the G QRP Club Suffolk Trophy to OK1CZ during Petr's recent visit to the G3RJV shack. Photo: Rochdale Observer

3. Mode cw only.
4. Frequency 1.8MHz to 28MHz amateur radio bands. Contests may only be conducted in frequency segments as authorised by the IARU for the designated mode of operation.
5. Participants Licensed radio amateurs and swls
6. Classes Class A = below 3.5W input = 2W out, single op  
Class B = below 10W input = 5W out, single op  
Class C = below 10W input = 5W out, multi op  
Class D = below ORO-stations, more than 10W input = 5W out to contact ORO-stations only  
Class E = swls  
Class C stations may operate fulltime 24h; stations in classes A, B, D and E must take a 9h break, which may also be taken in two segments.
7. Call "CO QRP test"
8. Exchange Exchange RST and OSO number and input, for example 559005/5 for ORO station (adding "X" if crystal controlled). ORO station: 439002/ORO
9. General Operation on any one band must be in one class. Operation on any one band may be crystal controlled or vfo, but not both. In case of crystal controlled stations, no more than three crystals may be used in any one band. Stations may be contacted only once on each band. Crystals must be listed in log. VXO=VFO!
10. Scoring OSO with own DXCC-1 and ..... 1 point  
OSO with own continental ..... 2 points  
OSO with dx (outside own continent) ..... 3 points  
(in accordance with latest DXCC list, but call areas in JA, PY, VE, W and ZS count separately)  
Multipliers:  
For each country, ..... 1  
For each OX-QSO ..... 1
11. Total score Band result = OSO points x multipliers  
Total result = sum of band results  
For crystal controlled stations, result points are doubled.

12. Logs Separate logs must be submitted for each band. Special log sheets may be requested from DK9FN (see below address) for one denomination in stamps or i.c. Logs and points calculation are to be sent no later than six weeks after date of contest, to Sigfried Hail, DK9FN, Spessartstraße 80, D-6453 Seligenstadt, West Germany.
13. Results For placement list showing winners in each class and band, send one i.c. to contest manager with your log. Certificates are awarded for the first three places for each class and band.

## Michigan QRP Club annual QRP Contest 1988

The Michigan QRP Club is 10 years old in 1988 and to celebrate this anniversary, they hope for extra entrants in this their annual contest. Unfortunately it is on the same weekend as the DL AGCW Contest. The rules are as follows:

1. Date, January 16, 1988 - 1200Z to 17 January 1988 - 2359 (36h). cw only, (WARC bands excluded). Contest is open to all amateurs and all are eligible for awards.
  2. Frequencies. 1.810, 3560, 7030, 7040, 14060, 21060 and 28,060kHz. Novice: 3,710, 7,110, 21,110 and 28,110kHz.
  3. Exchange. RST, OTH (State/Province/Country) and M-QRP membership no. (non-members send power output).
  4. Classes. A. Less than 1W output. B. 5W to 1W output. C. Over 5W output.
  5. Scoring. Stations may be worked once per band for QSO points. Member contacts are live QSO points each. Non-member contacts are one QSO point each. Multiply total QSO points (all bands) by the number of states/provinces/countries worked per band, for total points. Bonus points: Total points x 1.5 for 100 per cent battery or natural power.
  6. Award certificates will be issued for the highest score in each state/province/country. Logs must contain: full log for each band; name, call address, equipment used, power output and signature.
- Logs must be received no later than 1 March, 1988. Please send an sase (or two i.c.s) for results. All logs to: L T Switzer, N8COA, 654 Georgia Marysville, MI 48040. A set of one log sheet and one entry form are available for an sase to KBDD, 1640 Henry, Port Huron, MI 48060.
- Help the MI-QRP Club celebrate its 10 anniversary; join us in January.

# OBITUARIES

The Society records with regret the deaths of the following radio amateurs:

## Mr H A Bartlett, G5OA

Herbert Arthur Bartlett (Herby) died on 19 September 1987. During the war he was involved with the Radio Security Services and the Voluntary Interceptors which he helped to organise in the southwest. As regional representative for Devon and Cornwall, he organised the very first official regional meeting which was held at Plymouth and chaired by the then RSGB President Bill Scarr, G2WS. He was responsible for the Coronation Loyal Rally where greetings for the Queen on her coronation were relayed to RSGB headquarters from societies and individuals by amateur radio and presented to her together with an illuminated address. In 1955 he became president of RSGB and he stressed the international aspects of amateur radio and the comradeship and fellowship to be found. In 1960 he was elected executive vice-president, after which office he retired from direct public view but he continued to promote amateur radio over the air and wherever he went.

## Mr E H Bone, GOGWT

Ted Bone died aged 70 on the 24 August 1987. He was a founder (treasurer) member of the North Cheshire Radio Club.

## Mr Tony Marcantonio, G3TLC

"Marc" died on 3 August 1987. He was well-known to Italian amateurs. From his early amateur days he was an rly enthusiast.

## Mr J L Milner, G1GZA

John Jack Milner died on 6 September 1987 aged 71. He was a member of Thornbury and DARC and also of the Bristol RSGB Group. He became licensed in August 1985 and was active on 144 and 432MHz.

## Mr Hugh Oak Rhind, G2AUD

Hugh died on 27 July 1987. His interest in wireless

started while at school after visits to the North Forland radio station. He made his own 2-valve radio in 1926 and in 1930 he obtained his G2AUD. While in Singapore after the war he borrowed a large army transmitter and set up the station VSIFP and was on the air again. In Singapore he did considerable experimentation on 144MHz. In recent years he was well-known as an active Raynet member in Suffolk and Whiltshire.

## Mr A Painter, G4HUJ (G8EAO)

Alec died on 16 August 1987 aged 52. As treasurer of the Worthing and District ARC for the past 15 years, an active member of the Brighton Rally committee, and a member of the RNARS.

## Mr C J Reed, G2IP, ex-GW2IP

John Reed died on 6 July 1987 aged 81. He first held the AA licence G2AWV in Bristol in 1925 and then G2IP in 1928. He was a founder member of the ex-Bristol Net and a member of the Organ Net on 3.5MHz.

## Mr P J Revill, G3ZZR

Phil Revill died on 17 August aged 63. He was a keen member of RAFARS and could be heard nightly on the 3.7MHz net either on ssb or cw.

## Mr W Robertson, GM6RI

Walter Robertson died on 2 September 1987 aged 77. He was first licensed at the age of 15 and was a keen cw dx operator and well-known on the hl bands. During the last war he was second-in-command of a key radio station waging an intelligence role against the Germans. He was a member of FOC and held many operating awards.

## Mr D R Saunders, GOAKB

"Sandy" Saunders died on August 1987. Known as "Sandy" to all his friends, he was a member of Stockport Radio Society. Heard frequently on 144.700MHz teaching and sending cw, he helped many amateurs to obtain their Class A ticket, being an original of the "700 Club".

## Mr G J Sluck, G3AMR (C6ABA)

Gordon Sluck died on 19 September. He was a member of the Royal Signals Amateur Radio Society. After the war he spent each winter at his other home on Abaco Island, in the Bahamas, where he operated daily using his call sign C6ABA. He worked cw almost exclusively and was active on all bands except 1.8MHz.

## Mr M Tapson, G6IF

Maurice died on 5 September 1987 aged 73 years. He was a member of the RSGB since 1932 and also of RAOTA. An amateur since 1932 he was a keen dx'er on both cw and ssb, and was well-known in the Southend and the High Wycombe areas.

## Mr L T Taylor, G3RMG

Len Taylor died on 4 October 1987 aged 81. Originally a member of the Southgate Club he continued with his club activities on moving to Cornwall, and was well-known on the 3.5MHz band. He and his widow, Pat, were instrumental in raising large sums in Cornwall for the RAIBO.

Also:

Mr J H Baileff, G3GIP, on 12 September 1987  
Mr S C Barrell, GW3IPB  
Mrs Lella Bevington, GOAVL, on 12 October 1987  
Mr J E Chissell, G3ERT, on 5 January 1987  
Mr G Derouineau, F9XY  
Mr T G Dunsford, GOALG, on 21 March 1987  
Mr J R Greenwood, RS27551  
Mr J R Hodgson, G4CVB, on 20 August 1987  
Mr F A Holyland, G6CHU  
Mr A W Joyner, G3EIV, on 6 February 1987  
Mr G N Kenl, G6NXD  
Mr A H Ledger, RS43079  
Mr M McDermott, G6MLO, on 20 August 1987  
Mr P L G March, G4RYR, on 26 July 1987  
Mr P G Medcalf, GOCMC, in February 1987  
Mr A T O'Connor, RS39596, on 24 August 1987  
Mr R W B Parsons, G6RRP, on 11 July 1987  
Mr E A Riches, RS47690  
Mr H Rose, G4JLH, on 19 June 1987  
Mr N P Sadwick, G4PWW, on 28 August 1987  
Mr M H Silingsby, RS88444, on 15 April 1987  
Dr F M (Max) Smith, GSKD, on 5 May 1987  
Mr H L Slumbles, G1ETJ, on 22 May 1987  
Mr R P Swaffield, G3JM, on 26 August 1987  
Mr G Thomas, GW1MLA, on 14 October 1987  
Mr R F G Thurlow, G3WWV, on 26 May 1987  
Mr E Tully, G3WBE  
Mr J W J Tyrrell, G2CBN, on 19 June 1987  
Mr R C Warrick, G3VCJ, on 29 May 1987  
Mr A C Wilberforce, G2LY, on 29 August 1987  
Mr G Wilson, G8JRK, on 13 May 1987  
Mr J R Wright, RS42737, on 29 June 1987

# Club News

The following is the latest information received by RRs from the RSGB affiliated societies, clubs and groups in time for inclusion in this issue. Basic unchanged information on other affiliated organisations will be published again in January 1988.

RSGB affiliated organisations are requested to report all programmes and new items to their regional representatives regularly. Information for inclusion in the February issue should reach them by 1 December.

Club programmes are given in order of date, subject, time and place of meeting. All callsigns of club secretaries and other contacts are OTHER (correct in the current RSGB Call Book) unless otherwise stated.

All clubs welcome visitors and would be pleased to hear from potential new members.

**REGION 1—RR B Donn, G3XSN, 7 Thorne Way, Liverpool L25 4SQ. Tel 051-722 3644.**  
**Blackburn (ELARC, G3NTJ/GIELC)—1 Dec (AGM), 7.30pm, Conservative Club, Cill St, Rishon. Details G6LXU, tel 0254 887385.**

**Bury (BRS, G3BRS)—8 Dec (AGM), 8pm, Mosses Community Centre, Cecil St, Bury. Details G1VOE, tel 061-796-5296.**

**Chester (C&DARS, G3GIZ/G8GIZ)—1 Dec (Committee meeting), 8 (Iba), 15 (Construction contest), 22 (Christmas meeting), 5 Jan (AGM), 8pm, Chester RUFC, Hare La, Vicars Cross, Chester. Details G6IFA, tel Chester 336639.**

**Darwen (DARC, G4JS)—16 Dec (AGM), 7.30pm, Highfield WMC, Ratcliff St, Darwen. Sec G2AKK, tel 0254 73767.**

**Fylde (FARS)—1 Dec (Construction competition), 15 (hot pot supper), 5 Jan (AGM), 7.45pm, The Kite Club, Blackpool Airport. Sec G8GG, tel 725717.**

**Leyland (Central Lancs ARC)—7 Dec (AFS 144MHz post modern), 14 (Committee meeting), 21 (Christmas party and disco), 8pm, The Priory Club, Broadfield Dr, Leyland. Details G4YZN, tel 0257 452287.**

**Manchester (South MRC G3VFA/G3UHF)—4 Dec ("Satellite IV"), 11 (Mini lecture contest), 25 and 1 Jan (Closed), 8pm, Sale Moor Community Centre, Norris Rd, Sale. Details G2AKR.**

**Penrith (Eden Valley RS)—18 Dec (Bullet and dance at RAFA club, Penrith). Sec G4FUI, tel Penrith 66728.**

**Preston (PARS)—3, 17 Dec (Iba), 8pm, Lonsdale Club, Fulwood Hall La, Fulwood, Preston. Sec Godfrey, tel 0772 53810.**

**Rosendale (RARS)—16 Dec (Christmas dinner), 8pm, The Huntsman, Burnley Rd, Loveclough, Rosendale. Sec G4VVK, tel 0706 214076.**

**Stockport (SRS)—9 Dec (AGM), 7.45pm, Dialstone Community Centre, Lisburne La, off Dialstone La. Sec G4ECI, tel 061-439 3831.**

**Tarporley (Mid-Cheshire ARS)—2 Dec (Construction and night on the air), 6 (144MHz contest), 9 (Cheshire Raynet group meeting), 16 (Activity night), 23 and 30 (Closed), 8pm, The Colebrook Village Hall, Colebrook, Nr Tarporley. Details tel 0260 271505.**

**Thornton Cleveleys (TCARS)—7 Dec ("Weather satellite reception", G4EZM) 14 (Informal), 20 (Christmas dinner at Pendale Hotel), 21 (Christmas social), 28 (Closed), 7.45pm, 1st Norbreck Scout HO, Carr Rd, Bisham, Blackpool. Club net Sundays 11am, G4ATH on 1-865MHz. Details Jack, tel 0253 821 827.**

**Wirral (WARS)—2 Dec ("Practical packet", G3VOT), 16 (Film night), 8pm, Club Room, Ivy Farm, Arrowe Park. Sec G3VEB.**

**Wyre (WARS)—11 Dec (Annual dinner), 23 (Closed), 8pm, Breck Squash Club, Breck Rd, Poulton. Sec G4UHI, tel 0253 854745.**

I wish to thank Wirral & DARC for the hospitality shown to Julie and I on the occasion of the annual trophy presentations. Also thanks to the organisers of the Trallord Rally where I spent a most enjoyable afternoon. I apologise to the North Cheshire RC for missing their party due to a mix-up in dates. Finally, a very Happy Christmas and healthy New Year to you all. **RR1**

**REGIDN 2—RR P Sheppard, G4BEJP, 9 Elvington Crescent, Leconfield, Beverley, N Humberside, HU17 7LX. Tel 0401-50397**

**Barnsley (UK FM Group Northern G8KRM)—6 Dec (Monthly meeting), 7.30pm, Royal Hotel, Barnsley. Details G4UNA.**

**Goole (GR&ES G0GLE)—4 Dec (Christmas evening out), 11 (Natter night), 18 (Festive quiz night), 8pm, West Park. Details G0GLZ, tel 0405 69968.**

**Halifax (H&DARS, G2UG)—15 Dec (Christmas social), Running Man ph. Details GQDLM, tel 0422 202306.**  
**Halifax (Northern Heights ARS G4NDK)—2 Dec (Alignment evening), 16 (Social evening), Bradshaw Tavern, Halifax. Details G3UI, tel 0422 60574.**

**Hambledon (HARS)—7 Dec (RAE course), 14 (Future activities discussion), Alletonshire School West. Details G1IGH, tel 0274 496222.**

**Keighley (KARS RS 84851)—8 Dec (Informal), Victoria Hotel. Details G1IGH, tel 0274 496222.**

**North Ferriby (NFUARS, G0ECR)—4 Dec (Christmas and second birthday party), North Ferriby FC. Details GILSZ, tel 0482 493777.**

**Sheffield (SARC)—7 Dec (Morse forum), 14 (Pea and pie supper), 21 (Rendezvous with G1JAJ), 28 (Christmas present swapshop), 8pm, Frith Park Pavilion, Sheffield. Details G8ZHG, tel 0742 395287.**

**Spenn Valley (SVARS, G3SVC)—3 Dec (RSGB video), 17 (Christmas social), 8pm, Old Bank WMC, Milfield, W Yorks. Details G4PHR, tel 0924 499397.**

**Todmorden (T&DARS, G4WYT)—7 Dec (G3RJV Christmas Lecture and social), 21 (Natter night), Queen Hotel. Details G1GZB, tel 0706 817572.**

**Wakefield (North Wakefield ARC G4NDK)—17 Dec (Christmas dinner), White Horse ph, Wakefield. Details G4RCH, tel 0532 536633.**

**Wakefield (W&DRS, G3WRS)—1 Dec (On the air), 22 (Christmas social), 8pm, Ossell Community Centre. Details G4VRY, tel 0532 820198.**

Many thanks to all contributors and all the best to Region 2 for Christmas. Please support your RLO next year, 73. **RR2**

**REGION 4—RR M Shardlow, G3SZJ, 19 Portreath Drive, Darley Abbey, Derby DE3 2BJ. Tel 0332 556875.**

**Derby (DADARS)—2 Dec (Junk sale), 9 (Constructors contest), 16 (Christmas party), 23 (Closed), 30 (The year in retrospect), 2 Jan (Junk sale), 7.30pm, 119 Green La, Derby. Sec G3KOF, tel Derby 772361.**

**Loughborough (LADARC)—1 Dec (Night on the air), 8 (Audio-visual show with G0FTT), 15 (Construction night), 29 (Closed), 7.30pm, Hind Leys Community College, Forest Rd, Shepshed. Sec G0FTT.**

**Mansfield (MARS)—4 Dec (Christmas party), 15 ("The Oscilloscope", G8GNN), 1 Jan (No meeting), 7.30pm, Victoria Social Club, Princes St, Mansfield. Sec G4AAH, tel Mansfield 642719.**

**Melton Mowbray (MMARS)—18 Dec ("Communications through the ages", G4PZO), 7.30pm, St John Ambulance Hall, Aslough Hill, Melton Mowbray. Sec G3NVK, tel Melton Mowbray 63369.**

**Spalding (SADARS)—December meeting (Christmas social), 7.30pm, The Ship Albion, Albion St, Spalding. Sec G4NBR.**

This will be the last club news item published during my term of office as RR4. I would like to thank all the clubs and societies who have shown such wonderful hospitality to Jenny and myself. During the last seven and a half years the most memorable times have been the visits around the region, 73, Martin, G3SZJ and XYL Jenny, G4EYM.

**REGION 5—RR J S Allen, G3DDT, 77 Rosslyn Crescent, Luton LU3 2AT. Tel 0582 508515.**

**Cambridge (C&DARC)—4 Dec (Informal), 11 (Iba), 18 (Christmas party), 25, 1 Jan (Closed), 7.15pm, Coleridge Community College (visual aids room), Radegund Rd, Cambridge. Sec G4TRO, tel 0223 353664.**

**Dunstable (DDRC)—11 Dec (Christmas IV show via G83TV), 18 (Christmas party), 25 (Closed), 8pm, Room 3, Cheus House, High St, South Dunstable. Sec G0COO, tel 0582 508259.**

**Luton (Kent Process Controls Ltd ARC)—This club has now closed. The club call has been cancelled and the licence returned. Further details from G3DOT.**

**Milton Keynes (MK&DARS)—12 Dec (Christmas party at the Bailey Mow, Cosgrove), 14 ("British lighter aircraft of the piston engine era", G0GOF, Meeting Place, Hodgelea, North Milton Keynes. Sec G0GOF, tel 0234**

767904. Advanced notice is given of an EGM in March 1988 to discuss the society's constitution.

**Shefford (S&DARS)—5 Dec (Christmas dinner) 24 & 31 (Club closed), 7 Jan (Iba). Sec G4PSO, tel 0462 711364.**

**Slough (Burnham Beeches RC)—7 Dec (Christmas social), 21 (Natter night), 8pm, Haymill Community Centre, 112 Burnham Lane, Slough. Details G6EIL, tel Maidenhead 25720.**

**REGIDN 6—RR NP Taylor, G4HLX, 87 Hunters Field, Stanford, In the Vale, Farlington, Oxon, SN7 8ND. Tel 03677 503**

**Aylesbury (A Vale RS)—2, 16 Dec (Iba), 8pm, Village Hall, Hardwick, Aylesbury. Sec G4XZL, tel Aylesbury 81097.**

**Banbury (BARS)—2 Dec ("Amateur satellites", G4HLX), 16 ("Packet radio", G4OCQ), 7.30pm, The Mill, Spice Ball park, Banbury. Sec G11IO, tel Banbury 51774.**

**Chesham (C&DARS)—2 Dec (Natter night), 9 (Iba), 16 (General meeting), 23 (Social evening at Queen's Head), 8pm, Stable Loft, Bury Farm, Pednor Rd, Chesham. Sec GOETU, tel 09278 3911.**

**Didcot (Vale of White Horse ARS)—1 Dec (Iba), 15 (Christmas social), 7.30pm, The Waterlitch, Cockroft Rd, Didcot, 6, 13 & 20 Dec (GB4GWR at Didcot Railway Centre). Sec G4SYL, tel Didcot 816845.**

**Harwell (HARS)—15 Dec (AGM & quiz), 7.30pm, Harwell Lab. Social Club. Sec G6LNU, tel Wantage 68453.**

**High Wycombe (Chillern ARC)—9 Dec (Christmas party), 8pm, Sir William Ramsay School, Rose Ave, Hazelmere. Details G4XVP, tel 0494 33377.**

**Maldenhead (M&DARS)—3 Dec (Christmas social & construction contest), 15 (quiz), 7.30pm, Red Cross Hall, The Crescent, Maidenhead. Sec G3VTS, tel Maidenhead 25443.**

**Oxford (O&DARS)—9 Dec (Natter night), 23 (Iba), 7.45pm, Oxford Civil Service Sports Association Club, Govt Bldings, Marston Rd, Oxford. Sec G4PUU, tel Oxford 52859.**

**Reading (R&DARC)—15 Dec (Christmas dinner, venue Iba), 22 (Informal), 8pm, Clubroom, White Horse, Emmer Green, Reading. Details G4YFB, tel Reading 867820.**

**REGION 7—RR R Sykes G3NFV, 16 The Ridgeway, Felcham, Leatherhead, Surrey KT22 9AZ. Tel 0372 372587.**

**Ashford (Echelford ARS)—21 Dec (Christmas social and bring & buy), 8pm, The Hall, St Martins Court, Kingsdon Cres, Ashford, Middx. Sec G4VAZ, tel Sunbury 783823.**

**Bexleyheath (North Kent RS)—1 Dec (Field day films/videos), 15 (Christmas meeting), 8pm, The Pop-In Parlour, Graham Rd, Bexleyheath. Sec G4DIB, tel 01-467 2603.**

**Biggin Hill (BHARC)—8 Dec (Tape and slide show), 7.30pm, The Victory Social Club, Kechill Gardens, Hayes. Sec G3UML, tel 01-462 2689.**

**Coulsdon (CATS)—14 Dec (AGM), 8pm, St Swithuns Church Hall, Grovelands Road, Purley, Surrey. Sec G6HC, tel 01-684 0610.**

**Cray Valley (CVRS)—3 Dec ("Scanners"), 17 (Natter night), 8pm, Progress Hall, Admiral Seymour Road, Eitham SE9. Details G3TAA.**

**Crystal Palace (CP & DRS)—19 Dec (Social evening), 8pm, All Saints Parish Room, Upper Norwood, SE19. Sec G3FZL, tel 01-699 6940.**

**Dorking (D & DRS)—8 Dec (Sussex Repeater Group road show), 8pm, Ashcombe School. Sec G3AEZ, tel 0306 77236.**

**Guildford (G & DRS)—11 Dec (Debate), 18 (Christmas party), 8pm, Model Engineers HO, Stoke Park, Guildford. Sec G4VRN.**

**Kingston (KDARS)—16 Dec (Christmas film show), 8pm, Alliston, 3 Berrylands Rd, Surbiton. Details G3MK, tel 01-397 6924.**

**Redhill (RATS)—15 Dec (Construction contest), 8pm, Constitutional and Conservative Club, Warwick Rd, Redhill. Details G3YSX.**

**Sutton and Cheam (S & CRS)—18 Dec (Christmas get together), 8pm, Downs Lawn Tennis Club, Holland Ave, Cheam. Sec G0BWW.**

**Thames Valley (TVARTS)—1 Dec (Christmas social), 8pm, Thames Dillon Library, Walls Rd, Giggs Hill, Thames Dillon. Sec G3ENI.**



**Wimbledon (W & DRS)**—11 Dec (Social evening), 8pm. St Andrews Church Hall, Herbert Rd, Wimbledon SW19. Sec G4RBO, tel 07373 51559.

**May I wish all members in Region 7 a very Happy Christmas and prosperous New Year.** My thanks to all the clubs for their help and hospitality during my visits during my term as **RR7**.

**REGION 8—RR M Elliott, G4VEC, 20 Hayset, Sittingbourne, Kent ME10 4QE.** Tel 0795 70132.

**Burgess Hill (Mid-Sussex ARS)**—3 Dec ("Operating evening in club shack"), 6 (144MHz fixed station contest), 10 (Christmas dinner, The Priory, Haywards Heath), 17, 24, 31 (Closed). 7.45pm, Marle Place, Leylands Rd, Burgess Hill. Details G0GNV, tel Burgess Hill 41407. **Dartford (DDFC)**—8 Dec (Pre-hunt meeting), 13 (OF hunt), 15 (EGM). Pre-hunt meetings held at Horse & Groom ph, Leyton Cross, Nr Dartford after 9pm. Details G8DYF, tel Greenhithe 844467.

**Dover (SE Kent YMCA ARC)**—2 Dec (Natter night), 9 ("Meleor scatter"), 8 (8VR), 16 (Christmas social), 23, 30 (Closed), 6 Jan (Natter night), Dover YMCA, Godwynhurst, Leyburne Road, Dover. Details John Dobson, tel Dover 211638.

**Eastbourne Electronics (EEARC)**—Sundays, 8pm. Shirewater Community Centre, Millioi Drive, Langney Eastbourne. For details, phone above centre (Sundays 8-10pm), Eastbourne 768614.

**Eastbourne (Southdown ARS)**—7 Dec ("AX.25 packet radio", G4BMK), 4 Jan (AGM at Chaseley Home, Bolsover Rd, Eastbourne). Hailsham Lesire Centre, Vicarage Lane, Hailsham. Sec G4VOS, tel Heathfield 3168.

**Gillingham (Bredhurst R&TS)**—3 Dec (Construction and natter night), 10 ("Talk on the new GB3KN repeater", G3YCN), 17 ("Construction and natter night"), 24, 31 (Closed), 7 Jan ("Phase lock loops", G8NVH), 8pm. Parkwood Community Centre, Parkwood Green, Wigmore, Gillingham. Details G0AMZ, tel 0634 376991. **Haslings (HERC)**—16 Dec (Christmas social), 7.30pm. West Hill Community Centre, Croft Road, Haslings. Details G4NVQ, tel Haslings 420608.

**Herne Bay (East Kent RS)**—3 Dec (Annual cheese & wine party), 17 (Natter night), 7.30pm. Cabin Youth Centre, Kings Road, Herne Bay. Details G4RIS, tel 0227 262042.

**Horsham (HARC)**—3 Dec (AGM), 7 Jan ("Planning permission", G3UDU), 8pm. Guide Hall, Denne Road, Horsham. Sec G4UDU, tel Worthing 60695.

**Maldstone (MYMCAARS)**—4 Dec (Natter night with RAE & cw), 11 (Iba), 18 (Social evening), 25 (Closed), 8pm. YMCA Sportscentre, Malrose Close, Maldstone. Details G0BUW, tel 0622 30544.

**Margate (Radio Club of Thanet)**—9 Dec (Social evening, G0AHA entertainers), 22 (Closed), 7.30pm. Grosvenor Club, Grosvenor Place, Margate. Sec G1HWG, tel 0843 42480.

**Meopham (MPRC)**—13 Dec (Homebrew contest), 7.30pm. Vigo Rugby Football Club, Vigo Village, Meopham. Details G4XNU, tel 0732 823371.

**REGION 9—RR A H Hammett, G3VWK, Rosehill, Ladock, Truro, Cornwall, TR2 4PO.** Tel 0726 882 758. **Axminster (Axe Vale ARC)**—4 Dec (Annual dinner). Details G3VW, tel Lyme Regis 5282.

**Exeter (EARS)**—14 Dec ("Cats whiskers and microchips", D Edmonds), 11 Jan ("DX operating at the dx station", G3HTA), 7.30pm. Community Centre, St Davids Hill, Exeter. Details G3YBK.

**Exmouth (EARC)**—2 Dec (Christmas dinner), 16 (Christmas party), 30 (Video and film night). Scout Hut, Marpool Hill, Exmouth. Details G1GZG.

**Redruth (CRAC)**—3 Dec (Christmas party), 14 (Computer section natter), 17 (Activity evening), 7 Jan ("Smiths' charts", Simon Rodda), 7.30pm. Church Hall, Treleigh, Redruth. Details G4MSV.

**Saltash (S&DARC)**—Sec, G0AKH is now at 58, St Stephens Rd, Saltash, OL12 4BJ. Tel 075 55 3277. **Torbay (TARC)**—12 Dec (Christmas party at ECC Social Club, Highweek, Newton Abbot), 7.30pm. Details G0FGK, tel 03646-233.

**REGION 10—D H Phillips, GW4KO, 17 Penire Gardens, Grangelown, Cardiff CF1 7QJ.** Tel 0222 35648.

**Cardiff (British Telecom ARC)**—9 Dec ("RIS", Graham Barry), 7.30pm, GW4ZVY, tel 0222-379732, weekdays 8am-4pm. **Cardiff (CRSGBG GW5BI)**—14 Dec (Christmas party and bring and buy sale), Pant Mawr Hotel, Tyla Teg, Pant

Mawr Estate, Whitchurch, Cardiff. Sec GWOCUM, tel 04463 3212.

**Cardiff (Highfield ARC GW4LFO, GW1LFD)**—3 Dec ("General natter night"), 10 (Technical lecture), 17 (Christmas party). Sec GW6ZHM, tel 0222-750315. **Port Talbot (British Steel Corporation ARS GW3EOP)**—12 Dec (Bring and buy), 7.30pm. Sec GW4IGR, tel 04639 720416.

**Powys (PARC GW4HVN)**—10 Dec (Christmas party), 7.15pm. Sec GW4DWX, tel 0938 2068.

**I would like to wish a merry Christmas and a happy New Year to all readers and to say thank you to the clubs that have extended invitations to myself and my wife and for the hospitality on these visits. I look forward to meeting you all again in the New Year.** **RR10**

**REGION 11—RR B H Green, GW2FLZ, 1 Clwyd Court, Tan-y-Bryn Rd., Colwyn Bay, Clwyd, LL28 4AH.** Tel 0492-49288.

**Colwyn Bay, (Conway Valley ARC GW6TM)**—3 Dec (Provisionally, "packet radio", Ken Williams), 7 Jan (Discussion and talk). Note change of meeting day to the first Thursday of the month, 7.30pm. Also note new venue Edelweiss Hotel, Lawson Rd, Colwyn Bay. Sec GW0DSL, tel 07456 5529.

**Deeside (Alyn & Dars)**—1 Dec (Technical evening, GW0EHB), 6 (144MHz contest), 15 (Christmas social and supper), 8pm. Shotton Social Club, Shotton Ls, Deeside. Sec GWILZ.

**Portmadog (P & DARS)**—17 Dec (Meeting), 8pm. Harbour Cafe, Flesiniog Railway, Portmadog. Sec. GWIEGQ, tel 0766-2684.

**Welsh Language Group**—Every Wednesday at 11.15pm. on 3-750MHz. Join the net for various discussions in Welsh, net controller GW2HFR.

**Will club secretaries please send details of their future events for January 1988 onwards to enable it to be passed to the Liaison Officer for Area 46.** **RR11**

**REGION 12—RR M R Hobson, 17 Well Brae, Pillochry, Perthshire PH16 5HH.** Tel 0796 2140, Presel 10796 2140

**Another year is almost at an end, and with the New Year comes a new representation scheme. My thanks for the warm hospitality received from those clubs I visited in 1987. From Janet and myself, may you have a Happy Christmas and a prosperous New Year.** **RR12**

**REGION 17—RR T M Emery, 75 Haig Road, Bishopstoke, Eastleigh, Hants SO5 6JF.** Tel 0703 693673.

**Basingstoke (BARC)**—7 Dec ("Commercial equipment for the amateur"), 7.30pm. Forest Ring Community Centre, Sycamore Way, Basingstoke. New G1WKK, tel 0256 478232.

**Blackmore Vale (BVARs)**—8 Dec (Christmas dinner), The Bell & Crown, Zeals (on the A303). Sec G4YXX, tel 0963 32389.

**Bournemouth (BARS)**—4 Dec (Natter night), 8pm. Next meeting 16 Jan, Kinon Community Centre, Kinon, Bournemouth. Sec G4DJG, tel 0202 526793. **East Dorset UHF Repeater Group (GB3DT)**—For information or to join the group and help support the repeater, contact G1VIP, tel 0202 735003.

**Eastleigh (Hichen Valley ARC)**—11 Dec (Christmas social), 7.30pm. Next meeting 8 Jan. The Scout Hut, Brickfield Lane, Chandlers Ford, Eastleigh. Sec G1IPQ, tel 0703 736784.

**Fareham (F&DARC)**—9, 23 Dec (Natter night), 2 Dec ("Bobbins, balloons and beads", G3CCB), 16 ("The morse test", G3TZL), 7.30pm. Portchester Community Centre, Portchester, Hants. Sec G3CCB, tel Fareham 288139.

**Farnborough (F&DARS)**—9 Dec (Christmas social), 23 (Closed), 8pm. Railway Enthusiasts Club, Access Road, off Hawley Lane, Farnborough. Details G0FNW.

**Guernsey (GARS)** Please note that the secretary is now GU4SXM, tel 0481 25450.

**Isle of Wight (WRS)**—4 Dec (Open forum), 11 (Project night), 18 (Members choice), 1 Jan, (New Year dinner dance), 8pm. Unity Hall, Woolton Bridge, Sec G4ARGE, 0983 872620.

**Liphook (Three Counties ARC)**—9 Dec (Quiz night), 18 (Christmas party), 8pm. The Railway Hotel, Liphook. Details G4VKC, tel Liphook 723415.

**New Forest Repeater Group (GB3NF)**—For information or to join the group and help support the repeater, contact G6DLJ, tel 0703 847754.

**Portsmouth Hill Repeater Group (GB3PH)**—For information or to join the group and help support the repeater, contact Mr A L G Price, tel 0329 281852.

**South Dorset Repeater Group (GB3SD and GB3DP)**—For information or to join the group and help support the repeaters, contact G3VFF.

**Salisbury (SRES)**—8 Dec ("The RSGB", G3KWU), (Construction evening), 7.30pm. Grosvenor House Centre, Churchfields Road, Salisbury. Sec G4LDR, tel 0980 22809.

**Trowbridge (T&DARC)**—9 Dec (Natter night), 23 (Christmas party), 8pm. Territorial Army Centre, Blythsea Road, Trowbridge. Sec G0GRI, tel 0380 830383.

**UK FM Southern Repeater Holding Group (GB3SN)**—For information or to join the group and help support the repeater, contact Mrs Jan Steele, tel 0323 896287.

**Waterside (WSC)**—15 Dec (Christmas skittles evening), 7.30pm. Community Centre, Blackfield, Southampton. Sec G0BPA, tel 0703 893937.

**Weymouth and Portland (SDRS)**—1 Dec (Christmas layre), 7.30pm. The Pennsylvania Castle, Portland, Dorset. Sec G0FIT, tel Dorchester 67596.

**Winchester (WARC)**—18 Dec (Christmas party), 8pm. Durngate House, Winchester. Sec G1XCT, tel Winchester 880605.

**May I take this opportunity to send all clubs in Region 17 my very best wishes for Christmas and the New Year and will you please support your new RSGB Liaison Officers so that the amateur radio movement in the UK can continue with effective representation. Thank you for your support during my term as your Regional Representative.** **RR17**

**REGION 18—RR Ian Gibbs, G4GWB, 61 The Gables, Widdrington, Morpeth NE61 5OZ.** Tel 0670 790090.

**Redcar (East Cleveland ARS G4CRS)**—Friday evenings, RAFA Club, Newcomen Tce, Redcar. New Sec G1VLG, tel 0642 219586.

**REGION 19—R J C Broadbent, G3AAJ, 94 Herongate Road, London E12 5EO.** Tel 01-989 6741.

**Cheshunt (C&DARC G4MGC)**—2 Dec ("Batteries; their use and abuse", G3IGP), 9 (Natter night), 16 (Video and wine and cheese party), 23, 30 (Closed), 8pm. Church Rooms, Church Lane, Wormley, Herts. Secs G3OJI, tel Ware 4316.

**Chiswick (ABCARC)**—15 Dec (Amateur Licence revision, RSGB proposals discussion), 7.30pm. Chiswick Town Hall, High Rd, Chiswick, W4. Sec G3GEH, tel 01-992 3778.

**Edgware (E&DARS)**—10 Dec (Junk sale), 8pm. Community Centre, 145 Orange Hill Rd, Burnt Oak, Edgware. Details Jackie Collrell, tel Garston 672711.

**Harrow (RSH)**—4, 18 Dec (Activity night), 11 (Talk, Iba), 25 (Closed), 8pm. Roxie Room, Harrow Arts Centre, High Rd, Harrow Weald. Sec Josie Jenkinson, Harpenden (HARC)—1 Dec ("Radiodola service", Reg Marks), 8 (Committee meeting), 15 (Christmas party), 7.30pm. Silver Cup, St Albans Rd, Harpenden, Sec G1BJC, tel 0582 72455.

**Southgate (SARC)**—10 Dec (AGM) 24 (Closed), 7.45pm, Holy Trinity Church Hall (upper), Green Lanes, Winchmore Hill N21. Details G4YLL, tel 0992 30051.

**Stevenage (S&DARC)**—31 Dec (Annual junk sale), 15 (HF operation for beginners and puzzle corner), 8pm. Sitec Ltd, Ridgeman Park, Tellord Ave, Stevenage. Details G0GTE, tel Stevenage 724991.

**SW Herts UHF Group**—This group maintains GB3BH on RM0, Bushy Heath; GB3HR on RB14, Stanmore and GB3SWH on 10-368GHz, Bushey Heath. The group would welcome donations to help maintain these repeaters and is available for talks in the area. Sec G4KUJ.

**St Albans (Verulam ARC)**—10 Nov (Informal), 24 ("Advanced receiver techniques", G3TDR), 7.45pm. RAFA HQ, New Kent Rd, St Albans. Club nets held on Wednesday 7.30pm on 145-350MHz, Sundays 10.30am on 3-522MHz. Details G4JKS, tel St Albans 59318.

**REGION 20—C H Hollister, 34 Battersby Way, Henbury, Bristol BS10 7SH.** Tel 0272 508451

**Bristol (BRSGBG)**—14 Dec (Christmas party), 7.30pm. Small Lecture Theatre, Queens Bldg, University of Bristol, University Walk, Clifton, Bristol. Details G4SQQ, tel 0272 508451.

Details G4ZOF, Kingsley, 93, Gloucester Rd North, Filton, Bristol BS12 7PT, tel 0272 699947.  
**Bristol (432MHz Repeater Group, GB3BS & GB3BP)**—Details G4MCO, 50 Quantock Cl, North Common, Warmley, Bristol BS15 5UT.  
**Bristol (North Bristol ARC)**—4 Dec (Committee meeting & 14MHz activity evening), 11 (OSL card display), 18 (Christmas party), 25 (Closed). 7pm Sell Help Enterprise, 7 Braemar Cres, Northville, Bristol. Details G4YQO, tel 0272 690404.  
**Bristol (South Bristol ARC)**—2 Dec ("Test equipment rally", G4SDR), 9 Dec (Club project discussion), 16

(Christmas party), 23 (VHF activity evening), 7.30pm. The Whitchurch Folk House, East Dundry Road, Whitchurch, Bristol. Details G4RZY, tel 0272 834282.  
**Cheltenham (CARA)**—4 Dec (AGM), 7.30pm. Stanton Room, Charlton Kings Library, Cheltenham, Glos. Details G4VXE tel 0242 36723.  
**Gloucester (GARS)**—2 Dec ("Campanology"), 23 (Christmas Buffet), 7.30pm. St John Ambulance HQ, 2 Heathville Road, Gloucester. Details G6AWT, tel 0452 504515.  
**Mendip Repeater Group (GB3WR 144MHz, GB3UB & GB3VS 432MHz and GB3UT 1.3GHz TV)**, Details co

191, Charlton Park, Midsomer Norton, Bath BA3 4BR.  
**Weston-Super-Mare (WsmARS)**—14 Dec (Annual construction night), Details G1QJW, tel 0934 514429.  
**Yeovil (Y8DARC)**—10 Dec ("Broadcasting Techniques, past and present", G3FOO), 17 Dec (Natter night), 23 (Christmas party and junk sale), 7.30pm. The Recreation Centre, Chillon Grove, Yeovil, Somerset. Details G1MMN, Tel 0935 79804.  
**Yeovil (432MHz Repeater Group GB3YS)**—Details G6AGL, 66 Glebelands, Merriol, Somerset.  
 A very Merry Christmas and a Happy New Year to all in Region 20. **RR20.**

# Contest News

## 1987 144MHz Trophy Contest results

Conditions in the 1987 Trophy Contest were reasonable, but not spectacular. The weather exhibited its usual awareness of extensive /P operation and deluged many operators while they were dismantling their stations, but then it might have deluged everybody while they were assembling as well, which would have been worse.

Two groups realised much to each other's annoyance that advantage was to be had in an IARU event by operating with a relatively rare prefix. Record results achieved by GU4AP/P are certainly spectacular, all the more impressive with the close proximity of GU3CKR/P. Their margin of victory is also extraordinary in view of the very similar nature of the stations, and Warrington must surely be trying everything to find out from the Hillbillies just how they did it.

Scottish stations did well this year, and the single-handed operation of GM0FRT by GM4ZUK in IO87 certainly earns the adjudicator's congratulations.

It is an alarming fact that the number of entries in this major event is almost a factor of two lower than last year. Judging from the number of late entries received, it appears that many people cannot make the 15-day deadline for sending entries, and perhaps many do not try. Do please let us know whether more time, is what you want. Or is it that many simply feel unable to compete with the likes of GU4AP/P and G8TFI/P? Your comments would be welcomed.

There were only a couple of isolated bad-signal reports this year. Logging standards are definitely improving, bearing in mind that the lower number of entries and a much improved checking system allowed every contact to be checked on the leading three logs in each section, turning up errors that could not have previously been detected. Most errors occur on the random characters in call signs and locators, and almost every log has enough to lose the contest if scores are close. Careful listening is the answer. G4IRB and G4NTY are again thanked for their help in checking.

Congratulations and certificates to the Hillbillies, GU4AP/P; Warrington CG, GU3CKR/P; Chris Eason, G8TFI/P; IC Oiler, LX2GB/P, and RS32525, and to the zonel winners listed in the table. Subject to Council approval, the Thorogood Trophy will be awarded to G8TFI/P and the Mitchell-Milling Trophy to the Hillbillies.

G4JLG

MULTI-OPERATOR SECTION									
Posn	Call sign	Points	OSOs	Loc	Amp	No	Ant	Best dx	Call sign
1	GU4AP/P	16,348	1,142	89VR	2x250	8	17.9Y	891	DD2GA
2	GU3CKR/P	11,953	835	89RM	2x8874	8	17.9Y	860	GM0FRT
3	G4LIP/P	10,752	838	03CE	2x250	8	16.9Y	904	FF2LY
4	GM0CLN/P	8,167	666	84AT	1x350	2	14Y	789	F6HPP/P
5	GW4GFX/P	7,529	727	81LQ	2x250	2	17Y	880	DL8PCA
6	G6CMS/P	7,404	636	01PU	Tel. ?	4	15Y	902	FF6KOU/P
7	G4NCI/P	7,117	694	90MX	8877	4	19Y	888	FF6KOU/P
8	GW3XBY/P	6,988	741	82JL	2x8874	—	80C/I	917	HB9L/P
9	G3EFX/P	6,801	643	90XV	2x250	2	16Y	953	F6HTJ/P
10	GU6RU/P	5,794	519	01OD	4CX1000	2	17Y	925	Y3QOM
11	GD4IOM	5,299	470	74OD	8877	4	17Y	716	ON7KMA
12	G1KMP/P	5,022	550	80WV					
13	G4SIV	5,012	451	92TR	2x250	4	16Y	966	F6HTJ/P
14	G2XV/P	4,619	491	02EB	NAG	2	17Y	831	HB9S/P
15	G1KAR/P	4,310	420	00DR	1x250	1	11Y	817	FF2LY/P
16	G4WET/P	4,238	601	92CA	2x250	2	14Y	806	F6HYE
17	G4CDC/P	3,963	438	93UK	2x250	4	11Y	734	Y26Q/P
18	G5RS/P	3,822	543	91TF	800A7	2	17Y	778	Y3YO
19	G4LUA/P	3,756	392	02MN	2x250	5	9.16Y	775	DK0HA/P
20	G8SMR/P	3,713	471	93BF	1x250	2	17Y	867	DK0K/P
21	G8EOD/P	3,440	493	93EC	Dies	2	18Y	753	DF4TW/P
22	G3WRS/P	3,366	414	94MJ	?	1	16Y	798	F6KSL/P
23	GM4DEZ/P	3,285	304	85WT	2x8874	1	17Y	699	GU3CKR/P
24	G4UHF/P	2,888	488	91LT	1x250	1	17Y	628	DL8GP
25	G0HSF/P	2,878	377	84SA	2x250		None	668	F6GOE/P
26	G1KIS/P	2,546	198	74BU	MM 100W	1	13Y	704	ON9CBT
27	G8ZKE/P	2,022	364	82OL	MM 100W	1	17Y	792	F6GOE/P
28	G6WYR	1,579	231	93EU	? 100W	1	17Y	654	F6CTT
29	G6BSE/P	1,385	179	02HE	? 60W	1	16Y	587	F2E/P
30	G3TRF/P	1,336	237	01MH	None	2	9Y	675	GM3TSL
31	G3IGC/P	1,252	227	91XG	Bnos50W	1	14P	709	DL6FAW/P
32	G0ECC/P	911	130	70CG	? 100W	1	13Y	800	PA3BPC/P
33	G5LO/P	783	137	91KS	MM 100W	1	17Y	418	F6HPP/P
34	G5ZGP/P	616	96	01CW	Sotol00	1	13Y	544	DF1VW/P
35	G3UES/P	615	209	91TU	Bnos 50	2	8SI	589	DF0LP/P
36	G4SSD	544	76	80FJ	None	2	11Y	580	ON7KMA

LISTENER SECTION									
Posn	Station	Points	OSOs	Loc	No	Ant	Best dx	Call	Call
1	RS32525	1,313	187	01AL	1	9Y	570	DF0OL/P	
2	RS25429	780	92	93FX	1	8Y	620	F6HPP/P	
3	RS28198	402	60	00HX	2	8SI	470	DF1VW/P	

Check Log: G8PW.  
 Disqualified: G0BOP (Rule 13) (Rule 2) G4PIO, G1DXY/P, G1MDGP, G6BHR/P, G6HAS, G3NZS, G1M2D (Rule 1).

SINGLE OPERATOR SECTION									
Posn	Call sign	Points	OSOs	Loc	Amp	No	Ant	Best dx	Call sign
1	G8TFI/P	6,281	500	80EF	2x250	4	9Y	1,002	DD9GA
2	LX2GB/P	5,082	508	JN29	2x2127	1	11Y	648	Y21VC/P
3	GM0FRT	4,066	279	87WB	2x8874	1	19Y	839	GU3CKR/P
4	G6HKM	2,955	336	01FT	Bnos160	1	17Y	790	FF2LY/P
5	G6IAT	2,619	325	91TV	1x350	2	17Y	737	DK0K/P
6	G0CLP/P	2,589	345	84IG	Tr 60W	1	8Y	717	F6HPP/P
7	G4NBS	1,925	250	02AF	Tr 130W	1	9Y	595	DK0BN/P
8	G3COJ	1,160	122	91PO	2x250	1	16Y	753	HB9S/P
9	G6KUI/P	1,077	200	92HT	Tr 150W	1	8Y	491	FC18DE/P
10	G1DWQ/P	987	151	80WP	None	1	7Y	713	GM0FRT
11	G6HXU	934	126	83RF	Tr 25W	1	7Q	609	PI4GN
12	G0EGX	780	118	01IT	Tr 22W	1	6Q	536	DK0BN/P
13	G4DFI	772	92	01BL	1x350	1	9Y	620	DF0KGR/P
14	G4PDP	734	98	92UE	None	1	5Y	554	GM0FRT
15	G8KHR	699	71	02SL	MM 100W	1	8Y	525	F6CTT
16	G1CSR	697	132	91WL	MM 30W	1	7Y	581	DK0BN/P
17	G8PHN/P	593	118	01GP	Tr 10W	1	10Y	470	GM0CLN/P
18	G1GVA	460	66	91PJ	None	1	6Y	500	GM4DEZ/P
19	G8ZRE	398	53	83NE	Tr 100W	1	8Y	510	ON4ASLA
20	G4JNT	370	43	90IV	Tr 100W	1	8Y	688	DF0OL/P
21	G6HLL	340	66	83RE	None	1	9Y	544	FF1MKJ
22	G8FXP	271	55	91PO	None	1	9Y	566	ON7KMA
23	G1ARL/P	249	69	91UO	2xMRF567	1	9Y	585	DF1VW/P

ZONAL WINNERS		
Zone A	Multi-Op	Single-Op
B	GD4IOM	G0CLP/P
C	G4LIP/P	G6IAT
D	G6CIS/P	G6HKM
E	GU4AP/P	G8TFI/P
F	GW4GFX/P	—
G	G1KIS/P	—
	GM0CLN/P	GM0FRT

## YHF NFD 1987 results - correction

The score of G4ICM/P in the 1.3GHz Restricted Section should have read 1,461 points.

## Chelmsford/Colchester DF Qualifying Event results

In brilliant sunshine, 20 teams assembled on Fordham Hoath, Colchester, for the start. Both hidden stations provided good signals, so everyone loll! at 1.30pm.

The "A" station was provided by Ian Bulson, G4HKC/P, who was hidden in a wood 20km SE of the start, near St Osyth. This site was guarded by several water hazards provided by inlets and creeks of the River Colne. The transmitter used a long circular antenna with a number of ladders to distract those who follow antenna. However, all competitors are determined people who don't shy at waist-high nettles, brambles, etc, so after several teams had "been-in" there was a fair-sized path of flattened woodland leading to the transmitter.

"B" station, G0BTH/P, was concealed 20km SW of the start, among old sand diggings near Heybridge Basin. Here Paul Clark erected another circular antenna which ran along part of the sea wall and over several water-filled dykes. For the second year, the station operators were augmented by "Fred" the dummy, who was given a transmitter of his own and positioned to welcome competitors. Unfortunately some teams turned back, when Fred refused to sign their log, without spilling the real station just a few metres further on.

		Time of arrival	
Posn	Name	Club	Time
1	C Plummer	Mid-Thames	1541
2	G Whenham	Coventry	1544
3	C Wells	S Manchester	1551
4	B Brnstow	Mid-Thames	1553
5	A Collett	Dartford Heath	1554
6	M Hawkins	Chelmsford	1554.5
7	C Melcalfe	Mid-Thames	1443
8	T Gage	Mid-Thames	1436
9	P Larbaletstier	Colchester	1441
10	P Cranmer	Colchester	1440
11	A Judd	Mid-Thames	1449
12	R DeLaRue	Colchester	1444
13	G Foster	Stallord	1437
14	D Newman	Stade	1444
15	C Barden	Chelmsford	1556
16	R Whitley	Chelmsford	1557
17	P Cunningham	Colchester	1609
18	P Woollett	Dartford Heath	1628

Two teams failed to find either transmitter, G Whenham and A Collett qualify for the National Final

## 144MHz Low Power Contest results

Once again a very popular and well supported contest, although entries were slightly down on previous years. Log-keeping standards varied from excellent to very poor, points being lost by careless errors in call signs, suffixes and serial numbers, especially when 56 to 59 signals were claimed. In general this did not impact overall positions but can be costly with county/country multiplier contests.

There may be a need to standardise on county/country claim format to help first-time contestants, of which there were several, as well as the adjudicators. Conditions were regarded as average although analysis indicated substantial activity from EI/GI/GD/GM/GU/GJ/GW/GI/FON/PA and DL areas. Maybe stations did not spend time listening for the weaker signals? Several portable station acknowledged chosen site limitations in specific directions both due to topography and prevailing weather conditions.

Congratulations and certificates to winners: G3 XBY, single operator; GM0CLN/P, Galloway Contest Group; as well as to runners-up G4SIV, Five Bells Contest Group, and GW4GFX/P, Sheppy Outcasts Contest Group. Honours in the Listener Section go to BR525429, GB4GD (G8TFI) and G8XTV are thanked for check logs.

GBH/HI

SECTION F - FIXED STATIONS						
Posn	Call sign	Points	QSOs	Mult	County	Best dx Km
1	G3XBY	135,198	287	74	WKS	GM3TSL 542
2	G4SIV	124,542	227	51	LCN	DF6VK 835
3	G4HGI	103,672	246	61	MSY	ON1CAK 539
4	G6IAT	100,107	219	63	BFD	EL2VPX 631
5	GW4VEQ	89,907	143	89	GDD	GM4ZUK/P 426
6	G1TRS	86,028	217	67	HWR	GM4ZUK/P 518
7	G3JXN	82,824	227	59	LDN	GM6CQX 529
8	GBHKM	72,928	184	53	ESX	GM8AAP/P 563
9	G3NAO	68,139	190	67	BRK	DL2OM 515
10	G6LOH	67,344	204	81	NHM	GM4ZUK/P 545
11	G6ERE	51,822	166	53	BFD	GM1FML/P 493
12	G6HAS	51,272	162	58	WLT	GM0CLN/P 387
13	G3YDY	49,860	146	45	ESX	DL2OM 510
14	G2BSJ	49,533	149	57	BKS	EL2VPX 599
15	G6FRE	45,430	136	55	CHS	G0CCLP 374
16	G4LAD	41,128	108	53	YSW	ON1CAK 513
17	G4FJK	39,900	130	57	NHM	GM4ZUK/P 534
18	G0FCV	29,920	112	44	BKS	GM0CLN/P 451
19	G4TDL	28,395	128	45	BRK	DL2OM 585
20	GBHLL	27,965	92	47	CHS	GM4ZUK/P 416
21	G0GGV	22,356	104	46	BRK	G1JUX/P 433
22	GW3POM	22,140	88	41	GNM	G4SWX 324
23	G4DFI	22,095	99	41	LDN	G10HYD/P 553
24	G1DNG	20,768	81	44	AVN	FC1LJA 375
25	G4CWX	20,444	107	38	KNT	EL2FNP 465
26	GBMKD	17,595	81	45	WM	GM4ZUK/P 497
27	G4TVI	16,536	78	26	ESX	DF6VK 519
28	G1HSK	16,512	62	43	YSN	GM8AAP/P 359
29	G0EGX	16,344	74	36	ESX	EL2FNP 485
30	G4KIS	15,890	44	35	ATM	G3EFX/P 593
31	GBBBC	15,804	118	36	LDN	GB4GD 414
32	G0DNJ	13,498	85	34	BKS	GM0CLN/P 419
33	G6CKU	11,988	52	37	DYS	GM4ZUK/P 418
34	G4FOH	10,730	48	37	CBE	EL2FNP 420
35	G4PDP	10,574	61	34	BFD	GB4GD 354
36	G1LYQ	9,824	68	32	BKS	ON1KIE 354
37	G4YFN	9,888	74	26	BRK	ON1KNT 464
38	G0BOP	8,526	38	29	CVE	G4ADVP 491
39	G4XQW	8,415	53	33	HWR	GM0CLN/P 305
40	G8TJZ	4,800	30	25	LNH	G4ADVP 397
41	G1SJK	4,178	31	24	WLT	GM0CLN/P 410
42	G1AMX	2,171	17	18	NLD	GW4GFX/P 388
43	G0HGA	1,504	36	16	HFD	G4GHI 243
44	G3JJZ	533	15	13	LDN	GW4GFX/P 220
45	G4AGQ	152	11	6	SRY	G0HAX 81

SECTION G ALL OTHER STATIONS						
Posn	Call sign	Points	QSOs	Mult	County	Best dx Km
1	GM0CLN/P	249,508	292	76	DGL	G1DJA 538
2	GW4GFX/P	218,304	328	72	GWT	DL2OM 748
3	GBLNC/P	175,549	308	76	HPH	GM3TSL 691
4	GW0CDA/P	153,024	311	64	CWD	ON1KNT 652
5	GW4ALG/P	148,104	278	72	GWT	GM4ZUK/P 560
6	G3ZME/P	143,412	307	68	SPE	DL2OM 733
7	G4ADVP	143,040	199	64	CNL	GM4ZUK/P 713
8	G0CLP/P	140,678	253	62	CBA	G0GDL/P 482
9	G3EFX/P	138,420	281	60	SXE	H89AEN/P 658
10	G1JXX/P	118,606	184	37	NLD	G0GDL/P 813
11	G4TAL/P	114,125	181	55	ATM	G4YST 611
12	GM4ZUK/P	110,884	133	59	GRN	G4ADVP 713
13	G4KZY/P	104,328	242	69	SPE	ON1CAK 518
14	G1DVU/P	101,745	226	63	SKW	EL4VBM/P 659
15	G4APD/P	98,480	221	72	NHM	FD1FHI 574
16	G6PPD/P	93,310	173	62	TWR	G1TE 556
17	G4WAR/P	84,280	233	56	LEC	ON1KNT 504
18	G6LKB/P	66,444	160	49	CBA	GU3EJL 500
19	G1DWQ/P	66,316	160	59	DOR	G1JXX/P 514
20	G1WOP/P	48,093	190	51	SKW	EL2FNP 488
21	G6ZZZ/P	47,196	188	57	NHM	GM4ZUK/P 525
22	G1ELC/P	46,928	134	56	LNH	EL2VPX 450
23	G1VEN/P	44,361	150	53	SPE	...
24	G6VAT/P	44,304	152	52	HWR	GM4ZUK/P 500
25	G6SPS/P	34,470	110	45	ESX	GM0HNP/P 484
26	G1KGR/P	34,068	128	51	MCH	GM4ZUK/P 376
27	G3VEF/P	33,700	119	50	HMP	G1JXX/P 480
28	GW0FKN/P	33,150	111	39	FWS	GM1FML/P 523
29	GM6VGB/P	32,542	82	53	CNT	G4ADVP 619
30	G0COP/P	32,338	131	46	YSW	G6LFNP/P 405
31	G8YYB/A	30,774	129	45	LDN	G4OPH 483
32	G1CRH/P	23,715	65	45	CBE	GM1FML/P 523
33	GM1FML/P	22,067	50	39	SCO	GBLNC/P 583
34	G10HYD/P	15,037	41	31	ATM	G4DFI 564
35	G6JFP	14,196	72	39	NHM	GM8AAP/P 467
36	G4SLH/P	12,648	91	31	ESX	G4ADVP 374
37	G10NBW/P	6,048	28	24	LDR	G1CRH/P 491

SECTION SWL LISTENERS						
Posn	Station	Points	QSOs	Mult	County	Best dx Km
1	BR525429	27,264	96	48	YSN	G4ADVP 429
2	BR531976	20,330	92	40	ESX	G4OPH 522
3	BR528198	3,213	25	21	SXE	GB4GD 490

## First 1.8MHz Contest 1988 rules

- The general rules for RSGB hf contests, as published in the "Operating Guide" supplement. *Rad Com* January 1988, will apply.
- Date and time. 2100gmt Saturday 13 February to 0100gmt Sunday 14 February 1988.
- Sections. Single-operator entries only. British Isles entrants must be members of RSGB. (a) British Isles. (b) Overseas (including EI).
- Band and mode. 2100gmt Saturday 13 February to 1100gmt Sunday 14 February 1988.
- Exchange. RST plus serial number started 001. British Isles stations must also give their county code as shown in the "Operating Guide".
- Scoring.
  - British Isles Section: three points for each completed contact, with a bonus of five points for the first contact with each British Isles county and for the first contact with each country outside the British Isles.
  - Overseas Section: three points for a contact with a station in the British Isles (not EI), with a bonus of five points for the first contact with each British Isles country.
- Documentation. Logs to be headed; date/gmt; call sign; RST/number sent; RST/number received; code received; bonus; points. Duplicates must be clearly marked without claim for points. Unmarked duplicates will be penalized at the rate of 11 times number of points claimed, and logs containing more than five unmarked duplicates, for which points have been claimed, would normally result in disqualification. Each entry must be accompanied by a cover sheet and the following signed declaration: "I declare that this station was operated strictly in accordance with the rules and spirit of the contest and agree that the decision of the Council of the RSGB shall be final in all cases of dispute".
- Name and address for entries. Address logs to "HF Contest Committee" as follows: British Isles entrants to J C Burbanks, G3SJJ, "Southlands", 16 Colgrave Road, Plumtree, Nottingham NG12 5NX. Overseas entrants to PO Box 73, Lichfield, Staffs WS13 6UJ, England.
- Date for entries. Logs must be postmarked not later than 15 days after the end of the contest.
- Awards
  - The Somerset Trophy will be awarded to the winning station in the British Isles Section, and certificates of merit to second and third placed entrants.
  - The Maitland Trophy will be awarded to the Scottish entrant with the highest aggregate number of points in this contest combined with the Second 1.8MHz Contest 1987.
  - Certificates of merit will be sent to the first three stations in the overseas section.
  - A certificate of merit will be awarded to the highest placed log from an entrant who has not previously entered any RSGB hf contest. Candidates for this award should mark their entry "First-Time Award".
- Receiving Section
  - Transmitting Section rules 1,2,3,4,5,6,7,8,9 will apply.
  - A station may appear only once in the column headed "Station heard". The call signs of the station being worked may only repeat once in every three contacts logged. Logs to be headed: date/time gmt; call sign of station heard; RST/serial number/county code sent by that station; call sign of station being worked.
  - Certificates of merit will be awarded to the leading three entrants.
  - Holders of UK Class B licences may enter the receiving section.

## Ropoco 2 Contest results

A team of HF Contest Committee members met in London to mark the Ropoco 2 Logs, as G4DJX was unable to do so. This was necessary in order to have the results ready for the HF Convention and the presentation of trophies.

All except four logs had errors: many of the problems occurring in transcription. The most popular mistakes were as usual, the confusing of zeros with Os. It must be remembered that in this contest when sending the postal code, full and not shortened forms of digits should be sent; eg, 9 should not be sent as N and 0 should not be sent as T or O. From comments noted on entries, the Ropoco contests are much enjoyed, not only because they are a test of one's skill in copying cw, but also because of the amusement caused as the postal codes change in the time honoured fashion of "Chinese whispers".

Congratulations to Alan, G4DJX, who wins the G3XTJ Memorial Trophy for the highest-scoring accurate log, and to Derek, G4BWP, who made the most contacts against all odds!

All Ropoco addicts please note that next year there will also be a trophy for Ropoco 1. G4JKS

Posn	Call sign	Claimed Score	Checked Score	Posn	Call sign	Claimed Score	Checked Score
1	G4BWP**	730	724	24	G3JJZ	410	400
2	GW3YDX**	710	704	25	G3SOX	400	397
3	G6EOW**	700	665	26	GM3RAO	410	388
4	G4WQN	650	641	27	G4HSD	400	384
5	G3JJJ	620	617	28	G3HJF	380	374
6	G4DJX*†	600	600	29	G3DPX	460	370
7	G3JKS	600	597	30	G3MCX	360	357
8	G3OLU	610	595	31	G3HKO	350	344
9	G4OGB	600	590	32	GW3SB	340	337
10	G3LET	600	588	33	G3AWR	340	337
11	G4QUT	590	584	34	G3GLL	350	331
12	G3NOM	590	584	35	GM3UM*	320	320
13	G4BUO	580	568	36	G4KLO*	320	320
14	G4SND	560	551	37	G3JSK	350	306
15	G3SWH	560	535	38	G4FUI	300	300
16	G4HZV	550	534	39	G3GMS	300	297
17	G4KWI	520	514	40	G0CGS	300	287
18	G3RZP	490	487	41	G3GMM	290	284
19	G4WZV	480	452	42	G3YLC	290	274
20	G4PKU	450	447	43	G3JMR	290	264
22	G4WYG	450	447	44	G4ZME	250	247
23	G3BWH/A	440	428	45	G0EBV	210	207
			418	46	G3DOT	190	177

\*Accurate logs. \*\*Certificate. †Trophy  
Check logs with thanks from G4UOL, G3WRR.

## Contests Calendar

### RSGB NF CONTESTS

Nov-Dec 1988	28MHz Phone Cumulative (Rules in July issue)
Jen	1-8, 3-5 and 7MHz Cumulative (Rules in October issue)
10 Jan	AFS
6,7 Feb	7MHz Phone (Rules in October issue)
13, 14 Feb	First 1-8MHz
27, 28 Feb	7MHz CW (Rules in October issue) (Note new dates)
12, 13 Mar	Commonwealth
19 Mar	Town & County
3 Apr	Popoco 1
17 Apr	Low Power Fixed
15 May	Region Round-up
4, 5 Jun	NFD (IARU CW)
25, 26 Jun	Summer 1-8MHz
9, 10 Jul	SWL
17 Jul	Low Power FD
7 Aug	Hopscotch
28 Aug	Popoco 2
3, 4 Sep	SSB FD
Sep-Oct	28MHz Cumulative CW
9 Oct	21/28MHz SSB
16 Oct	21MHz CW
12, 13 Nov	Second 1-8MHz
Nov-Dec	28MHz Cumulative Phone

### RSGB VHF CONTESTS

3 Dec	1-2-3GHz Cumulative (Rules in August issue)
6 Dec	144MHz Fixed & AFS (Rules in November issue)
11 Dec	432MHz Cumulative (Rules in August issue)
13 Dec	70MHz CW (Rules in November issue)
19 Dec 1988	1-3/2-3GHz Cumulative (Rules in August issue)
31 Jan	70MHz Cumulative
7 Feb	144MHz CW
14 Feb	70MHz Cumulative
21 Feb	432MHz Fixed & AFS & SWL
28 Feb	70MHz Cumulative
5, 6 Mar	144/432MHz & SWL
13 Mar	70MHz Cumulative
27 Mar	70MHz Cumulative
2 Apr	50MHz Fixed
3 Apr	70MHz Fixed
9, 10 Apr	144MHz & SWL
17 Apr	10GHz Cumulative
7, 8 May	432MHz-24GHz
15 May	10GHz Cumulative
29 May	432MHz Trophy & SWL
12 Jun	432 MHz FM
19 Jun	10GHz Cumulative
2, 3 Jul	Jubilee VHF NFD
10 Jul	10GHz Cumulative
30 Jul	144MHz Low Power & SWL
31 Jul	432MHz Low Power & SWL
7 Aug	10GHz Cumulative
14 Aug	1-296MHz Trophy & 2320MHz Trophy
3, 4 Sep	144MHz Trophy/IARU VHF & SWL
11 Sept	10GHz Cumulative
18 Sept	70MHz Trophy & SWL
1, 2 Oct	432MHz-24GHz/IARU UHF/SHF
6 Oct	432MHz Cumulative
14 Oct	1-3/2-3GHz Cumulative
22 Oct	432MHz Cumulative
23 Oct	50MHz Trophy
30 Oct	1-3/2-3GHz Cumulative
5, 6 Nov	144MHz CW
7 Nov	432MHz Cumulative
15 Nov	1-3/2-3GHz Cumulative
23 Nov	432MHz Cumulative
1 Dec	1-3/2-3GHz Cumulative
4 Dec	144MHz Fixed & AFS & SWL
9 Dec	432MHz Cumulative
17 Dec	1-3/2-3GHz Cumulative

### OTNER CONTESTS

4-6 Dec 1988	ARRL 160m (Rules in December HF)
Jen-Dec	UBA SWL (Rules in December HF)
1 Jan	Happy New Year (Rules in December HF)
9, 10 Jan	YUOM Midwinter (Rules in December HF)
16, 17 Jan	AGCW-DL Winter (Rules in December QRP)
16, 17 Jan	Michigan QRP Club (Rules in December QRP)

The Mid-Thames RDF Club, responsible for organising the event, decided to use the Bristol and Bath map as no competitors lived in the area.

At 1250bst good signals were heard from all three transmitters and competitors departed at 1300bst in a spectacular cloud of dust.

Station A G4MD F/P, manned by Bud Mepham and his xyl, was situated in a small wood near to the canal aqueduct at Dunda, five miles southeast of Bath. A superbly camouflaged site was constructed in the undergrowth and a dummy antenna was erected about a quarter of a mile away near to where the aqueduct crossed over railway line and the river Avon. Several teams were deceived by this ploy, losing them vital minutes.

Station B, 17 miles from the start, operated by Paul Kelly, G3SDH, and Steve Redway, G4TRA, was in a cave high in the overgrown side of a long disused quarry at Compton Martin. The site was planned to be the most difficult of the three locations, but such are the peculiarities of hi-dl, that the teams managed to locate Paul and Steve but not without picking up several bruises as they struggled up, and in a few cases fell down, the slippery, wet, rock strewn slopes. Paul and Steve, never having been involved in real dl before, had the time of their lives as they witnessed the effort and colourful language employed by the contestants in their struggles to reach the hidden transmitter.

Station C, was located 14 miles from the start in a wooded valley near Flax Bourton. Manned by Ron Ray, G3NCL, and Min Standon, G1PSY, the site was high up the side of the valley on a ledge on a well-overgrown cliff. The antenna was strung right across the valley and turned through 90° to run along the path through the gorge. The radiation pattern appeared to indicate that the transmitter was on the opposite side of the valley and some of the most experienced teams thrashed about, at the wrong end of an antenna they could not see, convinced the transmitter was only a few feet away. This station proved to be the most difficult one to find.

After the event 62 persons enjoyed an excellent tea at the Family Feeder on the A46 where Willie McClintock, immediate past-President of the RSGB, presented the National Final Trophy and the High Wycombe Cup to the winner, Alan Simmons, G1THD. A special prize was presented to Mrs Christine Bristow as the first lady in a team taking part.

Willie McClintock thanked the organisers for a first-class contest. He had visited each site and marvelled that eight of the teams had managed to find all three within the allotted time. He expressed the hope that such an exciting sport would spread to other parts of the UK to become truly national instead of being mainly confined to southern England.

Eric Mollart, national df organiser, replied that he was pleased to announce that, after a break of some 17 years, Grimsby Radio Society had volunteered to run a qualifying event in 1988 and furthermore, some interest was being shown in parts of Scotland — Ayrshire in particular.

Posn	Name	Club	Time of arrival		
			Stn A	Stn B	Stn C
1	A Simmons	Mid-Thames	1419	1512	1604
2	C Wells	S Manchester	1408	1446	1618
3	B Bristow	Mid-Thames	1426	1511	1619
4	P Lisle	Mid-Thames	1421	1526	1620
5	I Butson	Colchester	1429	1521	1621
6	A Collett	Derford Heath	1417	1525	1625
7	G Whenham	Coventry	1428	1521	1626
8	M Hawkins	Chelmsford	1427	1536	—
9	D Holland	S Manchester	1405	1515	—
10	D Newman	Northampton	1407	1520	—
11	B Poole	Mid-Thames	1409	1536	—
12	A Marbon	Mid-Thames	1434	1537	—
13	P Ladbatesford	Devizes	1442	1617	—
14	C Plummer	Mid-Thames	1436	1620	—
15	G Taylor	Aerial	1442	1625	—
16	C Metcalfe	Mid-Thames	1452	—	—
17	A Judd	Mid-Thames	1536	—	—



Alan Simmons (G1THD) winner of the national df final receives the 1980 Council Trophy from Willie McClintock, G3VPI, immediate past-President of the RSGB

## South Manchester Quad Night DF

Date: 12 March 1988.

Map: OS 109 1:5000 series, Manchester.

Start: Sale Moor Community Centre, Norris Road, Sale NGR 798909.

Assembly: At 1900 GMT, for first transmission at 1920 GMT.

Any competitors requiring supper, after the event, should advise Mr D. Holland, 32 Woodville Drive, Sale, Cheshire, M33 1NF. Tel: 061 973 1837 (Home) 061 224 5650 (Office) at the number in their party, by 7 March 1988.

## National Final DF Event 1987 results

The late summer sun shone warmly at Tog Hill near Bath on the morning of Sunday 20 September 1987 to greet the 17 top amateur hi-dl experts in Great Britain gathered together to compete for the RSGB National Final Trophy.

The welcome sunshine was in marked contrast to the heavy and persistent rainfall of the previous day when the organiser, Trevor Gage, G1MPJ, aided by Colin Boyce, G4XWP, strung out copious lengths of fine wire for antennas at the three sites carefully selected to test the cream of the country's dl men to the full.



# Members' Ads

The Conditions of Acceptance are published below the Member's Ad form circulated with every issue of *Radio Communication*.

The current rate is £2.30 for 40 words or less; advertisements containing more than 40 words will cost an additional £2.30 for every additional 40 or less words. Each advertisement must be accompanied by the correct remittance, either as a cheque or postal order made payable to Radio Society of Great Britain.

## FOR SALE.....

FT290R NICAOS CHGR, mulek, psu, vgc, case/mle £240  
CABO, QTHR Rotherham, tel: 0709 379 095 daytime or  
evenings altar 10pm.

PRISLINE FT1018, double-balanced mixer, cw 11lter, m/c, manual, G3LL clipper, spare valves etc, £325  
TS510 h1 tcvr, psu, alc, manuals, spare valves, naods attn, honco only £99; Turner mle £10.  
WANTED: Atlas tcvr. CAILA, QTHR, tel: Lynn 2388.

COLLINS, S-LINE, 325-1 tx, 516F2 psu, 755-3 rx, cw filter, 31284 control unit comprising: spkr, wattmeter, phone patch, dcsk/mic, leads, manuals, some spare valves, separates or transceiver, ex condx and appearance, buyer collects, £750, G3SPJ, QTHR, tel: 01-311 8405 evenings.

TRIO 9130 In ex condx and e/w orig accessories and pkg, 25W mobile or home use £365ono. No time wasters please. G6JNS, QTHR, tel: 0905 620041 and leave a message 11 am out.

ICOM IC120 23cm/1m Incl Yagi £250; Hitachi GP40 colour video camera £50; H4L432/50 11lter £95; marine scanner £45; slg/R357 handheld airband £25; CTE767 10m 11lter £30; JVC GRC1 camcorder Incl tapes £350, Jim, C4XRU, QTHR, tel: 0903 690415.

COLLINS KWM2A £450; 30LI £500; various rare accessories Incl dly r/out, Collins mics, etc. C14NZ, QTHR, tel: 0266 880740 evenings.

HANDHELDS 2m YAESU FT207 Nela/chgr, Yaesu FT208 NCB/chgr, Yaesu FT202 6-chann, Belcom LS20XE chgr, Edystone rx 640 1.5-31MHz, TC512 tx/rx str, rx Army R209 Icom IC2E extras. G4OFO tel: 01-949 2317

FT2700RH DUAL-BAND FULL Duplex with voice unit, FV51 duplexer HS770 and Heathor11to h/phone/mic, fully wired, mint £400ono. Also several Multi/U11 and IC215, £80-£120 depending on what state you want. Many available. C4MHF, QTHR, tel: 0473 51319

FREE 512 BASE QUICK CHGR value £35 11 you buy both my Trio handhds: 1R2500 2m £185, 1R3500 70cm £200, Both e/w standard slow chgrs; SHC25 spkr/mic £15, All gd condx, Derek, tel: 0689 31028 7pm-9pm.

AR240 2m SYNTHESISED HANDHELD £120; Icom MB0 vhl marine tcvr £220; lax machines, Plessey K0111 £25ea, C4GJN, Taunton, tel: 0823 279169.

IC215 2m/FM PORTABLE TCVR, 15-chann with nlcads and chgr, orig pkg, little used £119ono. C8LHQ, QTHR, tel: 01-735 0762.

TOWER AND ANTENNA FARM, Westover 3 h/duty, 28-58ft plus extension masts to 87ft, ralse and tilt winches, 2x16-ale 2m/10mna with hl-pwr phase splitter, 9-ale crossed 2m/10mna, 19-ale crossed 50cm/10mna, Ringo Ranger 11, Emoto 1102HXX h/duty rotator and controller, plus elevating 144MHz, 185m of low-loss leaders. Total cost new over £1250. Bargain at £600ono. Transport arranged extra. C6BZE, QTHR, tel: 0953 B60666.

NOVEL COLOUR MONITOR, accepts RGB or composite 1/p metal casod (slightly scratched) £200; Creed 444 taloprinter (no tape punch or tape reader fitted), gd condx £30; Pye 6w 14in portable tv, Ideal ltr use with text work with computer £30; wooden table on wheels, suitable for tv/video or comp/mon £30; four Moonraker joysticks for use with Commodore computers, brand new £3ea; old RSCB callbooks, various years £2ea, G4KZZ, QTHR Conventry, tel: 0203 444160.

FT290R PLUS, muTek, nlcads, chgr, fist/mic, Yaesu headst with boom/mic, telescopic rubber duck, S/B mobile whip, all lmcad, £299. Buyer collects. G3WRD, QTHR Harlow, tel: 0279 30609.

YAESU FT101E, mint condx, cw 11lter fitted, spare valves, matching spkr, manual, leads, mobile operation, £380ono. Preior buyer collect, G3UTF, QTHR, tel: Chesterfield 851417.

HATELY DIPLOLE OF DELIGHT, 7 and 21MHz, £9. Cone 00 multiband. G5KCC, QTHR.

1A33JR, KAISUMI electronic keyer EK150, Super 3500 frontier electronic, hl 11lter, Late G6IF, G2DR1, QTHR, tel: 0494 814240.

IC02E, CASED SINCE NEW, spkr/mic, mobile headst +switching, spare wlead cases £220; FT209R(4), PA3 mobile headst GSC-10, all as new, £210. Boxes for both rigs post extra. C4LH, QTHR, tel: 0375 674301 night or 385810 daytime.

VINTAGE 78s COLUMBIA morse code tuition records. Beginners to 18wpm on 4 records. 7wpm to 13wpm on 2 records. Not junk! lmcad as new condx, audio superb. Optional 4-speed player with 78 stylus. Offers to CEC, tel: 0827 712348.

SILENT KEY SALE: FT757GX, all-mode; FP757HD, psu; FTV707 tcvr; FC707 aut tuner. Used for a few months only. Reasonable offers please. L G Jones, C8JLU, tel: 0785 812916.

HF LINEAR AMFRIRON AL64, now surplus to requirements; Yagi 4m met antenna S-ala 11lter £350ono antenna £30ono. Cash only. C4CIM, QTHR, tel: 01-304 8975.

TV SONY 12in PORTABLE 11 OUK b&w, little used, Ideal for computers £42; atu Ancom 200, as new never used £17; 2 tv Forrantel Baird, ply-in-poko, uselul components, take away. C4ION, QTHR Wembley, tel: 01-902 4732.

FT290R, NICAOS, CHGR, case, r/duck, h/set, H4144/30LS £350; FRG7700, FRV7700, FR17700 £300; 070-tutor £32; 2m/8-ale Yagi £5; G00 £35; 2m valve linear £25; dosk/mic £30; H8bcv £4; morse osc 11lter with key £8; 2m/preamp £3. Soery no phona. Eddla, C1HAY, QTHR.

TEI HB35C 5-ELE TRIBANDER, as new £180 or exch for 3-ale tribander and cash adjust. WANTED: 50W 11lter with preamp for 5m. G1000, Walsall, tel: 0922 640861.

YAESU FRC965 (Japanese version of FRC9600) 60-950MHz scanner, with psu and h/book, rx condx, orig pkg £360. Peter, G8SCF, tel: Cambridge 350554

SILENT KEY SALE. In four lots: 1S120/E-Zee Match key £430; FRC7 rx £120; 1R2300/VB2300 amp/pwr meter/colinear £180. Above three lots in super condx. Also Cedar top-band tx and sop rx £60. Tel: 01-807 5100 lor appt.

CRFED TYPES4 TELEPRINTER with Integral tape-punch and silence cover; also Creed Type65 tapo-reader, gwo, c/w some paper-tape rolls. £25ono the pair, buyer collects. C8CLW, QTHR, tel: 01-979 5304.

YAFSU FT901DM amp/1m Incl external vfo 4spkr £750; HF5U +radial kit £120; new Daiwa NS660 1.5kW pep mtr £90; Saeo SPC300 atu £120. Phil, tel: 0642 580536.

DAIWA DR7500X ROTATOR, med/duty, preset controller vgc £80; Datong r1 speech clipper module £15; Polaroid image system camera with 11lter etc, as new, used once only, still under guarantee £85ono. Tel: 01-578 4484 alter 6pm.

TRIO 711E 2m MULTIMODE BASE TCVR, mint condx, practically unused, bought new from Lowes, boxed with instrs etc, list £940, sale £695. G2FZU, QTHR Hotts, tel: Southwell 813847.

TRIO 711E 70cm MULTIMODE ICVR, mint condx, practically unused, bought new from Lowes, boxed with instrs as purchased, list £1094, sale £800; H8W48/70 48-ale Jaybeam antenna loc to purchaser. C2FZU, QTHR Hotts, tel: Southwell 813847.

SPFGIRUM 48K COMPUTER, 1/1ace1, 1/face2, 2xmicrodrives £120; 20xmicrodrive cartridges

2xmicrodrives £120; 20xmicrodrive cartridges 75p/ea; ZX printer, naods attn, £10; 4xrolls ZX/printer-paper £1.50ea; 2xbooks: "Spectrum Programmer", "Making most of Microdrive" £7.50; Datong antanno A0370 £45; Jaybeam antenna 8Y2H £5. G2FCA, QTHR, tel: 0908 613523.

SCOPES: 2 CD1400, one wkg £60, one naods attn £45; manual also available, one lockman dual-chann Cltart redr, will hagglo, carr at cost or buyer collects. Hiko, tel: 0202 432506.

YAESU F1107M, solidstate 160-10m hf tcvr, ex condx has built-in psu for mains or 12V/dc operation, built-in swr metr, APF/notch, 1.F width etc, boxed with manual and Yaesu hand/mle £435 Incl free delivery UK. Tel: 0476 77708.

YAESU FT690R Mk1, c/w nlcads, carrying case and test SO-61 antenna. Mint condx due to little use £270ono. Murray, GDFXU, tel: 01-581 1477 extn 257 9am-4.30pm

IC260E 2m MULTIMODE ICVR with ICH110 scanning/mic and mulek preamp plus mobile mount, unused, £260. Moving to hl, Davc, G0EF8, QTHR S/E London, tel: 01-311 1544.

ICOM 720A WITH JCP515 psu, mint, rarely used, receive only, £625ono. WANTED: Can anybody assist with rapals to Grundig satolitta 3400 (have service manual). Phil, C1CMN, tel: lamworth 60098 or 01-993 4946.

TRIO TS940S, mint condx, less than 10hrs use, orig boxes, manual £1600; 1V5025 Kenwood 2m tcvr, used with TS520/15820, as new £95; TS430S fm board, cw 11lter with manual, boxed £650. Fred, C3KSC, QTHR Surrey, tel: 0293 773545.

YAESU FT757GX HF ICVR and FC757AI auto atu, both used very little, £850 the pair. Tel: 01-514 5998 anytime.

YAESU FT290MK2 CHGR, case, halical, never used so as new. Bought to restart hobby but never found time due to work. Only £350, no offers. G6LIP, QTHR, tel: 0206 224308 evenings.

TRIO 2300, gd condx, mobile carrier for 2300 Allenco linear ELH 230, the lot £115; Katsumi electronic keyer model EK150, ex condx £70. Johnny Tel: 0427 5266.

MINIBEAM C4H91, 1n rx condx with spare spokes £40. CALNE, tel: 0706 873839.

F1102, FC102, Datong speech precessor, YH38/mic, H41BB/mic, brass key, elec/keyer, psu, Codemaster decoder, Daiwa active 11lter, monitor screen, SSIE scope, dip/meter, dummy load, balun, various lengths coax, trap dipole. All in gd order, £1200. G4KHY, QTHR, tel: 0759 71022.

YAESU FC902 £100; part-built hl 11lter 4Cx250B £100; 10m multimodr £100; 300W ew tx 10-80 £30; lambic keyer £30; Z-match atu £20; G2DYM ant 10-160 £35; Amort rty stc wth tu Dragon 64 £120. Tel: 09856 274 anytime.

F110120, FH, Hk3, lan, m/c, manual, ex condx £450 ono. C10FL, QTHR, tel: 0474 69225.

SHACK CLEAROUT: 1TL, 74LS-83, 95, 161, 192, 194, 290, 366, 74S-74, 112 all at 35p; voltage regulators 78M05HC, 78L12AHC at 25p; op-amp/comparators CA339, CA3080E, CA3130E, NE529, UA733, all at 40p; LF355H, LM318P at 75p; PLL/modulators CA3039, CA3146E, HC1456P all at 50p KC404AP at £1.50. Many other types available - see lor lists. Bulk order discounts welcome. Help I need the space. G8KSN, 10 Shakspeare Gdns, Gorr, Farnborough, Hants GU14 9OT, tel: 0252 540558

ALL ITEMS IN FIRST CLASS CONDX UNLESS OTHERWISE STATED. Collins/Ameico R390A communications rx 500kHz to 32MHz in 32 bands, 4 mechanical filters, digital r/out to 100kHz, etc £325; Icom IC290E 2m multimode with mains psu/spkr unit £250; Wayne Kerr wide-range pulse generator type CT500, solidstate, ex-Govt £5; two Solartren laboratory

digital multimeters with service manuals, one requiring attn, Cost £8000+, £20 pr; SIC freq standard rx, solidstate, wkg but no info, £5; Collins 51J-4 communications rx, 500kHz to 30.5MHz in 30 bands, full complement of mechanical filters orig cabinet, £325; Ikegami b/w camera, C-mount built-in monitor, separate video & baseband rf o/p, internal or external sync internal mains psu manual £75; Microvitec uncased 14in RCB monitor, wkg but shabby £25; Revco R2000 scanner, specfically modified by "Timestep" for weather satellite reception, boxed and as new £150; Philips CM6001 multi-range vtm £20. WANTED: Multirad image intensifier tube, 2 1/2" diameter, (or larger), refractor telescope, 6in (or larger), Battleship binoculars. Add on ROM board for POCOM decoder. Pate, C30JR, 190 Victoria Avenue, Hull HU5 30Y, tel: 0482 43353 anytime.

TRIO IR-7800 with orig box and in mint condx, never used mobile £190 cash. WANTED: Daiwa CN620 in mint condx, reasonable price for OAP. C30YX, OTHR Hotts.

KENWOOD 1R-9130, pristine condx, boxed, mic, mobile mount etc £360; HI-mount HK708 key £15; Datong D70 tntor £35; MEI 70cm pwr splitter £15. C03JM, Reigate, tel: 0737 240815.

ICOM 290E 10W multimode E300; BNOS linear amp LPM 144-10-100 £140; 17-ale Tonna £40. All in vgc. WANTED: IC240 or similar for mobile wkg fm only. C4ECB, OTHR, tel: 0723 362537 evenings.

ICOM IC-471E 70cm multimode base stn, boxed with manual, ex condx £575; Jaybeam 16ft portable mast c/w guy wires £12 plus postage. tel: 01-590 5490 please ask for Martin.

HERNIA-1MOUNCING TXFMR, 500A 6V, 250A 12V or 125A 24V £45. Various electric motors and valves. C410Y OTHR.

PORTABLE 16ft MAST £101; HFSR radio kit £15. C4CNG OTHR, tel: 0532 608609.

YAESU FT-209RH c/w h/book FMB4 and chgr, spkr/mic, 1/8, 1/4 and 3/8 wave antenna, 5/8 magmount mobile whip, PA-3 car adaptor chgr, little used, £250. C4WAP, OTHR, tel: Guernsey 22914.

VHS PORTABLE VIDEO SYSTEM comprising camera, rcdr with leather shoulder carrying case, 12-chann tv tuner and chgr, two new rechargeable batteries and all connecting leads, little used, hence sell £300 or exch gd computer kit. Tel: 051-648 4240 after 6pm.

KANTRONICS KPC-2 pkt communicator 2 with manual, new, boxed, unwanted gift £100. C3Z2Y, tel: 0600 2358 after 6pm.

FDK725X 2m/fm mobile, 30W variable, dual-vfo, 12.5-25kHz steps, 144-148MHz, scanning Heatherlite mobile sofaty/mic, 5/8+8/8 whips with gutter-mount ideal mobile set-up, lack of use forces sale £155 ono. C0ANC, tel: 01-247 6097 daytime only.

KENWOOD AT200 atu swr, sult 15520, 15830 etc, gd condx £100; elao 2in steel poles various lengths. C3JBU, OTHR Northampton, tel: 0604 401600.

1B3 Mk3 3-ELE 1RIBANDER new, 1BAVT 5-band, letost Konwood now TH21SE 2m handheld, freq counter hf vhf with probes LAR hf atu, or p/exch hf equlp or gd quality hf linoer. WHY? Tel: 051-625 2271.

PIONEER CAR MI-FI, KEX33 tuner cassette deck, separate GH120 amp, 120W, recently serviced, cost new £300, accept £120; Trio 1R8400 70cm fm mobile, gmo £160. C0AMP, OTHR, tel: 0482 651827 after 6pm.

YAESU FT757CX 1CVR plus FP757HO psu, plus FT757AT auto antenna tuner plus MH18A mic, 2yrs old, mint condx, as little used £1000ono. C0A1Z, OTHR, Bishops Cleeve, tel: 0279 724162.

DNT 10m/FM TX/RX, as new, performs well with circuit, Instrs £49; Microwave modules etc cvtr MMC435/600, first class condx £16. C3KZU, OTHR, Oxford, tel: 0865 63000.

YAESU FRG7700 gen/cov rx, 100kHz-30MHz with mem, FRT-7700 tuning unit, dc kit, manuals, mint condx, orig pkg £250. C0GEW, Blackpool, tel: 0253 61966.

YAESU FT767CX WITH 2m module and MDI desk/mic; all mint and in orig boxes, first £1450 scores. C3KJZ, OTHR, tel: 0383 417976 evenings only.

KDK FM2030 2m tx/rx with h/book £180; Yaesu FT101E hf tx/rx c/w h/book etc £285; Daiwa CN620A swr/pwr meter, 1.8-150MHz with pwr mod £55, all in mint condx end wkg ek. C3BFL, OTHR, tel: 0635 298492.

SCANNER RX Uniden Beercat UBC100XL handheld, mint condx, purchased new Sept this year, 16-chann, 9-band coverage, ac adaptor/battery chgr, niceds, etc, h/book, save on new price, £150. C4EJH, OTHR, Bristol, tel: 0272 623284 daytime or 843897 eves.

SWAN 100MX TCVR 100W ssb/cw solidstate £320; FC700

atu £100; 80m mobile C-whip with magmount £20, C3RV antenna £10. C0BRN, tel: 0272 719163.

HF LINEAR 2 Qy3 for ample e/p, fully metered and switched, little used, vgc, accept £100 from first caller (North Manchester). C41SD, OTHR, tel: 061-766 5265.

1AU SYSTEMS ATU, vgc £120ono. C4WDD, OTHR, tel: Serwick upon Tweed 82464.

PRINTER BROTHER HIT09, brand new, 100cps serial/parallel 1/faces, tractor feed, cost £276, accept £185. C3XSO, OTHR, tel: 02406 5234.

FT107H MEMORY MARC fm/cw/am filters FTV107R 70cm/2m/60V301 1.F unit etc, all manuals, boxes, gd condx £600ono or arch 2.5/3 modol traction engine part or complete. C4XOE, OTHR Herne Bay, tel: 0227361585.

SAVE £221. IC290M multimode tcvr, 25W o/p, 2yrs old mobile brkt and 7/8 ont +feeder, very little used £415ono; BNOS LPM T44/25/160 2m linear amp 10mths £220ono; BNOS FT46 L/U 2m low-pass filter, 1yr old £200ono. ATT in mint condx, going all hf. C4WDD, OTHR, tel: 0955 2328.

FIORIE YAESU PLUS ALL EXTRAS, fm keyer, noise blanker c/w narrow/wide filters, memory, boxed as new £999; atu TkW £125; two 1rlo handhats 2400 2m txs £1750. C41JS, OTHR, tel: 0925 64075.

108ES 4-125 BY EIMAC, unused, tasted, £60 pr plus psp. C0EEX, OTHR, tel: 0602 260818 anytime, but not after 8pm.

SUPERSTAR 2200: converted 10m, 28.400MHz-29.700MHz am-8W, fm-15W, ssb-15W, over 5-bands £300; Rotel RVC-240 converted cb/tx 10m £85; both sets perfect Robert, tel: 01-859 2649. To contact Charles/RA1BC Regarding rigs, must sell/not on phone. Charles is Invalld, RS54175, 554 Middle Park Ave, Eltham SE9 50S. NO OFFERS.

1R10 TS700S BASE 51H 2m/multimode tcvr, ex condx, boxed £360; Icom IC290M mobile 25W 2m/multimode tcvr, mint condx, boxed £350. NO offers. Prefer buyer inspects/collects if poss. C3BM, OTHR, tel: 0531 820960.

COLLINS R/E (1976), KWH2A 31285 S16F2 PM2 CC2 SH3 MH1, unused, offers? Would exch new Marconi H1540 with latest synth or solidstate linear by Rolco or SRA. C3YFK, tel: 0743 884858.

AVO MODEL 8 Mk3, probes, croc clips £60. Mark, CARGB, Medway, tel: 0634 30822.

70cm-2m CVTR incl satband £15; Chapman valve stereo amp ultralinear praamp tuner T5W pc, gmo £30; box valves, some prewar, £10. Carr extro. WANTED: 28-30MHz ssb rx or tuneable i.f strip or WHY? G8ATE, OTHR, tel: Leicester 392842.

YAESU FT726R fitted with 2m, 70cm, set, c/w YH48, MD1, owners and technical manuals £750ono, buyer collects. C6PMH, OTHR, tel: 01-236 8861.

YAESU FT708R 70cm tx/rx, hardly used, boxed as new c/w spkr/mic etc £159ono. Mike, C4LAP, OTHR, tel: 0403 790513.

QRO EQUIPMENT, tx/rx 1850-0-1850 2kW E35; good QY4-500 valves £30ea +bases and silver-plated anode lines for push-pull on 144MHz £25; 8T3 valves £75ea; also bases and heater tx/rx. C4IEV, tel: Ruislip 677000.

FT690R £200; 6m rf switched praamp £20; 6m Pye A300 35W linear £35; 6m 3-ale met antenna £20. Buyer collect/inspect/pay cash. C6ADL, OTHR, Kettering, tel: 0536 710004.

ATU .YAESU FC902 freq coverage 160m-10m max tx pwr 500W pep @ 50ohms, £130. C3NZY, OTHR, tel: 0904 470385.

KW2000E WITH PSU, vgc, recently serviced, plus spare valves £200. C0GLR, OTHR, tel: 051-608 7946 evenings.

HEATHKIT SB400 TX, spare valves, manual, £75; also Trio 2200GX fully xtalld chgr/mic/case £75. C4HNV OTHR, tel: 0964 622396.

TRIO R600 RX £220, buyer collects. C8WTY, OTHR, tel: Malvern 4968.

KW TEN-TEC OMNI C, MARC, all filters fitted, matching psu plus extras £600ono; VLF cvtr 10MHz 1.F £10; Hewlett terminal for spares, free. C4BJM, OTHR, tel: 0908 567362.

MOUTH-WATERING FT1 hf tcvr, fm board, sacrifice £1100; Daiwa atu CNW 419, never been used, £180. Tel: 091-416 6195.

YAESU FT23, latest handheld with two FNB10 nicads, chgr, belt clip, case, telwhip, headset/mic, dc/dc cvtr, ptt switchbox, MP821 mount. Total cost £345 few weeks ago, £275ono; FT290 £275; Oregon/

C4BMK/pnp modem £90. Paul, C4XIA, OTHR, tel: 09313 359.

FT726R C/W 2m/70cm and satellite board, 20A psu, KR500, HML432-100, 10W, Jaybeam S-ale XY 2m, Jaybeam 8-ale XY 70cm, £1300 the lot. Ken, C0GCH, Brocon, Powys, tel: 0874 2761.

SHACK CLEAROUT: Nema Clarke special purpose vhf rx 60-260MHz am/fm, £110; telequipment 067 25MHz doubte-beam scope with manual £95; HP626A X-band slg/gen £95; HRA318 pwr meter, totty, £20; HP415E swr meter £50; Bounten 1.2MHz rf millivoltmeter £40; Tektronix 115 spectrum analyser plug-in to 1MHz £75; Harcon inst 0 to 100dB 75R attenuator £20; AV08, totty £15; Aim65 computer 6502 based system with keyboard, display and printer £75; Midwest Scientific H516800 computer, 6800 based ss50 bus system with twin floppies, dos disks and all manuals £120; Ilex inst sllant 700KSR printer with dual-cassette drives £40; INS155 Varactor, 2W at 60Hz £3.50ea; 64 K 150 nS RAM chips 40p/ea. Chris, tel: Oxford 250681.

SIGNAL GENERATOR, Hewlett Packard 608E, 10MHz-480MHz, attenuator 0.1microvolts to 500 millivolts RMS, with ALC, external or internal modulation, c/w h/book, ex condx £150. C31EL, OTHR tel: Wantage 4019 evenings and w/ends.

COMPLETE 70cm ATV 51H: Microwave modules H1V435 tx £90; mutak TMLA 432U preamp £15; microwave modules cvtr £15; Fortep demodulator £10; lonna atu aerial £20 or £140 the lot. C4CGK, OTHR Northants, tel: 0933 314797.

1R10 1X-599CS tx 3.5-28MHz with matching JRS99CS rx 1.8-28MHz INC10MHz plus 50 and 144MHz cvtrs. Comes c/w Tokyo MC200 atu, all vgc £390. C0CAZ, OTHR, tel: 0886 6741.

FOUR QENCO IFT18/1.6MHz, unused £3; xtal filter DC1246c 5.2MHz 2.05kHz, unused £8; S625 screened grid 1927 with valveholders, filament koput, £3; Wireless Constructor July 1927, fair £2.50; RSGB Bulletin Dec 1943, fair £2. All incl psp. Pre-1955 Vibroplex bug, fair £9; hi-mount BK100 bug, mint £9; factory-assembled Himes DC80RX pcb £12; inspect/collect above, psp extra; 60ft Andrews 12-50A Helix, used, collect £4. WANTED: Tals 455kHz, 465kHz with holders. C3AVQ, OTHR, tel: Henley-on-Thames 576852.

F1290R NICADS, CHGR, CASE £250; 70cm fm handheld AR740A, nicads, chgr £50; buyer to collect case postage at cost. C3BGR, OTHR, tel: 0905 356576.

RITY 51H: Hal Communications model S15000 demodulator, 05200KSR keyboard transmission reception terminal, with 121m monitor display unit Can be seen wkg £400ono. C3BX1, OTHR Irombridge, Wilts, tel: 0373 830804.

KENWOOD TH221E 2m/fm 45W mini mobile 3mths old. Genuine reason for sale £275. C0HCV, tel: 03265 62356.

RAD COM MAY 1982 TO DEC 1986, less May 1983. Offers? Buyer collects or pays carr. C8BA, OTHR, tel: Burnham 64077.

SOLARIRON INSTR MANUAL for oscilloscope type CD1183. C4ZFC, OTHR, tel: 0965 43385.

COLLINS MECHANICAL FILTER 455kc 2.1kc pass-band with upper and lower side-band xtals, £35ono. C3BX1, OTHR Irombridge, Wilts, tel: 0373 830804.

ILL HEALTH SALE, Yeesu FTONE (tuning 1.6kHz high, otherwise perfect) £700; KW107 Supermatch £60; Ielereader (CWR685E) transceiver cw Baudot ASC11 £300; Datong PC1 cvtr £80; SOAR freq meter £30. C4CHC, OTHR Iorquay, tel: 0803 37050.

VHF CHANNEL HASIER RO1A10R 2yrs old, with h/book £30; CDE h/duty rotator £15, still wks but tetty, hence price. Both pole mounting. C0FQM, OTHR, tel: 0772 423741.

YAESU FT757CX 1CVR £600ono, mint condx, box, mic etc. Buyer may examine and use set before purchase Also prefer collects. C4WZZO, OTHR, tel: 0267 234874.

SEM TRANSMATCH WITH EASYTUNE and dummy load built in. Brand new, never used, unwanted gift, £100. Buyer must collect. Cash please. C6XHO, NO1 OTHR, Bristol, tel: 0272 606177.

ARGOSY 2 HF TCVR cw ssb mint condx, orig box, manual, £500ono; Yeesu FRG7700 rx, mint with orig box and manual, £275ono. C0ADK, OTHR, tel: 0304 823226.

ICOM IC2900 2m/multimode, 25W, little used, mint condx £350. C45YB, OTHR Farnborough, tel: 0252 549852.

ATLAS 210X solidstate tx/rx, 200W, simple to use £275; Iono terminal computer Theta 7000, tx/rx cw, Baudot, ASC11 £395; Facit, 12in vdu 64k, full keyboard, autotable for cw, Baudot, ASC11, Amtor,

packet E45; Corvus multiplexer £20; Icom EX1 extension terminal for any Icom tx/rx £10; Atlas antenna matching tx/rx £7; valves, PX4s 8298 with base, B32, QV3010, 604, 955, hv psus, 300V, 100mA. Various mains tx/rxs to 1000V; Avometer EM272, fet vvm £35; model 7 £20. G3NZT, Bunbury, Cheshire, tel: 0829 260323.

FT727R VHF/UHF HANDHELD, 2x FMBA battery packs, M4-12A28 spkr/mic, NC15 base chgr, 2x FBA5 battery packs and NC18C chgr, mint cndx, 18mths SMC g'wao £425 the lot. G4MHE, tel: 0993 813004 evas & w/end

SILENT KEY SALE: CT212 am/fm/cw oscillator 85kHz to 32MHz in seven ranges mains or 12Vdc with all connectors and copy manual; also KW2000A with psu, hard/mic and manual. Reasonable offers please tel: G3YHS, QTHR, tel: 0329 43488.

TS4305 WITH FM BOARD and filters, AT250 atu, PSA30 psu and MC60 base/mic, all pristine. The complete set-up £1050. Profer buyer inspects/collects. C0B2R, QTHR, tel: 092572 6485.

EDDYSTONE EC10/2 MAINS PSU £80; SEM 2m cvtr £10; Jaybeam Q42M, unused £15; tatty but useful sig/gen £5; similar bench meter £2. Buyer collects. G8LEW, QTHR, Herts, tel: 0707 872948.

SUPER 3500 LINEAR AMP, 1.5kW e/p, 80/40/20/15/10m £300. G4VMP, QTHR, tel: 021-707 3376.

RAD10 COMMUNICATION 800KS, total number 111. Offers please? G3ASL, QTHR Southard, tel: 0702 68254.

YAESU FT726R 2m FITTED, 1mcc, will demonstrate, hardly used, ewmar best interest, £630ono. Tarry, G6T25, NOT QTHR, Biggleswade, tel: 0767 316431.

FL2100Z (FL2277Z) HF LINEAR AMPLIFIER, vgc, little used, boxed with manual £590. G4V10, QTHR, tel: 0388 763501.

IBM TURBO XI CLONE. 640kb, single floppy, keyboard mono monitor, Epson LX86 printer, MS-DOS, manuals etc, excellent basic system £499. Buyer inspects and collects. G4M1B, QTHR, tel: 01-675 0280.

COMPLETE HF STN: FT707, NIC, FC707, FV707DM, manuals, BWS 25A psu, two antennas, used only in loft, 1ET 4-band vertical, G-whip 5-band mobile. All in ex cndx, £700. G4V0D, QTHR tel: 0322 56625 after 7pm.

SELLING RAD COM Feb 1979 to Dec 1986, two missing, £12. Profer buyer collects otherwise carr exte. Also ether radio and computing magx. G8CGK, QTHR, tel: 0989 62715.

COLLINS MINT ROUND EMBLEM 312BA £130; 516F2 psu £230; CPl atal pack £105; SH2 mic £50; new 70K2 vfe £140. Tel: 0247 455162.

DRAKE MN2700 A1U, mint £380; Drake 187 filters 500Hz and 300Hz £45ea. Tel: 0247 455162.

35ft GALVANIZED HANTOWER with built-in climbing rungs, tube mount, base grillage and cap fitting, facomith 161n, £120; Mosley TA332nr 3-ea beam £80. Profer buyer collect. G3SPU, QTHR, tel: 0225 703696 after 5.30pm.

EDDYSTONE EA12, manual, vgc £150; Eddystone EC10 Mk1, manual, vgc £50. Profer buyer to inspect and collect. G8GBH, QTHR, tel: 0302 770944.

COLLINS KM2 TCVR with spkr and psu, ex cndx £450 G3POC, QTHR, tel: 0252 544268 evenings.

COMPLETE "MOSEAR" ANTENNA STN comprising: 19XY Tonne/70cm, 8XY Jaybeam/2m, Hirschner olaretor, AR40 AZIretor, plus all cables, mast, brkts, rawbelts, clamps etc for gable and, vgc £110. Harry, G0OQL, NOT QTHR, tel: 0274 634084.

OSCILLOSCOPE DUAL-BEAM £125; audio/gen £20; Pye uhf/gen £90; plug-ins for Tektronix 500 scopes from £5; manuals ditto, Pye Wastle LB/fm dashmount £25; ditto remote £20; Olympic LB/fm £39; Europa £39. G4VJL, North Linca, tel: 0507 85203.

HOSLEY TRIBAND DIPOLE, can be brought to full 3-ala spec £40; tet vertical, ground plane for 10-15-20 c/w multiband trapped radials £40. Both vgc, stored indoors, only used occasionally portable. G3GRH, QTHR, tel: 05436 6364.

FT208 2m HANDHELD c/w nlcd, chgr, case and PA3 cer adaptor chgr, mint cndx, £185; AT230 vgc £165 G2YVM antl tvl trap-dipole £30; G2YVM feeder matching unit £15; Olamond hf vertical CPS, new, unused £145. Tel: 0983 402273.

BELCOM LINER2, wkg but could look better £50; Heath RA-1 rx, requires reassignment £10; Commodore C64 datacorder, MPS801 printer, joystick, parallel i/face, software, all vgc, £250 all in. G4GWE, QTHR.

TR10 AT250 AUTO-TUNER, little used £240ono. G6FJA, tel: 092 572 2879 after 6pm.

EPSON M1-80 PLOTTER incl HP-GL with manuals and spare pens, cndx as new, boxed, ideal for BBC or similar £287ono; 16in colour monitor for BBC £60 with isolating tx/rx. Buyer collects. Mike, G6CEJ tel: 0602 729467 evenings.

DATONG MORSE TUTOR, as new £35. Tel: 01-904 3282.

TOWER1 TOWER1 PLEASE BUY OUR LATTICE STEEL TOWER! In 2x20ft sections, must be sold, hence just £130 or offer. Buyer collectx from Brunel University ARS. G3UBR, c/o Students Union, Uxbridge or phone Pete Smyrferd on 0895 39125.

10m MULTIMODE am/fm/ssb £100; Standard 2m C58 multiloode mobile brkt, nlcdx, case, 25W CPB58 linear, all complete £295ono; Kenwood TS830S and DFC230 controller £750. All +postage or collect. G4YRR, QTHR, tel: 0782 395017.

2xSPACEHARK KEYS 1k1pm 4-men £55; 2-men £45; Cretach 3031 scope 20MHz £85; M4144/28 hp cerv £20; G3ZVC 9MHz beard + 5 to 5.5MHz vfe £30. G4O5C QTHR, tel: 0765 2230.

PACKET NF3 1270/2 TNC, suit Commodore serial port plus RS232 for any micro £95; incl software; Oragan 32k £30; Icom 720A fitted, all options, narrow filter, fm, rttty, gen/cov tx/rx £500; Standard C5800 £300. Laurence, G4OAIQ, QTHR, tel: 0475 87871.

FT290R NICADS CASE HEADSET switchbox, F1209 nlcd FNB3, NC15 fast chgr, 4-ala Jaybeam quad, 9-ala Ionna, AR40 rotator, C01400 'scope various F1209 accessories. Phone for cndx, mainly excellent, and prices. Going hf. Nick, G4HLX, Yateley, tel: 0252 876277.

FT225RD muTek front-end with orig beard available xtals fitted for cw ssb and fm calling freqs. First class cndx with mic, manual and in orig pkg £600. G3GOT, QTHR, tel: 0245 33229.

YAESU FT9020M, in ex cndx, fitted fm filter, cw filter, keyer £600ono; Icom IC490C 70cm all-mode 10W tcvr, as new £400ono; Jaybeam 4888M £20; Yaesu XF-8.9KCN cw filter £25. CAXEN, QTHR, tel: 0933 677573.

IR TR10 9000 MULTIMODE, brkts for mobile £340. Tel: 0302 859451.

## WANTED.....

GERMAN MW2 EX-SERVICE EQUIP, parts, descriptions, museum purposes only. Also net in wkg cndx. British/W511, M25, SCR720, T1190, W565, W566, S2ER1, AD67, SC, Y0 and Marconi RA R557. Will collect. MW2 Leads also welcomed. 02880, Rag Otterstad, Vejdmann 5, 0k-2840 Holte.

MY-GAIN TM3-MK3-SNR, tri-bander, BNB6 balun, top price pd for gd example; also 1kW dummy load, ether Orake DL1000 or Trio C11000, MDL1000, Walz CT300. Netts. tel: 0602 609345 anytime.

RF BRIDGE 916A or rf bridge type 1606A by General Radio, rf bridge type Hatfield LE 300A. G3MCT, QTHR, tel: 05642 2176.

MARTINE SUITCASE RADIO: A Mk3 (B2 alner) and Mk123 set or any ether clardestine and resistance-type radies incl modern for collection. Any cordx welcome. Manuals and accessories are of interest. G4OFD, QTHR, tel: 01-949 2317.

DEVICE CONSISTING OF a set of b&w varas which pivot on a jewelled needle, sealed under glass in a vacuum, rotating in strong sunlight. Chris Williams, C1FAZ, QTHR, tel: 021-427 5040 evenings or 021-236 8831 extn 162 daytime.

ANTENNA ROTATOR WITH 360deg meter readout, for vhf As new cndx essential. G1UUC, QTHR lyme & Wear, tel: 091-252 7141.

G2DAF Mk2 RX DESIGN, parts, components, metalwork, part-built or completed project or WHY? Tel: 051-334 4012.

FOR R1475 REBUILD: Mounting type 656 10A/17535; mounting type 657 10/17536. Any cndx. Derek Sheen G4CWC, QTHR, tel: 01-651 1410.

LINER2. Some ex-stockist or owner must have detailed alignment procedures, modifications. Any info welcome. Purchase or loan. G1NLU, tel: 0305 772759.

TRADER SERVICE SHEETS PRE-1946 on velle radlex and service manuals on samo, any period; also operating instrs and data on "Lafayette" tube and translator texter model JE-21. Fox Valentine, G1XHZ, 38 Gramplan View, Montrose, Angus DD10 95X

G1XHZ, 38 Gramplan View, Montrose, Angus DD10 95X tel: 0674 76503.

SPLND10 SENSITIVE RX, summit 11ke FRC7 or Trle 600 or 1000 at a remunerator reminiscent of the good old days, le reasenabel Alxe wartad, morao keyboard please. Jen, Essex, tel: 0255 554612 anytime.

MANUAL OR PRINTER CONNECTION data for Acern Electren computer, manual or circuit diagram for Marconi translator taster 1F2703, manual or circuit diagram for SAM 2000 ch tcvr. Buy or borrow. Chris, G3GKS, QTHR Fredshom, tel: 0928 33723 anytime.

BASIC 2m/fm mobile tcvr IC240m TS7500, FT227R or similar c/w mounting brkt, connectors, mic and manual. Also car antenna 1f avellable. Must be in gd cndx. Particulars to G3JHL, QTHR Southampton area, tel: 0794 512283 evenings or w/ends.

REQUIRE URGENTLY ONE OR PAIR "Magslip" Mk2 tx units, ie Selsyn reter Indicator 50V/ac. Your reasonable price pd and carr. G3FRE, QTHR or tel: Hettlingham 892943, reverse charges.

YAESU FC902 A1U, any cndx considered, else FT290R mobile mount. Any area. Tel: 0329 231087 (Hants).

G1RCUIT OR H/BOOK FOR sig/gar oscillator test Net C1212, borrow or buy. G2HOS, QTHR, tel: 021-445 1397.

TO BRING A DEAD 'UN BACK TO LIFE - 1FT2 and L16 coils for EC10 Mk1 or info on substitutes. G41AD, QTHR, tel: 0466 2673.

ARGONAUT ORP TCVR ssb/cw mod Mark 123 tcvr cw. G3HYE, QTHR, tel: 0295 78331.

LARKSPUR SERIES ex-military radie equip, also accessories and moraxix. G4KXA, QTHR.

EDDYSTONE 888 RX, must be in gd cndx, your price pd provided within reason. Ken Cherley, 7 Fexfield Everton, Lymington, Hants, tel: Lymington 45231.

COPIES FOR R207 Mk3 Marconi Schematics +Info. GOFZV, John G1110, Asterstraat 3, B-3660 Opplabbek, Belgium.

70MHz ALL-MODE TVTR, suitable for 144MHz 1/p @ 10W nominal. Must be FB cndx. Offers G3ADZ, QTHR, tel: 0788 815222.

FL2100Z FV101Z OR FV901DM SP901P EC902, will consider whole str 1f with gd FT10120. FOR SALE: New IC3200E or p/ach. G3UQY, QTHR, tel: Tetterton 23033 evenings.

WOULD BE MOST GRATEFUL FOR 2 te 4 semi-conductors type T1558(Y) or info on source. Also for Dynaco 72 series oscillascope alther charn emplifier type 7211 or 7212. Mnl tnx. G3CEJ, QTHR tel: 0677 22316

GOOD SOLISTATE STORAGE SCOPE, also four EHT capacitors type Bosch 40uF @ 2.5kV, Tektronix or Teleguipment plug-in type 3LS, Wavetek o/p amplifier type M10F for model 1001A smwp/gen. Peter, G4HSB, QTHR, tel: 0642 816608 evenings.

WHITE STICK OPERATOR REQUIRES URGENTLY: AEA Ck2 costaster keyer or similar. G0C80, tel: 0663 44118

MDH515 MEMORY UNIT, suitable for use with JRC HROS15 rx. Morris, tel: Bolton 40629.

TOMO TERMINAL COMPUTER, 9000c or 9100E, psu and console for Atlas tx/rx, Cope atu 3kW, Triband 3-ala beam and retator, Trle spkr SP930 or SP230, Cantronics i/face, lone to printer. G3NZT, Bunbury Cheshire, tel: 0829 260323.

YAESU FT78 OR FT707 with or without accessories. G4OLC, Northumberland, tel: 0670 855953.

DRAKE R4C-RX in full wkg order. G4KHE, QTHR, Stoke-on-Trent, tel: 0782 503444.

RADIO FILTER FL30 (USAF) by Borg; Also freq counter by "Nyce" of Japan, Model FC1555. Bernard, tel: 0736 753676.

RACAL RA1217 TECHNICAL H/BOOKS: Your price paid - also related items: LF, 158 edaptors, dc, psu etc. ZX Spectrum 48k; Orake-line equip, BIRD Thruline equip - wkg or otherwise. Tel: 03306 613 after 7.30pm or w/ends.

MRO 01AL - A R Bartle, 105 Nayfield Road, Thornton Meath, Surrey, CR4 6DP, tel: 01-684 0610.

EXTERNAL VFO FV102DM to match F1102 tcvr. Must be in mint cndx. Tel: 0202 475048 after 6pm.

1COM IC-SP2 EXTERNAL SPKR boxes and IC-EX1 or IC-EX2 extension terminal for IC251E and IC451E tcvrs. G6DBX, QTHR, tel: 04446 48767 after 6pm pse

# Packet Radio from £99.95!!!

## Pac-Comm Tiny-2

A fully built and tested TNC for under £100! The Tiny-2 is the latest addition to the growing range of Pac-Comm data products. It is TNC-2 compatible, and standard TNC-2 ROMs such as NET/ROM can be inserted.

- 32K RAM and 32K EPROM standard
- Latest 1.1.5 software
- Supports RS-232 and TTL computers
- Extended aluminium cabinet only 5" x 7"
- 12V DC operation

The Tiny-2 is ideal for the newcomer to packet radio, for use as a second TNC or for portable use.

**Only £99.95 VAT**

(special introductory offer price)

\*\*\*NEW PRODUCT\*\*\*

## PC-100 Series

Now for PC/XT/AT owners — single and dual port packet controllers on a PC plug in card! Just insert into a free slot, connect to a radio and you are on the air!

- AX.25 and TCP/IP without an external interface
- Powerful software provided on diskette
- Switchable for either HF or VHF
- Hardware HDLC

**PC-110 Single Port £159.00**

**PC-120 Dual port £179.00**

(Available in January)

P&P £2.50 on all orders, £6 for next day delivery.

For more information on these and other packet radio products contact us, we specialise in packet radio.

## Siskin Electronics

P.O. Box 32,  
Hythe, Southampton,  
SO4 6WQ  
England



Information and Sales: 0703-849962

## Siskin authorised dealers —

London : Andrews Computer Services Ltd 01 950 9381  
N.Ireland : Instrument and Satellite services 08494 73467  
Scotland : PACK-AGE 031 331 2755

## KW TEN-TEC CORSAIR II

No frills, "gimmicks" or unused facilities—For the serious Phone/CW operator who wants the cleanest signal.



### LATEST NEWS FROM KW

Fritzel Baluns, H.F. Beams & Verticals  
now in stock (excellent German engineering)

A NEW TRANSCEIVER—In addition to the CORSAIR II, ARGOSY II & CENTURY 22, the "PARAGON" is expected shortly. This is a 200 Watt input transceiver with general coverage RX CW/SSB/FSK/AM/FM (optional) and many additional features.

The original KW TRAP DIPOLE and TRAPS, ATU's,  
BALUN and antennas

WRITE OR PHONE FOR DETAILS

## KW TEN-TEC LIMITED

Vanguard Works, Jenkins Dale, Chatham, Kent ME4 5RT  
Telephone: 0634 815173

NEW

## THE INTERNATIONAL VHF-FM GUIDE 7th Edition REPEATER DIRECTORY & VISITORS' LICENSING FOR UK & OVERSEAS

An invaluable guide to the locations and characteristics of all the VHF voice repeaters in the UK. Each operational 2m repeater has a full page to itself with a coverage map and a description of how to work through it. All repeaters are plotted on UK map and listed by channel and by call sign with height, power, time-out etc. 70cm repeaters are now listed and shown on a UK map. Licensing info for foreign visitors.

YOU'LL WONDER HOW YOU MANAGED WITHOUT IT!

128 pages  
Amazing value at

**£2.85** Quantity discounts for Clubs,  
+ 30p P&P write for details.

J. BALOWIN, G3UHK, 41 CASTLE DRIVE, MAIDENHEAD, BERKS SL6 6OB  
National Giro No 22 442 4009

## HEATHERLITE PRODUCTS

(A British Business manufacturing British Products)

phone 0482 871762 after hours 0401 50921 or call in

**MOBILE MICROPHONES** plugged and ready to use  
Complete with control box, mic gain control, PTT, LED on TX,  
with scan buttons... £26.00 without scan buttons... £24.00  
add £3 for single earphone... add £10 for filled tone unit  
**FOR HAND PORTABLES...** Type SW

mic, earphone, switching box, jack plugs **£15.50**  
MIC only **£7.50** MIC & EARPHONE only **£10.50**  
"please state rig" p&p add £1.50 per order

### EXPLORER VALVE AMPLIFIERS

2M EXPLORER VHF linear amp with 4CX250B... £535  
70CM EXPLORER UHF linear amp with 4CX250B... £585  
HF EXPLORER linear amp 2 x 3-500Z valves... £1050  
Carriage on amps... £15

Heatherlite Products, 1 Beverley Business Centre,  
St. Nicholas Road, Beverley, North Humberside HU17 0QN  
Manufacturers of Mobile Microphones and Valve Amplifiers



# B.N.O.S. PRODUCTS

## 2M LINEAR AMPLIFIERS

L144-3-25	New Linear 3w input 25w output	74.75
L144-3-50	Linear Preamp 3w input 50w output	145.00
L144-10-50	Linear Preamp 10w input 50w output	145.00
L144-1-100	Linear 1w input 100w output	205.00
L144-3-100	Linear 3w input 100w output	205.00
L144-10-100	Linear 10w input 100w output	175.00
L144-3-180	Linear 3w input 180w output	325.00
L144-10-180	Linear 10w input 180w output	325.00
L144-25-180	Linear 25w input 180w output	275.00
LPM144-1-100	Linear Preamp Meter 1w input 100w o.p.	235.00
LPM144-3-100	Linear Preamp Meter 3w input 100w o.p.	235.00
LPM144-10-100	Linear Preamp Meter 10w input 100w o.p.	205.00
LPM144-3-180	Linear Preamp Meter 3w input 180w o.p.	355.00
LPM144-10-180	Linear Preamp Meter 10w input 180w o.p.	355.00
LPM144-25-180	Linear Preamp Meter 25w input 180w o.p.	305.00

## 70CM LINEAR AMPLIFIERS

L432-1-10	New Linear 1w input 10w output	74.75
L432-1-50	Linear 1w input 50w o.p.	215.00
L432-3-50	Linear 3w input 50w o.p.	215.00
L432-10-50	Linear 10w input 50w o.p.	175.00
L432-3-100	Linear 3w input 100w o.p.	355.00
L432-10-100	Linear 10w input 100w o.p.	355.00
L432-25-100	Linear 25w input 100w o.p.	315.00
LPM432-1-50	Lin Preamp Meter 1w input 50w o.p.	255.00
LPM432-3-50	Lin Preamp Meter 3w input 50w o.p.	255.00
LPM432-10-50	Lin Preamp Meter 10w input 50w o.p.	215.00
LPM432-3-100	Lin Preamp Meter 3w input 100w o.p.	395.00
LPM432-10-100	Lin Preamp Meter 10w input 100w o.p.	395.00
LPM432-25-100	Lin Preamp Meter 25w input 100w o.p.	355.00

## 5M LINEAR AMPLIFIERS

L50-3-25	New Linear 3w input 25w o.p.	74.75
L50-3-50	Linear Preamp 3w input 50w o.p.	175.00
L50-10-50	Linear Preamp 10w input 50w o.p.	175.00
LPM50-10-100	Linear Preamp Meter 10w input 100w o.p.	235.00

## POWER SUPPLIES

12-6A	13.8V 6A cont. 7A max	75.00
12-12A	13.8V 12A cont. 15A max	125.00
12-25A	13.8V 25A cont. 30A max	185.00
12-40A	13.8V 40A cont. 50A max	385.00
12-5E	New 13.8V 5A cont. 6A max	57.50
12-10E	New 13.8V 10A cont. 12A max	97.75
12-20E	New 13.8V 20A cont. 24A max	132.25
12-30E	New 13.8V 30A cont. 35A max	195.50

## 4M LINEAR AMPLIFIERS

LPM432-10-100	Lin Preamp Meter 10w input 100w o.p.	235.00
---------------	--------------------------------------	--------

# CUE DEE PRODUCTS

## VHF/UHF ANTENNAS

VHF DUK	6-10 ele 6d Bd	129.95
H144A	4 ele 8d Bd SO239	25.45
H144AE	4 ele end mount 8d Bd SO239	27.60
I0111A	10 ele 11 4d Bd SO239	50.90
I0114AN	10 ele 11 4d Bd N female	57.50
I0114A	10 ele crossed 11 4d Bd SO239	74.75
I0114AN	10 ele crossed 11 4d Bd N female	85.25
I5111A	15 ele 14d Bd SO239	63.25
I5114AN	15 ele 14d Bd N female	78.20
I5114A	15 ele crossed 14d Bd SO239	96.90
I5114AN	15 ele crossed 14d Bd N female	110.40
I1432AN	17 ele 14 5d Bd N female	51.75
I1432AN	17 ele crossed 14 5d Bd N female	82.80
I2342AN	23 ele 15 5d Bd N female	83.25

## STANDARD SYSTEMS

I0114AN	2 x 10 ele horizontal	228.95
I0114AN	2 x 10 ele horizontal	243.90
I5114AN	2 x 15 ele horizontal	277.15
I5114AN	2 x 15 ele horizontal	293.25
I0114AN	4 x 10 ele	405.95
I0114AN	4 x 10 ele	447.95
I5114AN	4 x 15 ele	501.40
I5114AN	4 x 15 ele	537.05
I5114AN	8 x 15 ele	1436.35
I5114AN	8 x 15 ele	1511.10
I5114AN	16 x 15 ele	3382.15
I5114AN	16 x 15 ele	3495.00
I7432AN	2 x 17 ele horizontal	194.35
I7432AN	4 x 17 ele	334.65
I7432AN	8 x 17 ele	583.05
I7432AN	16 x 17 ele	P.O.A.
I2342AN	2 x 23 ele horizontal	212.75
I2342AN	4 x 23 ele	379.50
I2342AN	8 x 23 ele	645.15
I2342AN	16 x 23 ele	P.O.A.

## STACKING FRAME KITS

4S2	2 x 4144	39.18
10S2	2 x 10144	59.00
15S2	2 x 15144	66.70
10S4	4 x 10144	109.25
15S4	4 x 15144	123.05
71S2	2 x 17432	39.18
23S2	2 x 23432	40.75
17S4	4 x 17432	59.00
23S4	4 x 23432	63.25

## PHASING HARNESSES INCLUDING POWER SPLITTER

4L2	2 x 4144 & 4144A	72.45
10L2	2 x 10144	74.75
10L2H	2 x 10144AN	81.65
10L4	4 x 10144	112.70
10L4N	4 x 10144AN	129.95
15L2	2 x 15144	77.05
15L2N	2 x 15144AN	87.40
15L4	4 x 15144	112.70
15L4N	4 x 15144AN	129.95
17L2N	2 x 17432AN	70.15
17L4N	4 x 17432AN	109.25
23L2N	2 x 23432AN	70.15
23L4N	4 x 23432AN	109.25

## POWER SPLITTERS

2-144	2 way 144MHz SO239	37.95
2-144N	2 way 144MHz N female	42.55
4-144	4 way 144MHz SO239	41.40
4-144N	4 way 144MHz N female	43.30
6-144	6 way 144MHz SO239	57.50
6-144N	6 way 144MHz N female	57.40
8-144	8 way 144MHz SO239	83.25
8-144N	8 way 144MHz N female	100.05
2-432N	2 way 432MHz N female	34.50
4-432N	4 way 432MHz N female	41.40
6-432N	6 way 432MHz N female	83.95
8-432N	8 way 432MHz N female	93.15

## MULTIBAND YAGIS

27G	7MHz 2 ele 5 d Bd	581.90
37G	7MHz 3 ele 7 d Bd	861.35
314G	11MHz 3 ele 7 d Bd	216.20
414G	11MHz 4 ele 8 d Bd	249.55
414	11MHz 4 ele 8 d Bd	294.40
514G	11MHz 5 ele 9 d Bd	364.55
614G	11MHz 6 ele 10 d Bd	515.20
321	21MHz 3 ele 7 d Bd	148.35
421	21MHz 4 ele 8 d Bd	169.05
521	21MHz 5 ele 9 d Bd	264.50
621G	21MHz 6 ele 10 d Bd	331.20
721G	21MHz 7 ele 10 d Bd	416.30
328	28MHz 3 ele 7 d Bd	93.15
428	28MHz 4 ele 8 d Bd	116.15
528	28MHz 5 ele 9 d Bd	161.00
628G	28MHz 6 ele 10 d Bd	207.00
628	28MHz 6 ele 10 d Bd	243.55
728G	28MHz 7 ele 10 d Bd	309.35
928G	28MHz 9 ele 10 d Bd	416.30

## MULTIBAND YAGIS

DU02G	14.2MHz 3 ele 9 d Bd	483.00
DU03	21.2MHz 4 ele 8 d Bd	264.50
DU04	14.2MHz 4 ele 8 d Bd	426.55

## VERTICALS

V440	7MHz inc guy wire & ground mount	93.15
V440	7MHz full 1/4 wave, complete	323.15
V480	3.5MHz inc guy wires & ground mount	324.30
V480	3.5MHz full 1/4 wave, complete	796.95

## PHASING HARNESSES FOR CIRCULAR POLARIZATION

K144	10 x 144 & 15 x 144	37.95
K144N	10 x 144AN & 15 x 144AN	52.30
K432N	17 x 432AN	51.75

# SHF PRODUCTS

## SHF ANTENNAS

SHF 9641	1296MHz 41 ele	123.05
SHF 9667	1296MHz 67 ele	148.35
SHF 1693	67 ele Inverted	157.80
SHF 2370	2300 2304MHz 67 ele	202.40

## HOW TO ORDER

By Phone using your Access or Visa/Mastercard  
By Mail Cheque, Postal Orders or Credit Card  
Or from your local BNOS Authorized Dealer  
Post, Packing & Insurance  
should be added to order totals as below  
3 Working day delivery service  
BNOS products are free of charge on this service  
other products as below  
Orders with a value less than £50 add £2.50 to total  
Orders with a value more than £50 add £5.00 to total  
Orders with a value more than £250 add £7.50 to total  
Local day delivery service  
BNOS products add £7.50 to order total  
Other products add £10.00 to order total



# PKW PRODUCTS

## VHF/UHF ANTENNAS

26P58	144MHz 5.8 groundplane 3 d Bd	39.10
26P258	144MHz 2 x 5.8 groundplane 5 d Bd	70.15
76P58	432MHz 5.8 groundplane 3 d Bd	39.10
16P258	432MHz 2 x 5.8 groundplane 5 d Bd	59.00

## HF ANTENNAS

DP 01	3.5 1.7MHz	59.80
DP 02	3.5 7MHz	59.80
DP 03	1.8 7MHz	59.80
DP 04	1.8 3.5MHz	181.20
DP 05	14.2 28MHz	70.15
DP 06	1.8 3.5 7 14 21 28MHz	110.40

## HF MULTIBAND BEAMS

1HF 1E	1 ele 1d pole 14.21 28MHz	83.95
2HF 2E	2 ele 14.21 28MHz	213.90
3HF 3E	3 ele 14.21 28MHz	264.50
4HF 4E	4 ele 14.21 28MHz	384.10
5HF 5E	5 ele 14.21 28MHz	571.55
6HF 6E	6 ele 14.21 28MHz	741.75
7HF 7E	7 ele 14.21 28MHz	878.60
8HF 8E	8 ele 14.21 28MHz	1008.25

## HF GROUNDPLANE

GP 38	14.21 28MHz	81.65
-------	-------------	-------

**B.N.O.S.**  
ELECTRONICS

Mill Lane, Stebbing, Dunmow, Essex, CM6 3SL.  
Tel: 0371-86681 Tlx: 817763 BNOS G



## TX - 3 RTTY/CW/ASCII TRANSCEIVE

### The high performance, low cost system

Split-screen, type-ahead operation, receive screen unwrap, 24 large memories, clock, review store, call sign capture, RTTY auto CR/LF, CW software filtering and much more. Needs interface or T.U. **BBC-B/Master** and **CBM64** tape £20, disc £22. **SPECTRUM** tape £35 inc. adapter board. For **VIC20** we have our RTTY/CW transceive program. Tape £20.

## RX - 4 RTTY/CW/SSTV/AMTOR RECEIVE

This is still a best-selling program and it's easy to see why. Superb performance on 4 modes, switch modes at a keypress to catch all the action. Text and picture store with dump to screen, printer or tape/disc. An essential piece of software for trawling the bands. Needs interface, **BBC-B/Master**, **CBM64** tape £25, disc £27. **VIC20** tape £25. **SPECTRUM** tape £40 inc. adapter board. The **SPECTRUM** software-only version (input to EAR socket) is still available £25.

**TIF1 INTERFACE** Perfect for TX3 and RX4, it has 2-stage RTTY and CW filters and computer noise reduction for excellent reception. Transmit outputs for MIC, PTT and KEY. Kit £15 (assembled PCB + cables, connectors) or ready-made £25, boxed with all connections. Extra MIC leads for extra rigs £3 each. State rig(s).

**WORLD AND UK/EUROPE MAP LOCATOR** Maps, great circles, distances, bearings, contest scores. Lat/long, locators, NGR, hundreds of placenames. **BBC-B/Master**, **ELECTRON ONLY**, Tape £10.

**LOCATOR** Distances, bearings, contest scores. Lat/long, locators. **SPECTRUM**, **CBM64**, **VIC20** tape £7.

And for **BBC-B/Master**, **SPECTRUM**, **ELECTRON**, **CBM64**, **VIC20**.

**MORSE TUTOR** 1-40 wpm. Learn by ear, practise using random letters, figures, punctuation, words. 40 plain language texts supplied or type your own. With learning guide, tape £6.

**LOGBOOK** Date, band, mode, call and remarks. Instant callsearch. Log printout. Tape £8.

**RAE MATHS** Unlimited practice and testing for the exam calculations. Tape £9.

All **BBC** and **CBM64** programs are available on **DISC** at £2 extra.

Prices include VAT and p&p, 1st Class inland, airmail overseas, normally by return. Eire, C.I., BFPO deduct 13%.

# technical software



Fron, Upper Llandwrog, Caernarfon LL54 7RF.

Tel: 0286 881886



# ARE

## COMMUNICATIONS

### A NEW STANDARD IN TECHNOLOGY

#### THE FULL DUPLEX HANDIE FROM STANDARD

A World First. Transmit on 2 metres and receive on 70cms (or vice-versa) at exactly the same time. Not only is that unique from a Handie, but with the following specification and at a fraction of the size of it's nearest competitor, is there really any other rig that compares?

- Dual band operation 144-146 and 430-440MHz.
- Full duplex.
- Receiver coverage: 130-169.995 and 410-470MHz.
- Programmable step sizes 5/10/12.5/25/50KHz.
- 5 watts output on both bands (With optional CNB120).
- Dual synthesised VFO's.
- Programmable offset tones 67-250.3Hz.
- Programmable CTD(N500).
- Programmable Repeater Offset on either band between 0-39.9MHz.
- Reverse Repeater facility.
- Dual Watch priority channel.
- Programmable Call Channel on both bands.
- Ten programmable memories, including repeater offset, tone squelch etc, on both bands.
- Four different scanning modes.
- Battery save facility.
- Switchable Frequency lock and TX inhibit, from keyboard.
- Switchable 20dB Attenuator.
- High or Low power control.
- Squelch signal switch.
- Illuminated Wide Angle L.C.D. display.
- Digital 'S' Meter/Power output display.
- Low battery Warning indicator.
- TX LED indicator.

**UP GRADE NOW.**  
**THE NEW STANDARD C-500.**  
Now available from stock  
Phone!


**Opening Hours** London Mon/Fri 9.30 to 5.30  
Merseyside Tues/Sat 10.00 to 5.00

**A.R.E. Communications Limited, 6 Royal Parade, Hanger Lane, Ealing, London W5A 1ET, England**  
Professional Tel: 01-997 4476 Fax: 01-991 2563 Telex: 94016185 AREC G

**A.R.E. Communications Limited, 38 Bridge Street, Earlestown, Newton-Le-Willows, Merseyside WA12 9BA**  
Amateur Tel: 09252 29881 Fax: 01-991 2565 Telex: 94016185 AREC G

# RN ELECTRONICS

Professionally designed equipment for Amateurs  
6 METRE Linear TRANSVERTER



Allows any popular 2 Metre Transceiver (up to 3W)  
to be used on 6 Metres any mode (ssb, FM, CW, Packet)

- \* Low harmonic output \*
- \* DC or RF switching \*
- \* Low noise BF981 front end \*

Boxed versions supplied with either PL259 or BNC plug to  
2 metre transceiver

- 25W pep o/p complete boxed transverter £172 + 400 p&p
- 2W pep o/p complete boxed transverter £135 + 400 p&p
- 2W pep o/p assembled and tested P.C.B. £105 + 200 p&p
- 25W pep o/p add on P.C.B. £47 + 200 p&p
- 7dB Switched Attenuator 10W Z/P £22 + 200 p&p

25W P.A. for use with FT690 etc. with 2-3W drive  
Including switching and low pass filter £82 + 400 p&p

ALL PRICES NOW INCLUDE V.A.T.

37 Long Ridings Ave, Hutton, Brentwood.  
Essex CM13 1EE. Tel: 0277 214406

## COMPUTERS AND RADIO

Improve computer decoding  
of RTTY, CW & SSTV signals with our audio filter

RTTY only (audio) but fully built & tested	£7.00	RTTY/CW only. This unit has an adjustable constant level output. No need for constant adjustment of volume control	£19.50
CW only (audio) but fully built & tested	£7.00	RTTY/CW only. As above but switchable between RTTY and CW	£23.00
RTTY/CW (audio) fitted with p.a. socket	£11.50	SSTV (supplied) but not with p.a. socket	£19.50
RTTY/CW (audio) with tuning	£13.50	output	£8.00
RTTY/CW (audio) with tuning		CONSTANT LEVEL AMPLIFIER	

When ordering above units, please state software supplier. This will enable us to supply correct filter!

### TERMINAL UNITS

RECEIVE ONLY (RTTY/CW) £45.00 TRANSCIVE (RTTY/CW) .. £75.00

The above units provide Audio, TTL and OCL outputs on Rx. The output level is constant, and full output is achieved with inputs between 10mV and 5V of audio. The transceiver version is TTL driven and the output level is adjustable.

### SPECTRUM 128 + 2

CASSETTE PORT ADD ON This unit enables owners of the Spectrum 128 + 2 to run existing decoding programmes which require the audio signal being fed into the cassette port. The guarantee is not affected, as there is no need to open the computer, simply connect to the expansion port ..... £19.50

For further details of these and our other products, send a S.A.E., or see earlier advertisements

**J.B.P. ELECTRONICS LTD.**

New Road Complex, New Road, Kidderminster, DY10 1AT.  
Tel: 05621 753893

### VALVES

### VALVES

### VALVES

The following valves in matched pairs 6JS6/C, 6KD6, 6J86/A, 6LQ6, 6HF5, 6146A, 6146B. YES the 6JS6/C is Japanese and works in the FT101. Most amateur radio valves including difficult to obtain types EX STOCK. Quotations without obligation. If we don't stock your type we may be able to import for you. PLEASE ENQUIRE, REMEMBER over 200 types EX STOCK. See for list. Phone for assistance re types suitable for your equipment. USA and Jap manufacture of popular types available.

DON'T DELAY PHONE TODAY 045 75 6114, G4AZM

Wilson, Peel Cottage, Lees Road, Mossley, Tameside, Manchester

MOBIRA System 3 Car Phones, OK for conversion to 145MHz. Sorry no details of mods. supplied with copy of manual, brand new and boxed. £50.00

LEVEL Audio Generators TG200DM 1 Hz to 1MHz sign and Sq. wave, metered output level up to 7 volts. As new with manual. £35.00

PYE SG1 UHF 6 channel signal generators ideal for Radio Clubs for setting up Pocketphones etc. As new. £25.00

RACAL 409 Modulation Meters. P.O.A.

MAGNETIC DEVICES Relays type 354 OK up to 75 watts @ 200MHz 2PCO 12v DC coil. 2.00 each. 2 for £3.50

SUBMINIATURE 0-01 and 0-1 mfd 50v ceramic caps. 10 for 50p.

10mm 1-25pf 11m trimmers. 10 for 50p

MULLARO 1-12pf Tubular trimmers bolt-in type. 30p each. 10 for £2.00

10-7MHz SSB Crystal Filters (no carrier crystals). £12.00  
0-5-Spf 7mm film trimmers. 10 for £1.00

Send large S.A.E. for lists.

Postage please add 60p.



**ELECTRONICS (G8AQN)**

151a BILTON ROAD, RUGBY CV22 7AS

Tel: Rugby 107881 76473, Eve (0788) 71066

### BRAND NEW COMPONENTS BY RETURN OF POST

VAT Inclusive Postage 20p (Free over £5). List Free  
HIGH STABILITY MINIATURE FILM RESISTORS 5% Tolerance  
1W E24 Series 0-51R-10M 1p (75p/100 one value) 0-125W E12 Series 10R to 1M 2p  
0-5W E24 Series 1R to 10M 1p 1-0W E12 Series 4R7 to 10M 5p  
1W metal film 10R to 1M 5% E12 series 2p 1% E24 series 3p  
Millard or equivalent Subminiature Ceramic Plate capacitors 100V E12 Series  
2% 1-8pf to 47pf 3p 2% 56pf to 330pf 4p 10% 390pf to 4700pf 4p  
Pulse Ceramic Capacitors 50V working for vertical mounting  
E12 Series from 22pf to 1000pf then E6 series 1k 5p to 47k 1p 2p 0.1mfd 3p  
Miniature Polyester capacitors 250V working for vertical mounting  
0-10 0-15 0-22 0-33 0-47 0-68 4p 0-10 (100V, 250V) 5p 0-15 6p 0-22 (100V, 250V) 6p  
0-33 8p 0-47 (100V, 160V, 250V) 8p 1-0 15p 1-5 20p 2-2 22p  
ELECTROLYTICS Wire Ended (Mkds/Volts)

47/50 5p	10/150 5p	47/16 6p	100/25 7p	220/25 8p	470/40 18p
1-0/50 5p	22/16 6p	47/25 6p	100/50 8p	220/50 10p	1000/15 15p
2-2/50 6p	22/25 6p	47/50 6p	150/16 7p	470/16 11p	1000/25 18p
4-7/50 6p	22/50 6p	100/16 7p	220/16 8p	470/25 11p	1000/35 22p

TAG ENDO CANS: 5000/30V £1.00 4700/16 25p. 4700/25V axial 70p.

TANTALUM BEAD ELECTROLYTICS Subminiature vertical Mounting (Mkds/Volts)					
0-1/35 14p	2-2/35 15p	15/16 20p	22/16 30p	47/16	80p
0-22/35 14p	4-7/6 14p	15/25 35p	22/25 35p	68/3	30p
0-47/35 14p	4-7/25 15p	22/6 20p	33/10 30p	100/3	35p
1-0/35 14p	10/25 20p	22/10 25p	47-6 30p	220/16	£1.20

POLYSTYRENE Capacitors 63V working E12 Series Long Axial Wires  
10pf to 820pf 3p 1kpf to 10kpf 4p 12kpf 5p

TRANSISTORS					
BC107/8/9	12p	BC547/8/9	8p	BC183, 183L	10p
BC147/8/9	10p	BC557/8/9	8p	BC212L	10p
BC157/8/9	10p	BC182, 184L	10p	BCY70	15p
8 pin I.C.s	741 20p 555 22p	Holders	8 pin 9p 14 pin 12p 16 pin 14p 28 pin 25p 40 pin 40p		

DIODES (p.i.v./amp) 75/25mA 1N4148 2p 800/1A 1N4006 6p 400/3A 1N5404 14p 115/15mA OA91 6p  
100/1A 1N4002 4p 1000/1A 1N4007 7p 60/1-5A 1N4001 5p 100/1A Bridge 25p  
400/1A 1N4004 5p 1250/1A BY127 10p 50/1A 1N4001 3p 30/150mA AA143 8p  
Zener Diodes E24 series 400mW. 3V3 to 33V to 33V 8p 1 watt 3V9 to 33V 12p  
LEDs Red, Green, Yellow 3 & 5mm, 10p, 8mm, 35p. Green LEDs 3 & 5mm, 2p  
Fuses 20mm glass 100mA to 5A. Q Blow 5p. A1 Surge 8p. Holders 5p. 1p.c. or chassis  
High speed p.c.b. drills 0-8, 1-0, 1-3, 1-5, & 2mm 30p. 12V Drilling machines £6.50  
The C.R. Supply co. 127 Chesterfield Rd, Sheffield S8 0RN. Tel: 567771

## QUARTZ CRYSTALS SAME DAY SERVICE

Any frequency from 2MHz to 55MHz. Orders received before 10 am are completed and posted THE SAME DAY! Just let us know; frequencies? holder sizes? circuit conditions? (i.e. series resonance or load capacitance). Cash with order or use our new credit-card hotline 0703 848961.



McKnight Crystals

Amateur Radio Division (Dept X)

Hardley Industrial Estate, Hythe, Southampton SO4 6ZY

Tel: 0703 848961 Telex: 47506 Fax: 0703 846532







**SITUATED AT SOUTHERN END OF M23—EASY ACCESS TO M25 AND SOUTH LONDON**

HF RECEIVERS		£	(c&p)
Lowe	HF 125	375.00	(—)
Icom	IC R71	825.00	(—)
Kenwood	R2000	595.00	(—)
Kenwood	VC10 VHF Converter	161.94	(2.00)
Kenwood	R5000	875.00	(—)
Yaesu	FRG 8800	639.00	(—)
Yaesu	FRV 8800 VHF Converter	700.00	(2.00)

HF TRANSCEIVERS		£	(c&p)
Kenwood	TS 940S	1995.00	(—)
Kenwood	TS 930S	1695.00	(—)
Kenwood	TS 440S	1138.81	(—)
Kenwood	TS 430S	748.00	(—)
Kenwood	TS 830S	7099.00	(—)
Kenwood	TS 530SP	748.00	(—)
Yaesu	FT 980	1795.00	(—)
Yaesu	F 757GX II	969.00	(—)
Yaesu	FT 767GX	1550.00	(—)
Icom	IC 735	949.00	(—)
Icom	IC 751A	1465.00	(—)

VHF SCANNING RECEIVERS		£	(c&p)
Icom	IC R7000	957.00	(—)
Yaesu	FRG 9600M 60-950MHz	509.00	(—)
AOR	AR 2007	487.30	(—)
Signal	RS35 "Airband"	249.00	(—)

VHF HANDHELD RECEIVERS		£	(c&p)
FDK	RX 40 141-179 Mhz FM	132.25	(2.00)
Signal	RS37S "Aerialist"	69.51	(2.00)
Sony	Aii 7	245.00	(—)
Sony	PRO-80 Receiver AM/FM/SSB 115KHz-223MHz	349.00	(—)

ANTENNA TUNER UNITS		£	(c&p)
Yaesu	FRT 7700 Short wave listening	59.00	(2.00)
Yaesu	FC 757AT	349.00	(—)
Kenwood	AT 230	208.67	(2.50)
Kenwood	AT 250 auto	366.00	(—)

2M TRANSCEIVERS		£	(c&p)
Kenwood	TH 705E Handheld	215.26	(—)
Kenwood	TH 215E Handheld	252.73	(—)
Kenwood	TH 21E Handheld	189.00	(—)
Kenwood	TR 751E 25w multimode	599.00	(—)
Kenwood	TS 711E base station	940.00	(—)
Kenwood	TM 221ES 45w FM Mobile	317.30	(—)
Yaesu	FT 711RH 45w FM Mobile	309.00	(—)
Yaesu	FT 280RH multi-mode	429.00	(—)
Yaesu	FT 726R base station (70cm opt)	999.00	(—)
Yaesu	FT 238R Handheld - FN 810	253.00	(—)
Icom	IC 2F Handheld	225.00	(—)
Icom	IC 02E Handheld	269.00	(—)
Icom	IC 28E 25w mobile	359.00	(—)
Icom	IC 275E base station	1039.00	(—)
Icom	IC 3200E 2M/70cm FM mobile	556.00	(—)
Icom	Micro 2 Handheld	239.00	(—)

70cm TRANSCEIVERS		£	(c&p)
Kenwood	TH 41E Handheld	218.00	(—)
Kenwood	TS 811E base station	1095.00	(—)
Kenwood	TH 405E Handheld	273.88	(—)
Kenwood	TH 415E Handheld	298.85	(—)
Yaesu	70cm module for FT 726R	349.00	(—)
Yaesu	FT 73R Handheld - FNB10	283.50	(—)
Icom	IC 4E Handheld	285.00	(—)
Icom	IC 04E Handheld	299.00	(—)
Icom	IC 475E base station	1125.00	(—)
Icom	IC 48E FM Mobile 75w	449.00	(—)

**STOP PRESS**  
**Reduced Price Kenwood TS430s**  
**HF Transceiver £748.00**

GOODS NORMALLY DESPATCHED WITHIN 74 HRS - PRICES CORRECT AT TIME OF GOING TO PRESS—E&OE

**MAIL ORDER & RETAIL**

APPROVED KENWOOD DEALER

STATION ACCESSORIES		£	(c&p)
MC 50	Desk Microphone	46.08	(2.00)
MC 60A	Desk Microphone with Pre-amp	88.22	(2.00)
MC 55	Mobile Microphone with Control Box	52.67	(1.00)
MC 35S	Hand Microphone 4 pin	21.72	(1.00)
MC 40S	up/down Hand Microphone 6 pin	19.07	(1.00)
MC 43S	up/down Hand Microphone 8 pin	22.22	(1.00)
SMC 30	Speaker Microphone TH21	28.31	(1.00)
LF 30A	Low Pass Filter 1kW	32.26	(2.00)
SP 40	Mini Speaker	21.06	(1.00)
HS 7	Miniature Headphones	15.80	(1.00)
HS 6	Ultra light Deluxe Headphones	24.36	(1.00)
HS 5	Deluxe Headphones	32.54	(1.00)
HMC 1	Headset with Vox TH21 etc	37.91	(1.00)
VS 1	Voice Synthesiser Module	32.26	(1.00)
AD 1	Phono to BNC TH 21E/41E	3.85	(0.50)
IF 232C	RS232 Interface TS 711/811E etc	69.13	(1.00)
FF 501DX	Low Pass Filter	37.50	(2.00)
Kent Morse Key Kits		29.50	(2.50)
Kent Twin-paddle Morse Key Kits		38.50	(2.50)

ANTENNA BITS		£	(c&p)
HI O Balun 1.1 5kW PEP		13.95	(1.00)
Bilecomm Balun 4:1 1kW		11.20	(1.00)
Bilecomm 7 1MHz Epoxy Trops (nail)		9.95	(1.00)
Self Amalgamating Tape 10M x 25mm		4.25	(0.75)
T piece polyprop Dipole centre		7.60	(0.25)
Small ceramic egg insulators		0.65	(0.20)
Large ceramic egg insulators		0.85	(0.20)


CABLES ETC.		£	(c&p)
URM 67 low loss coax 50 ohm per metre		0.75	(0.25)
UR 76 50 ohm coax dia. 5mm per metre		0.30	(0.10)
UR 70 70 ohm coax per metre		0.35	(0.10)
UR 95 50 ohm coax dia. 2.3mm per metre		0.40	(0.10)
4mm Polyester Guy Rope (400kg) per metre		0.25	(0.10)
50mtrs 16 swg lead drawn copper wire		6.96	(1.50)
750 ohm Twin Feeder Light Duty per metre		0.20	(0.10)
300 ohm Slotted Ribbon Cable per metre		0.32	(0.10)

**WE ALWAYS STOCK A GOOD SELECTION OF FREQUENCY REFERENCE BOOKS**

# General Coverage Receiving Adaptor

Model PC1 adds 50KHz to 30MHz Receiver Coverage to 2 metre All Mode Receivers or Transceivers. For sheer value for money there is no better way of getting a superb general coverage receiving system. **Price: PC1 £129.37 inc. VAT**

To order simply dial  
**0532 744822**  
or write with cheque or postal order to



**Dept RC Datong Electronics Ltd., Clayton Wood Close, West Park, Leeds LS16 6QE**

Access/Barclaycard welcome - Fast delivery service  
Catalogue and data sheets on any product available free on request. **Dial 0532 744822 (2 lines)**

COMING SOON  
PAC-COMM TNC 2  
FOR UNDER £100

# AMDAT

FOR THE BEST RANGE  
OF  
PACKET RADIO EQUIPMENT



KANTRONICS KAM £269 + £3 pp

KANTRONICS all mode CW/RTTY/ASCII/AMTOR/PACKET. Simultaneous HF and VHF Packet Connects & Digipeating. Software also allows a Gateway between ports.

PAC-COMM TNC 220 £139 (kit)  
£159 (built)

TNC includes a single chip modem which is software switchable between two radio ports supporting both VHF and HF packet operation.

MFJ 1274 £179 (built)

A full specification TAPR TNC 2 clone in a new cabinet with a HF/VHF switchable modem and Bar Graph Tuning Indicator.

PAC-COMM DR200 £169 (built)

Dual port TNC designed for repeaters. Software supports AX.25 level 3 switching and digipeating on two separate frequencies.

KANTRONICS KPC 4 £310 + £3 pp

KANTRONICS dual port TNC with two functional packet ports and an RS-232/TTL terminal port. Also includes the KANTRONICS personal packet mailbox.

SERIAL INTERFACES NOW AVAILABLE FOR

AMSTRAD 464, 664, 5128

Ideal for TNC connection

All our other products still available  
Ring for details

AMDAT

Crofters, Herry Stoke Road  
Stoke Gifford, Bristol BS12 6QH  
(0272) 699352/559396



## HATELY ANTENNA TECHNOLOGY GM3HAT

1 Kenfield Place, Aberdeen AB1 7UW, Scotland, U.K.

TWO NEW CAPACITOR LOOPS CL 21 £24 MP CL 21 £19

If you are restricted for space and wish to make use of the improved MUF's now coming up, why not get one of these 21 MHz quad loops?

The CP 21 will handle a kilowatt of RF output; the MP CL 21 will take 100 watts (i.e. 11 to 12 OK for a 200W DC input). In size they are just over 3.5m square (10ft by 10ft) and may be hung quite low. They have the usual superb SWR figures for 50 ohm coax feed.

1 in MHz 21.0 21.1 21.2 21.3 21.4 21.45

5 to 1 1.1 1.08 1.08 1.12 1.2 1.28 Thns no ATU required.

For a Review of the properties of the Capacitor Loop, see our August advertisement p629.

### DIPOLE OF DELIGHT

For a Review of the properties of the Capacitor Dipole see the June advertisement page 455. And all the models in stock and their prices are given in the November advertisement.

### RECENT UNSOLICITED TESTIMONIALS:-

From Arthur Roe, G4SXY, who bought a DD 714/2128L in January 1984 "my version of the DD has been end still is a cracker - and it has taken quite a hammering over the years."

From Yann Balcou, F6HTE, who has one of our DD 14/21 antennas, "been looking for Pika Island for 15 years. With the Dipole of Delight I got him in front of the European wallpack."

A MERRY XMAS AND A HAPPY NEW IDNOSPHERE FOR 1989

Proprietor:- Maurice C Hately, MSc CEng, FIEE. Licensed since 1950; Now GM3HAT

## TONNA F9FT THE VHF/UHF ANTENNA SPECIALIST

50MHz	435MHz
20505 5 element £41.69(a)	20909N 9 element £28.62(a)
144MHz 4 element £27.60(a)	20918N 19 element £34.35(a)
20804N 4 element £27.60(a)	20438 19 element crossed £39.66(a)
20808N 4 element crossed £34.96(a)	20921N 21 element 432MHz £44.57(a)
20809N 9 element fixed £30.87(a)	20922N 21 element ATV £44.57(a)
20809N 9 element portable £33.12(a)	1296MHz 23 element £30.26(b)
20818N 9 element crossed £57.86(a)	20623 4 x 23 element --- £169.00(a)
20813N 13 element portable £46.00(a)	power splitter - stacking frame
20817N 17 element £61.54(a)	55 element £45.20(a)
144/435MHz 9x19 element Oscar £57.86(a)	20655 4 x 55 element --- £230.00(a)
20899N	20666 power splitter - stacking frame

All prices include VAT. Please add carriage (a) £5.00 (b) £2.20 ACCESS or VISA cardholders telephone your order immediate despatch. Callers welcome but by telephone appointment only please.

SEND 50p FOR OUR CATALOGUE WHICH CONTAINS FULL SPECIFICATION OF ALL OUR ANTENNAS, POWER SPLITTERS, STACKING FRAMES, COAXIAL CABLES ETC.

SOLE UK DISTRIBUTOR 12 Conduit Road, Abingdon, Oxon OX14 1DB  
RANDOM ELECTRONICS (R) Tel: (0235) 23080 (24 Hours)



CAP.CO



CAP.CO ELECTRONICS LTD  
63 Hallcroft, Birch Green  
Skelmersdale,  
Lancs WN8 6QB  
Tel. 0695 27948

### SPECIAL FEATURES OF CAP.CO HF ATU's

- Renowned SPC transmatch circuit
- CAP.CO innovative modular design eliminates stray inductance
- Unique built-in lightning protection
- Roller Coaster Indicator infinitely variable
- Balun built in 1 Kw 4 to 1
- Transmitter switch THRO ATU or DIRECT to antenna
- Unsurpassable transmission strength and clarity
- Solid, traditional precision radio engineering Lifetime Investment
- Superb ultra compact cabinet design
- Superlative finish and looks compatible with most rigs
- Will tune any Transmitter/Aerial combination to optimum

If you missed the first showing of our genuine magnetic loop antennas at Leicester, never mind. Send for full details to the address above.

### SPECIAL FEATURES OF CAP.CO VHF ATU's

- Will tune Cu Linear aerials and VHF beam aerials
- Tunes existing HF & Dipole arrays for use on 144-145 MHz
- Solid Die Cast cabinets
- ATU uses very low loss ceramic silver-plated capacitors

### SPECIAL FEATURES OF CAP.CO Capacitors

- Endplates made of epoxy random weave glass
- Capacitor plates stamped from N S 4 alloy sheet
- All other metal work machine quality brass
- Totally insulated - a must when carrying very high voltages

PLEASE DO NOT PURCHASE INFERIOR COPIES HOPING THAT THEY WILL PERFORM TO OUR HIGH STANDARDS

BUY THE BEST - BUY CAP.CO

Carriage extra where shown.  
(a) = £1.00; (b) = £2.00; (c) = £2.50

SPC-3000 1 Kw p.p.	£225.00
SPC-3000D 3 Kw p.p.	£325.00
CAP-25S S GANG 250pfd	£15.50
CAP-25T T GANG 250pfd	£18.95
CAP-10S S GANG 500pfd	£21.95
CAP-25D DIFF 500pfd	
8 Kv 2.5mm plate spacing	£18.95 (b)
CAP-31S S GANG 250pfd	£17.95
CAP-31T T GANG 250pfd	£22.95
CAP-12S S GANG 1200pfd	
12 Kv 4.5mm plate spacing	£25.95 (c)
ROLLER COASTER	£22.95 (b)
BALUNS 4:1, 1:1	£15.50 (b)
AERIAL KIT clip on spreaders, tee piece	£5.30 (a)
VHF A.T.U. 1 Kw p.p.	£59.95 (c)



## JAYCEE ELECTRONICS LTD JOHN GM30PW

20 Woodside Way, Glenrothes, Fife KY7 5DF  
Phone 0592 756962

Open 5 days - Tues-Sat 9am-5pm  
Out of Hours Service (0333) 29232

### LARGE RANGE of TRIO and YAESU goodies

Jaybeam - Microwave Modules

RSGB books - Daiwa - Welz - BNOS

Agent - D. Grey (G8TFL), 7 Cemetery Loaning,  
Berwick-on-Tweed. Tel (0289) 307116



## UPPINGTON

G2BAR BERT RS85565 PAUL G1DFK PETER

### G2BAR HAM BAND AERIALS GAMMA MATCHED YAGI ARRAYS

#### 6 METRE BEAMS

		P&P	THE G5RV MULTIBAND DIPOLE
2 element	£21.00		FULL SIZE 1/2 SIZE
3 element	£24.50		80-10 MTRS 40-10 MTRS
4 element	£28.00	£3.50	
ZL SPECIAL TYPE	12ELE £25.00	P&P £3.50	£16.25
ANTENNAS	7ELE £14.50	P&P £3.00	£14.25
	5ELE £10.50	P&P £2.50	+ £1.80 P&P + £1.80 P&P


Jaybeam Appointed Distributor  
New 10/15/20M 3 el mini tribander now available

12-14 Pennywell Road, Bristol BS5 0TJ  
Tel: (0272) 557732/558578



# USED AMATEUR EQUIPMENT?

I Buy, Sell & Exchange



**WANTED -** Your TOP QUALITY USED AMATEUR EQUIPMENT! We pay the very best prices for all types of used amateur radio equipment. Is your gear in top condition? Why not give G4TNY a call? If our offer isn't enough, we'll put your gear on our 'RIGSEARCH' service absolutely FREE to be offered to any prospective buyer that contacts us, all it costs you is a small commission, and we handle the hassle for you!

**DON'T FORGET - IF YOU'RE SELLING, IT'S G4TNY!**

**BUYING? -** If your looking for quality used amateur equipment, it has to be G4TNY. We have a large stock of used equipment ourselves, but, if we don't have it, our new amateur radio brokerage probably will, or may well be able to quickly find you what you're looking for!

**G4TNY IS CHANGING - IF WE COULDN'T HELP IN THE PAST, WE'RE SORRY, BUT WHY NOT TRY US NOW?**

**CLUBS, LOOK!** Send G4TNY your details for FREE REGULAR LISTS OF AVAILABLE GEAR!


Phone Dave, G4TNY on (040 24) 57722 or (0836) 201530. From 9 am to 7 pm, Mon to Sat.  
SAE PLEASE FOR LISTS. Personal callers by appointment only, please!

**MAIL ORDER?  
OVERNIGHT DELIVERY  
NOW AVAILABLE!**

**G4TNY AMATEUR RADIO**  
132 Albany Road, Hornchurch, Essex RM12 4AQ


**PART EXCHANGE  
POSSIBLE**

## ICS EVERYTHING FOR DATA COMMUNICATION



**SC-1200**

See November Radcom for further information, or send a S.A.E. for data sheets and facsimile print samples.



**FAX-1**



**PK-232**



**PK-87**

SC-1200 **£149.00** Carriage: £9.75

FAX-1 **£279.95** P&P: £4.00

PK-232 **£269.96** P&P: £4.00

PK-87 **£149.50** P&P: £4.00

### Software packages

C-64/128 for PK-232 & PK-87 £69.00 P&P: £1.50

BBC-B/Master for PK-232 & PK-87 £35.00 P&P: £1.50

IBM-PC & compatibles for PK-232 £39.00 P&P: £2.50

**A Happy Christmas to All Our Customers, World-wide**

*12 Months Parts and Labour Warranty on all products sold. Send large SAE for further details  
Visitors by appointment only. Prices may vary according to prevailing exchange rates.*

Prices include VAT @ 15%



**ICS ELECTRONICS LTD**

P.O. Box 2, Arundel, West Sussex BN18 0NX

Telephone: (024 365) 590 Fax: (024 365) 575



# Versatower: The professionals' choice!

A range of telescopic towers in static and mobile models from 7.5 to 36 metres with tilt-over facility enabling all maintenance to be at ground level.

Designed in accordance with CP3 Chapter V, part 2: 1972 for a minimum wind speed of 85 mph in conditions of maximum exposure and specified by professionals world-wide where hostile environments demand the ultimate in design, quality and reliability.

P40 Standard series  
£536.20 inc. VAT (ex-works)  
P60 Standard series  
£651.20 inc. VAT (ex-works)



Strumech Versatower Limited,  
Portland House, Coppice Side,  
Brownhills, Walsall, West Midlands  
WS8 7EX, England.  
Telephone (0543) 452321  
Telex: 335243 SEL G.

Main agent:  
South Midlands Communications Ltd.  
SM House, School Close,  
Chandlers Ford Ind. Estate,  
Eastleigh, Hants SO5 3BY  
Tel. (04215) 55111

Ask for details of  
our NEW 'E'  
Series Masts—  
Developed to  
give a low line  
(22ft) mounting  
height.

## SPECTRUM COMMUNICATIONS

MANUFACTURERS OF RADIO EQUIPMENT AND KITS

### 4 and 6m EQUIPMENT

**RECEIVE CONVERTERS** 4 or 6m antenna input, 10 or 2m r.f., variable gain 0-26dB, n.f. loss 1.5-3.5dB. Buffered local oscillator output, types RC4-10, RC4-2, RC6-10 and RC6-2, PCB kit £17.25, PCB built and tested £24.50, boxed kit £29.25, boxed, built and tested £41.00.

**TRANSMIT CONVERTERS** 4 or 6m 500mW output, 10m drive 25mW to 500mW. Local oscillator input matches receive converters. Types TC4-10 and TC6-10, PCB kit £16.50, PCB built and tested £25.75, boxed kit £20.50, boxed built and tested £41.00.

**TRANSMIT CONVERTERS** 4 or 6m variable power 80mW to 2.5W, 2m or 10m drive 10mW to 100mW. Local oscillator input matches receive converters. Types TC4-10H, TC4-2H, TC6-10H, TC6-2H, PCB kit £27.50, PCB built and tested £37.75, boxed kit £39.50, boxed built and tested £53.00.

**TRANSCEIVE CONVERTERS** Single board version of receive converter and 500mW transmit converter, 10m drive 25mW to 500mW, Types TRC4-10 and TRC6-10, PCB kit £39.00, PCB built and tested £54.00, boxed kit £54.00, boxed built and tested £63.25.

**TRANSCEIVE CONVERTERS** Separate receive converter and 2.5W transmit converter in a single boxed unit, 2m or 10m drive 10mW to 100mW only, requires r.f. sensing switch and attenuator for use with 2.5W 2m rigs, types TRX4-10H, TRX4-2H, TRX6-10H and TRX6-2H, Boxed kit £60.00, boxed and built £99.50.

### CB to 10m

**CB to 10 FM CONVERSION BOARDS**—THE FIRST COMMERCIALY AVAILABLE, suits all UK FM CB rigs to give 29.31 to 29.70MHz. Size only 63 x 40 x 13mm, built and aligned board SC29 £15. Or send your rig and we'll fit it. £28 inc. return P&P for mobiles. £31 inc. for base rigs.

**MULTIMODE CB CONVERSIONS**, send your 120 channel rig and we'll convert it to give 28.01 to 29.70MHz in straight sequences without gaps. Coil 1200DX, Cobra 148, Hy Gain 5, Multimode 2, Major M360, Tristar 747 & 777, Super Star 360, Concorde, etc. £62 inc. return P&P. Jumbo or Colt Excalibur 1200, £65. 80 Channel rigs such as Stalker 9 or Major M588 are modified to give 28.31 to 29.70MHz in straight sequence without gaps. £45.00 inc. return P&P. 200 Channel in 4 bands of 50 are converted to give 28.00 to 30.00MHz or 28.00 to 29.70MHz as required. Super Hy Gain 5, Lafayette 1800, Super Star 2000, £45.50 inc. return P&P. Nato 2000 £52.50, Super Star 2000 5x40GH £70. Coil 1500, 4x40GH, £65.50.

VAT & P&P INC PRICES

Delivery within 14 days subject to availability. 24 hr answering.



UNIT B5, MARABOUT INDUSTRIAL ESTATE,  
DORCHESTER, DORSET. TEL: 0305 52250



## ANTENNA FAULT?

LOSING DX? Not getting out?

**CHECK** with an **ANTENNA NOISE BRIDGE** and your receiver. **MEASURE** resonance 1-160MHz and radiation resistance 2-1000 ohms, just **TUNE** your receiver and **TURN** the resistance control on the bridge to null the noise, then **SIMPLY READ** resonance from the receiver and resistance from the bridge. **ANSWERS**, no 10 second limit, no frequency pulling, more DX. **ALSO** measures matching and R.F. resistance and inductance of matching coils, preamplifier matching or use as a noise generator. **ONLY £26.20**, fun-to-build kit (ready-made to order) includes **ALL** parts, **CASE**, pcb, pre-wound transformer, by-return postage (Europe same, Giro 21.923.4000) and **FREE "Kit News"**.

### CAMBRIDGE KITS

45 (RZ) Old School Lane, Milton, Cambridge

## J. BIRKETT

25 THE STRAIT, LINCOLN Tel: 20787


**EX-MILITARY COMMUNICATION RECEIVER R210**, Frequency 2 to 16MHz, In 7 Switched Bands, AM, CW, SSB, FCC, Aerial Inputs 80 ohms, Balanced Line, Long Or Whip, CW Filter, BFO, Noise Blanker, Complete with 240 Volt AC Power Pack, Loudspeaker, Headphone Jack and Pair of Lightweight Headphones. Price £79.80, Carriage £12.00. Mainland Only. **MULLARD AM RF/F MIDDLE LP1157** With Details @ £1.95. **MULLARD VHF TUNER MODULE LP1169** No Details @ £3.00. **X BAND GUNN DIODES** @ £1.65, Diodes Like IN23 @ 45p, Diodes Like SIM 2 @ 45p. 200 **MINIATURES ASSORTED POLYESTER CAPACITORS** For £1.00. **HIGH VOLTAGE SILVER MICA CAPACITORS** 750v 10p, 18p, 1, 20p, 1, 20p, 1, 20p, 1, 330p, 1, 500p, 1. All 20p each. **TUBULAR TANTALUM CAPACITORS** 6.8u 35v, 8.2u 35v, 10u 25v, 10u 20v, All @ 10p each. **LARGE GLASS WIRE ENDED CRYSTAL** 100kHz @ £1.00, 870 type @ £1.50, 10XAJ 1 MHz @ £1.50, HC8U 50 1MHz @ £1.00. **A.T.E. S. A1222T05** Transistors Similar to BFY51 5 for 65p. **LOW PROFILE DIL SOCKETS** 16 Pin @ 25 for £1.30, **TTT CRYSTAL FILTER TYPE D14DG** 10.7MHz BW 3.75KHz @ £3.95, **25 HF PIN DIODES UNTESTED** @ 50p, **50 ASSORTED VARI-CAP DIODES** @ 60p. **LARGE TELESCOPIE AERIALS** 10' Closed 04' Extended @ £2.30. **TDYD CRYSTAL FILTER** 10.7MHz BW 1.75KHz @ £1.95. **NUT FIXING FEED THRU** 91p, 500v @ 25p each. **X BAND DETECTOR DIODES** Similar to 1501 @ £1.65 each.

**WDDD AND DUGLAS KITS AND C.M. HOWES KITS AVAILABLE.**  
**ACCESS AND BARCLAYCARDS ACCEPTED.**  
**P.P. 60p UNDER £5, DIVER FREE, UNLESS STATED OTHERWISE.**



# NEVADA

**HIGH QUALITY BRITISH MADE PRODUCTS**



## TM1000 TRANSMATCH

1KW All Band ATU  
For Coax/LW feed

**£139** + £5 p+p

## TM1000 B TRANSMATCH

As above fitted with 2KW Balun

**£165** + £5 p+p

**TM1000 KIT £115** + £5 p+p

## BUILD YOUR OWN HIGH POWER ATU WITH OUR RANGE OF ATU COMPONENTS

RC26 Rotter Coaster 1KW 30uH	£24	+£1 p+p
TC250 250 pF Var. Capacitor 1KW	£19.95	+£1 p+p
TC500 250 + 250 pF Ganged Variable 1KW	£28.00	+£2 p+p
TC48 Turns counter for RC26	£12.95	+£1 p+p
Pre-drilled empty case for above	£26.00	+£3 p+p



## U.H.F. REMOTE ANTENNA SWITCH

(For masthead mounting)

Freq: DC - 1.2 Ghz  
Power: 150 Watts  
Insertion Loss: 0.19 dB at 900 Mhz  
Connectors: Green Par 'N' Type

**£59.95**

**ALLOWS SELECTION OF 2 ANTENNAS FROM 1 COAX FEEDER**

## H.F. REMOTE ANTENNA SWITCH

(For masthead mounting)

Now you can switch between two  
HF Antennas on one coax feeder.

Freq: DC - 185 Mhz  
RF Power: 400W P.E.P.  
Insertion Loss: 0.15 dB at 144 Mhz  
Connectors: SO239

**£39.95**



## 50 Mhz LINEAR AMPLIFIER

WITH HARMONIC FILTER

### SPECIFICATIONS

Supply: 13 V DC  
Input Power: 2.5 Watts  
Output Power: 15 Watts  
Freq: 50-52 Mhz  
Power Gain: Approx 8dB

**£29.95**

+ £1 p+p

## 29Mhz FM R.F. POWER AMPLIFIER

WITH HARMONIC FILTER

### SPECIFICATIONS

Supply: 13 V DC  
Input Power: 1.4 Watts  
Output Power: 25-30 Watts

ONE YEAR GUARANTEE

**£24.95**

+ £1 p+p



**NEVADA TEL: (0705) 662145**

189 LONDON ROAD, PORTSMOUTH PO2 9AE.

USE YOUR CREDIT CARD FOR IMMEDIATE DESPATCH

# GAREX ELECTRONICS

## WEATHER SATELLITE SYSTEM

This is the genuine MICROWAVE METEOSAT system, 24 hour geostationary (prediction charts not required).

Not to be confused with cheaper, computer add-on devices that normally utilise the VHF Satellites which are only usable for a few minutes at a time.

Our complete plug in and go package requires no computer, no software, and can be up and running, including dish alignment within 10 minutes.

Nothing more to buy: Dish, Microwave Receiver, Frame Store, 12" B/W Monitor AND ALL PLUGS & CABLES **£995.95**

Expandable to include VHF Satellites and colour. Designed by Timestep Electronics, now supplied by Garex.

## VHF SYSTEMS

VHF Active Antenna + 35mm cable	£74.75
VHF 10 Channel receiver	£155.25
Colour Frame Store (suits VHF & Microwave)	£454.25
SAE for full details and prices of other 'separates'	

\*\*\*\*\*

## GAREX VHF RECEIVERS

The celebrated Timothy Edwards designs now owned & manufactured by GAREX.

- ★ A simple but versatile design capable of covering spot frequencies in the range 25-200MHz.
- ★ Excellent sensitivity (typically 0.4uV for 12dB SINAD).
- ★ Double superhet (10.7MHz and 455kHz IFs).
- ★ Choice of IF bandwidths from 'W-SAT' to '12.5kHz' PMR standards.

- ★ The basic receiver is single channel crystal controlled.
- ★ Multichannel options.
- ★ 2 watt audio output stage having a low quiescent current.
- ★ Size: 153mm x 33mm. ★ Requires 10-14v DC supply.

### PRICES:

Stock Versions: (fully assembled, aligned & tested boards) 6m, 4m, 2m & Weather Sat. Versions: **£49.95** Complete cased versions & special options: details & prices on request. Crystals can be supplied if required; most popular 2 metre frequencies and the currently active Weather satellites are readily available. Crystal prices on request.

Mains Power Supply Module **£15.50**

## THE GAREX VHF PREAMPLIFIER

- ★ Compact size: 34 x 9 x 15mm. ★ Up to 26dB gain
- ★ Can be made for any frequency in the range 40-200MHz.
- ★ 3dB bandwidth ± 3MHz (at 145MHz)
- ★ Uses BF981 (0.7dB NF at 200MHz)
- ★ Input & output impedance 50 ohms
- ★ 1dB compression: + 10dBm. ★ Saturated output: + 15dBm.
- ★ Supply voltage 8-17v DC at 5-10mA.

Stock Versions: (fully assembled, aligned & tested boards) 6m, 4m, 2m, & Weather Sat. **£11.45**  
Other versions: prices & details on request.

★ NEW ★

## HIGH PERFORMANCE 2M PREAMPLIFIER

- ★ 3 bandpass stages for improved selectivity.
- ★ 16dB gain with 1dB noise factor.
- ★ RF switched (fail-safe action). Gas-filled relays.

Assembled, tested pcb (boxed version on request) **£42.50**

\*\*\*\*\*

## MAIN DISTRIBUTORS FOR REVCO ELECTRONICS LTD

Ask for details of the latest REVCO "Whippet" & "Kwikfit" antennas and solderless co-axial adaptors.

Prices include UK P&P and 15% VAT  
Ask for details of our Interest Free Credit



**GAREX ELECTRONICS**



HARROW HOUSE, AKEMAN STREET, TRING HP23 6AA  
TEL: (044 282) 8580 or (0296) 668684

Callers by appointment only

# WIN A 600MHz FREQUENCY COUNTER!

IN THE NEW  
STYLE  
WINTER  
1987/88

**Cirkit**  
CATALOGUE



PACKED WITH NEW LINES

- 2 new HF Receiver kits
- 5 and 50W RF Power Heads
- Oscilloscope Digital Storage Unit
- Component Packs
- 12 new books
- Temperature Controlled Irons
- Easy to Enter Competition
- Special Offers
- Quantity Price Discounts
- 24 hour order line
- PCB Prototyping System
- CB Rigs
- £££s of Discount Vouchers

ONLY  
**£1.20**

Available from your local newsagent or  
direct from Cirkit at the address shown

below

**Cirkit**



VISA

**Cirkit Distribution Ltd.**  
Park Lane, Broxbourne, Herts EN10 7NQ  
Telephone (0992) 444111 Telex: 22478

## GUIDE TO UTILITY STATIONS 1988 (6th edition)

including GUIDE TO RADIO TELETYPE STATIONS (14th edition)

480 pages. £20.00 or DM 60. ISBN 3-924509-88-3

The fully revised new edition is the first publication in the world giving exact details on teleprinter stations using those new ARQ-E, FEC-A etc. systems. Hundreds of frequencies of these stations are listed, as well as the results of our 1987 monitoring missions to the Yemen Arab Republic and to Mauritius/Réunion/Rodrigues.

This unique manual covers the complete shortwave range from 3 to 30 MHz, plus the adjacent frequency bands from 0 to 150 kHz and from 1.6 to 3 MHz. Contrary to imitative publications it is built on real-time monitoring throughout the year around the clock. It includes details on all types of utility stations including facsimile, morse, phone and teleprinter stations, the latter covering the entire spectrum from standard RTTY over SITOR to all those fascinating new ARQ, FDM, FEC, TDM and VFT systems.

The numerical frequency list covers 15802 frequencies of stations which have been monitored during 1987, thereof 33% RTTY and 3% FAX. Frequency, call sign, name of the station, ITU country symbol, types of modulation and corresponding return frequency, or times of reception and details, are listed. The alphabetical call sign list covers 3123 call signs, with name of the station, ITU country symbol, and corresponding frequencies.

77 RTTY press services are listed on 502 frequencies not only in the numerical frequency list, but also chronologically for easy access around the clock, and alphabetically in country order.

Additional alphabetical indices cover:

- Schedules of 72 meteorological FAX stations on 287 frequencies.
- 82 meteor RTTY stations on 243 frequencies. 518 kHz NAVTEX schedule.
- 952 name and italic abbreviations and signals. 182 telex service codes.
- 983 utility station addresses in 201 countries.
- Radio Regulations on frequency and call sign allocations.
- Frequency band plans for the Aeronautical and Maritime Mobile Service.
- All Q-code and Z-code groups for civil and military use.
- Emission designations, classes of stations, and various other tables.

Further publications available are Guide to Facsimile Stations, Radioteletype Code Manual, Air and Meteor Code Manual, etc. For further information ask for our catalogue of publications on commercial and telecommunication on shortwave, including recommendations from all over the world. All manuals are published in the handy 17 x 24 cm format, and of course written in English.

The price includes airmail to anywhere in the world. Payment can be by cheque, cash, International Money Order, or post giro (account Stuttgart 2093 75-709). Dealer inquiries welcome - discount rates and pro forma invoices on request. Please mail your order to:

## KLINGENFUSS PUBLICATIONS

Hagenhofer Str. 14, D 7400 Tuebingen, Fed. Rep. Germany  
Tel. 01049 7071 62830

## BILLINGTON VALVES

Valves, Transistors, I.C.s. Realities our specialty. Usually the lowest prices!  
Don't miss our new valve catalogue! Send SAE today for your copy, or phone for quotation on valves, transistors & I.C.s.  
Wholesale/retail enquiries welcomed! French & German spoken by arrangement!  
Amazing Bargain Packs 20lbs (9kg) of resistors, capacitors, transistors, switches etc. etc. £10 + VAT delivered!  
We wish to purchase audio valves PX4, PX25, DA100, KT66, KT88, etc. Complete valve collections, shop clearance etc. considered. Ideally send listing mentioning price required.  
Billington Valves, 39 Highland Road, HORSHAM, W. Sussex BN13 5LS.  
Phone (0403) 864038 Telex 67271 PROD55G.  
Please phone to check that office is attended before calling in person.

## INDEX TO ADVERTISERS

A.H. Electronics.....	962	A Kelly Electronics.....	960
Allweld Engineering.....	969	Klingenfuss Publications.....	968
Amcomm of London.....	IFC		
AMDAT.....	964		
ARE Communications Ltd.....	961/IBC		
BNOS Electronics.....	959	McKnight Crystal Co Ltd.....	962
J. Baldwin.....	958		
Billington Valves.....	968		
J. Birrell.....	966	N A R.S.A.....	960
Bredhurst Electronics.....	963	Novada (Telecomms).....	967
Cambridge Kits.....	966	Photo Acoustics Ltd.....	894
CapCo Electronics Ltd.....	964		
Cirkit Distribution Ltd.....	968	QuantisLab Marketing Ltd.....	960
CR Supply.....	962		
Dalong Electronics.....	963	Random Electronics.....	964
		RN Electronics.....	962
GATNY Amateur Radio.....	965	Siskin Electronics.....	958
Garex Electronics.....	967	South Midlands Comms Ltd.....	896/898
		Spectrum Communications.....	966
		Stephens-James.....	969
		Strumach Versatower Ltd.....	966
Hately Antenna Technology.....	964		
Heathcote Products.....	958		
HRS Electronics Ltd.....	889		
		Technical Software.....	961
ICOM (UK) Ltd.....	890/3		
ICS Electronics Ltd.....	965	Uppington Tele-Radio.....	964
Jaycee Electronics.....	964	Waters & Stanton.....	895
J.E.P. Electronics.....	962	C. Wilson.....	962
KW Ten-Tec Ltd.....	958	Yaesu Musen Co Ltd.....	0BC



# STEPHENS-JAMES LIMITED



47 Warrington Road, Leigh WN7 3AE (0942) 676790



**KENWOOD TS930S  
HF Transceiver**

TS830S	£1095.00	PS430	£173.78	AT930	£206.00	TS530SP	£748.00
AT230	£208.00	TL922	£1495.00	AT940	£244.85	TH205E	£215.26
SP230	£68.00	R2000	£595.00	AT440	£144.82	TH215E	£252.00
TR205E	£215.26	H55	£37.54	AT250	£386.00	TS930S	£1695.00
TS430S	£748.00	TS711E	£940.00	TM221E	£317.30	TS940S	£1995.00
TH21E	£189.00	TR215	£252.13	TM441E	£372.00	TS811E	£1095.00
TR751E	£599.00	TM255E	£485.00	TM4100E	£699.00	RS000	£875.00
SW100A	£49.50	MC85	£99.00	TH41E	£218.00	SM220	£343.62
TS440S	£1138.00						

FULL RANGE OF KENWOOD/TRIO ACCESSORIES STOCKED



**KENWOOD R2000  
General Coverage Receiver**

The only official stockist of Kenwood equipment in the North West

## STATION ACCESSORIES (Inc post)

SWR50 Twin SWR meter	£24.50
Heavy Duty magnetic mount	£24.50
Pair high power antenna traps	£19.00
Heavy Duty dipole centrepiece	£3.95
LF30A Low Pass Filter	£35.50
WEL2 SP220 SWR/power Meter	£70.00
CAPCO 3000 Antenna Tuner	£227.50
MFJ2028 RF Noise Bridge	£63.00
MFJ1601 Waco Antenna Tuner	£43.00
MFJ260 300 Watts Dummy Load	£29.35
MFJ1701 8-way Antenna Switch	£31.00
CN419 Antenna Tuner	£206.37
CN410M 3-5-150MHz SWR	£54.00
CN460M 140-500MHz SWR	£58.00
HP4A High Pass Filter	£8.25
AT1000 SWL ATU	£70.00
HK808 Morse key	£20.15
Lightweight Antenna Rotator	£52.50
MK704 Twin Peddle	£20.25
Daiwa 30 Amp Power Supply	£200.00
Pair 7, 1MHz Antenna Traps	£10.50
HS508 1:1 Balun	£23.00
Daiwa 12 Amp Power Supply	£92.00
Full size GSRV antenna	£18.35
Half size GSRV antenna	£16.75
80-10 Trap Dipole Kit	£26.50
Gutter Mount and Lead	£13.50
HK708 Morse Key	£22.00
Pair 3.7MHz Antenna Traps	£10.50

Stockists for Jaybeam, Tonna, Galing, Yates, G Whips, Mic Modules, Belcon, Daiwa, Kenpro, JMC, CapCo

Full range of aluminium tubing, lashing kits, clamps for the cables

## AR2002 SCANNING RECEIVER

Updated version of the best selling scanning receiver the AR2001. Frequency range 25 to 550MHz plus new band 800 to 1300MHz. Improved keyboard. Front panel knob for frequency stepping. LED "S" Meter. Socket for RS232 interface unit. Specifications as the AR2001. PRICE £487.30

### ANTENNAS

Jaybeam "MINIMAX" Tri-band beam	£325.00
Jaybeam VR3 Vertical	£70.00
Jaybeam TB1 Dipole	£101.20
Jaybeam TB2 Tri-band	£202.00
Jaybeam TB3 Tri-band	£299.00
Jaybeam C5/2M Co-linear	£88.25
Jaybeam 4el. 6	£48.75
Jaybeam 4el. 4	£36.50
Jaybeam 8el. 2	£21.85
DCP5 10-80m Vertical	£195.00
GPV-5 2m Co-linear	£54.92
GPV-7 70cm Co-linear	£45.49
CP4 10-40M Vertical	£147.00
HO1 Mini Beam 6-20M	£195.00
Entelnet HF6V 6 band vertical	£159.00
Entelnet HF2V 80/40M vertical	£142.00
Entelnet HF4B Compact 3 band Beam	£235.00
Cushcraft A3 3el Tri-band	£263.00
Cushcraft AP8 6 band vertical	£184.35
Revcone—Discone antennas and other scanning receiver antennas in stock	

FULL RANGE OF PUBLICATIONS IN STOCK RSGB, ARRL, ETC.

## HG-125 GENERAL COVERAGE RECEIVER



30kHz - 30MHz - 30 memories, 12VDC operation (AC mains adapter supplied).

Made in Britain!

## R5000 RECEIVER—General Coverage

100kHz - 30MHz (plus optional VHF converter) 100 memory channels, 12VDC or 240V AC operation



PROFESSIONALS AND DISCERNING  
RADIO AMATEURS ALWAYS CHOOSE



THE TOWER  
PEOPLE

## COMPACT LATTICE TOWERS—SLIMLINE TUBULAR MASTS

Telescopic—Tiltover, Fixed—Mobile from 3M to 60M.  
Over 50 Models, suitable for a wide range of civil and military applications such as:

- Radio Communications
- Amateur Radio
- CCTV and Surveillance
- Meteorological Monitoring
- Aero & Marine Nav Aids
- Flood Lighting etc.

Purpose designed using 4.5m and 3m section modules for low retracted heights and cost effective shipping. Engineered to B.S.I. standards and hot dip galvanised to BS729 for protection. Wind loads are based on BS CP3 CHAP V PT 2 1972 for wind speeds up to 100mph/160kph.

RELIABILITY—QUALITY—KNOW HOW.

SEND S.A.E. FOR FULL DETAILS.

WE DESIGN—WE MAKE—WE SELL—DIRECT. No Middle Man.  
At manufacturers prices—you get best value.

ALSO SPACE SAVER 3ele 4 BAND AQ6-20 BEAM  
£169.00 + £8.00 CARR. UK mainland only

**ALLWELD  
ENGINEERING**

Factory 6, 232 Selsdon Road,  
South Croydon, Surrey, CR2 6PL  
Tel: 01-680 2995 (24 hr) 01-681 6734

HP TERMS AVAILABLE

# RSGB MAIL-ORDER PRICE LIST

	Non-members' price	Members' price		Non-members' price	Members' price
<b>RSGB books</b>			<b>Other publications</b>		
<i>A Guide to Amateur Radio</i> (19th edn)	£4.34	£3.69	<i>All About Cubical Quad Antennas</i> (RPI)	£8.11	£6.89
<i>Amateur Radio Operating Manual</i> (3rd edn)	£6.84	£5.81	<i>All About Vertical Antennas</i> (RPI)	£12.88	£10.95
<i>Amateur Radio Software</i>	£11.25	£9.56	<i>Amateur Radio Computer Networking Conference Papers Vols 1-4</i> (ARRL)	£24.95	£21.21
<i>Buyer's Guide to Amateur Radio Equipment</i>	£8.49	£7.22	<i>Amateur Radio Computer Networking Conference Papers Vol 4</i> (ARRL)	£15.76	£13.40
<i>G-ORP Club Circuit Book</i>	£5.25	£4.46	<i>Amateur Radio Computer Networking Conference Papers Vol 5</i> (ARRL)	£12.85	£10.92
<i>HF Antennas for All Locations</i>	£ 8.18	£6.95	<i>Amateur Radio Satellites—The First 25 Years</i> (Amsat UK)	£4.07	£3.46
<i>How to Pass the Radio Amateur's Examination</i>	£3.60	£3.23	<i>Amateur Television Handbook</i> (revised) (BATC)	£3.41	£2.90
<i>Ins and Outs of Repeaters</i>	£2.22	£1.89	<i>Antenna Compendium Vol 1</i> (ARRL)	£13.33	£11.33
<i>Microwave Newsletter Technical Collection</i>	£10.87	£9.24	<i>ARRL Antenna Book</i> (ARRL)	£11.85	£10.07
<i>Morse Code for Radio Amateurs</i>	£3.21	£2.73	<i>ARRL Operating Manual</i>	£20.47	£17.40
<i>RSGB Amateur Radio Call Book, Winter 1987-8</i>	£7.64	£6.49	<i>AX25 Amateur Packal Radio Link-layer Protocol</i> (ARRL)	£9.73	£8.27
<i>Radio Amateurs' Examination Manual</i> (11th edn)	£4.27	£3.63	<i>Basic Radio Electronics</i> (Tab)	£20.60	£17.51
<i>Radio Communication Handbook Vol 2</i> (hb)	£9.41	£8.00	<i>Beam Antenna Handbook</i> (RPI)	£10.87	£9.24
<i>Radio Communication Handbook Vols 1 &amp; 2</i> (pb)	£22.29	£18.95	<i>Better Short Wave Reception</i> (RPI)	£7.95	£8.76
<i>Radio Data Reference Book</i> (5th edn)	£9.59	£8.15	<i>Care and Feeding of Power Grid Tubes</i> (Varian)	£12.12	£10.30
<i>Teletypewriter Handbook</i> (2nd edn)	£9.35	£7.95	<i>CMUS Lookbook</i> (Sams)	£17.99	£15.29
<i>Television Interference Manual</i> (2nd edn)	£3.50	£2.98	<i>Complete DX'er</i> (Idiom)	£10.47	£8.90
<i>Test Equipment for the Radio Amateur</i>	£9.25	£7.86	<i>Complete Shortwave Listener's Handbook</i> (Tab)	£19.94	£16.95
<i>VHF/UHF Manual</i> (4th edn)	£14.82	£12.60	<i>DX Edge</i> (hl propagation aid)	£21.07	£17.91
<i>World at Their Fingertips</i>	£8.62	£7.33	<i>DX Power: Effective Techniques</i>	£13.31	£11.31
<b>RSGB logbooks</b>			<i>FCC Rule Book</i> (ARRL)	£5.85	£4.97
<i>Amateur Radio Logbook</i>	£5.49	£4.67	<i>First Steps in Radio</i> (ARRL)	£7.23	£6.15
<i>Mobile Logbook</i>	£1.37	£1.16	<i>FM and Repeaters for the Radio Amateur</i> (ARRL)	£7.22	£6.14
<i>Receiving Station Logbook</i>	£4.46	£3.79	<i>Fuji-F012 Technical Handbook</i> (Amsat-UK)	£7.12	£6.05
<b>RSGB maps, charts and lists</b>			<i>Guide to Oscar Operation</i> (Amsat-UK)	£2.56	£2.18
<i>HF Awards List and countries List</i>	54p	46p	<i>International VHF FM Guide</i> (G3UHK/G8AUU)	£5.18	£4.40
<i>IARU Region 1 Beacon List</i>	44p	37p	<i>Joy of UHF</i> (Aron Weiss, WORSP)	£13.76	£11.70
<i>Locator Map of Europe</i> (wall)	£2.17	£1.84	<i>Linear Op-Amp Handbook</i> (Carr)	£24.91	£21.17
<i>Locator Map of Europe</i> (card for desk)	79p	67p	<i>Low Band DXing</i> (ARRL)	£12.65	£10.75
<i>Locator Map of Western Europe</i> (wall)	£3.40	£2.89	<i>Maslar Handbook of Ham Radio Circuits</i> (Teb)	£11.07	£9.41
<i>Meteor scatter data sheets</i>	£3.91	£3.32	<i>Micro and Television Projects</i> (BATC)	£6.50	£5.53
<i>Smith Charts, pad of 25</i> (Charwell 07510)	£3.29	£2.80	<i>Microcomputers in Amateur Radio</i> (Teb)	£11.75	£9.88
<i>Software Register</i>	£1.16	£1.00	<i>Microwave Communication Handbook</i> (Willey)	£17.06	£14.50
<i>UK Beacon List</i>	44p	37p	<i>Morse Code, the Essential Language</i> (ARRL)	£8.11	£6.19
<i>UK Repeater List</i>	56p	48p	<i>Oscar 10 Handbook</i> (Amsat-UK)	£6.06	£5.15
<i>World Prefix map in full colour</i> (well)	£3.38	£2.87	<i>*Packal Radio Handbook</i> (Tab)	£17.35	£14.75
<b>RSGB members' sundries (members only)</b>			<i>ORP Notebook</i> (ARRL)	£5.25	£4.46
<i>RSGB badge car sticker</i>	—	81p	<i>Radio Amateurs' Antenna Handbook</i> (RPI)	£9.15	£7.78
<i>RSGB belt</i> (real leather)	—	£10.88	<i>Radio Amateur Callbook International Listings 1988</i> (RACI)	£29.41	£25.00
<i>RSGB belt</i> (collar, maroon, green or blue—please state)	—	£4.50	<i>Radio Amateur Callbook North American Listings 1988</i> (RACI)	£29.41	£25.00
<i>RSGB logo rubber stamp</i>	—	£3.32	<i>Radio Amateur DX Guide</i> (RACI)	£5.18	£4.40
<i>RSGB loeshirts</i> (medium, large, ex large—please state)	—	£5.15	<i>Radio Amateurs' Handbook 1987</i> (ARRL)	£20.48	£17.41
<i>RSGB Green Book</i> (details structure, organisation and objectives of the Society)	—	£2.82	<i>Radio Amateur Map of North America</i> (RACI)	£4.30	£3.66
<i>Standard call sign lapel badge</i> (Five weeks' delivery)	—	£2.95	<i>Radio Communication Receivers</i> (Teb)	£18.74	£15.93
<i>De-luxe call sign lapel badge</i> (Five weeks' delivery)	—	£3.34	<i>Radio Frequency Interference</i> (ARRL)	£4.86	£4.13
<i>Standard lapel badge</i> (RSGB emblem, pin fitting)	—	£1.36	<i>RTTY Awards</i> (BARTG)	£9.24	£7.85
<i>Mini lapel badge</i> (RSGB emblem, pin fitting)	—	91p	<i>RTTY the Easy Way</i> (BARTG)	£6.30	£5.38
<i>Members' headed notepaper</i> (50 sheets) quarto	—	£2.81	<i>Satellite Experimenters' Handbook</i> (ARRL)	£12.65	£10.75
<i>Members' headed notepaper</i> (50 sheets) octavo	—	£2.19	<i>Simple Low-cost Wire Antennas</i> (RPI)	£11.08	£9.42
<b>Miscellaneous</b>			<i>Slow Scan Companion</i> (BATC)	£5.00	£4.25
<i>Call sign rubber stamp</i>	£5.48	£4.66	<i>Software for Amateur Radio</i> (Tab)	£19.00	£16.15
<i>Car sticker "Amateur radio"</i> (two colours)	81p	69p	<i>Solid State Design for the Radio Amateur</i> (ARRL)	£14.38	£12.22
<i>Car sticker "I love amateur radio"</i>	£2.34	£1.99	<i>Towards the Radio Amateurs' Examination</i> (Siam)	£7.59	£6.45
<i>Car sticker "I'm on the air with amateur radio"</i>	93p	79p	<i>Towers International Digital IC Selector</i>	£14.65	£12.45
<i>Car sticker "I'm monitoring—5 are you?"</i> (two colours)	81p	69p	<i>Towers International MOSpower and other FET Selector</i>	£14.65	£12.45
<i>Radio Communication back issues</i>	£1.47	£1.25	<i>Towers International Transistor Selector</i>	£19.29	£16.40
<i>Radio Communication bound volume, 1984</i>	£22.69	£19.29	<i>Towers Op-Amp Selector</i> (Foulsham)	£15.05	£12.79
<i>Radio Communication bound volume, 1985</i>	£22.69	£19.29	<i>Transmission Line Transformers</i> (ARRL)	£13.59	£11.55
<i>Radio Communication bound volume, 1986</i>	£22.69	£19.29	<i>Tune in the World with Ham Radio</i> (ARRL)	£6.79	£5.77
<i>Radio Communication Eastbinder</i>	£14.54	£12.38	<i>TV for Amateurs</i> (BATC)	£8.91	£5.87
<i>RSGB collect mug</i> (plastic)	£2.93	£2.49	<i>UHF Compendium Parts 1&amp;2</i> (Wolner)	£24.71	£21.00
<i>RSGB hl contest log sheets</i> (100)	£3.87	£3.29	<i>Understanding Amateur Radio</i> (ARRL)	£7.61	£6.47
<i>RSGB vhl contest log sheets</i> (100)	£3.87	£3.29	<i>Understanding Oscillators</i> (Teb)	£15.18	£12.90

## ORDERING INFORMATION

**NON MEMBERS.** Use left-hand price columns. Note that members' sundries are only available to members of RSGB.

**MEMBERS.** Use right-hand price columns. It is essential that you quote your call sign or BRS number so that you can be recognised as a member.

**PRICES.** These include postage, packing and VAT where applicable, and are subject to change without notice. For air mail despatch, please ask for price before ordering. Goods are obtainable, less p & p, at RSGB headquarters between 10am and 4pm, Monday to Friday.

**POSTAL TERMS.** Cash with order. Stamps and book tokens cannot be accepted. Cheques and postal orders should be crossed and made payable to "Radio Society of Great Britain". Our Giro account number is 5335256. Please write your name and address clearly on the order, and allow up to 28 days for delivery.

\*Items marked with an asterisk may not be available immediately; please telephone before ordering to confirm availability. Members visiting HQ are advised to telephone first to confirm availability of goods.

**ORDER FROM: RSGB Publications (Sales), Lambda House, Cranborne Road, Potters Bar, Herts EN6 3JE**



	Non-members' price	Members' price
Kit of 10 different filter types	£42.65	£36.25
Notch filter tuned to 145MHz	£7.70	£6.55
Notch filter tuned to 435MHz	£6.78	£5.76

#### Language and Morse

##### Instruction aids

Radio Amateurs Conversation Guide (OHIBR)	£7.12	£6.05
Dutch supplement to Conversation Guide	£1.41	£1.20
French cassette supplement to Conversation Guide	£5.77	£4.90
Gorman cassette supplement to Conversation Guide	£5.77	£4.90
Russian cassette supplement to Conversation Guide	£5.77	£4.90
RSGB Morse Instruction tape (to 5wpm)	£5.04	£4.28

#### MAGAZINE SUBSCRIPTIONS

QST (including ARRL membership):		
One year—surface mail	£27.94	£23.75
Two years—surface mail	£53.37	£45.36
Three years—surface mail	£79.52	£67.59
One year—air (KLM) W Europe only	£88.24	£75.00
Ham Radio Magazine, one year, by air	£47.00	£39.95

#### NEWSLETTER SUBSCRIPTIONS†

Connect International (monthly)	£9.35	£7.95
DX News Sheet (weekly)	£21.77	£18.50
Microwave Newsletter (10 issues per year)	£7.94	£6.75
VHF/UHF Newsletter (monthly)	£9.35	£7.95

#### RAYNET SUPPLIES

Raynet badge—embroidered	£1.04	£0.88
Raynet badge—lepel	£0.69	£0.78
Raynet badge clip	£0.50	£0.43
Raynet car sticker—circular	£0.65	£0.55
Raynet car sticker—diamond	£0.65	£0.55
Raynet identification sticker	£0.51	£0.43
Raynet Manual (1986 edition)	£3.41	£2.90
Raynet poster	£0.98	£0.83
Raynet tie	£5.83	£4.98

#### MICROWAVE COMPONENTS

Capacitors		
4.7pF chip capacitor (pack of 10)	£1.30	£1.11
10pF chip capacitor (pack of 10)	£1.30	£1.11
22pF chip capacitor (pack of 10)	£1.30	£1.11
100pF chip capacitor (pack of 10)	£1.08	£0.92
470pF chip capacitor (pack of 10)	£1.28	£1.09
1000pF chip capacitor (pack of 10)	£1.08	£0.92
10nF chip capacitor (pack of 10)	£1.28	£1.09
100nF chip capacitor (pack of 10)	£1.41	£1.20
1000pF collin capacitor (pack of 10)	£1.08	£0.92

#### Crystals

94.666MHz crystal HC18U	£9.03	£7.68
-------------------------	-------	-------

#### Exciters

GDHM32 24GHz doppler module	£70.58	£59.99
-----------------------------	--------	--------

#### Hardware, pcbs and laminates

1.152MHz loc osc source pcb (RC2/3/87)	£5.40	£4.59
CBT-40 mounted termination, 40W, 50Ω	£22.29	£18.95
CBT-40 mounted termination, 40W, 100Ω	£22.29	£18.95
Cu Clad 233 laminate, 2 by 1/2 in block	£0.99	£0.84
Regulator pcb (RC 10/81)	£2.50	£2.13
UHF source pcb (RC 10/81)	£7.06	£6.00
WG20 copper waveguide (per foot)	£7.14	£6.07
Bress flange UG595/U for WG20 waveguide	£4.99	£4.24

#### Resistors

51Ω chip resistor (pack of 10)	£0.83	£0.71
100Ω chip resistor (pack of 10)	£0.83	£0.71

#### Semiconductors

1N415E point contact mixer diode	£7.44	£6.32
DC1501E mixer	£14.39	£12.23
MD4901 SRD	£33.51	£28.48
MGF1402 GaAs fet	£28.60	£24.31
MSA0104 monolithic ic	£5.03	£4.28
MSA0204 monolithic ic	£3.81	£3.24
MSA0304 monolithic ic	£3.98	£3.38
MSA0404 monolithic ic	£8.79	£5.77
uPB581G 2.6GHz divide by 2 prescaler	£10.29	£8.75
uPB582G 2.6GHz divide by 4 prescaler	£10.29	£8.75



†Newsletter subscription rates shown are those for delivery to the UK and EEC countries. For rates to other overseas destinations please contact the Circulation Department of RSGB Headquarters.

## THREE NEW BOOKS...

### ARRL OPERATING MANUAL

The latest 1987 edition of this excellent operating guide is available for the first time in the UK. There has been a great increase in the scope of amateur radio in recent years. Twenty years ago there was, for most operators, the choice of phone or cw. Today the choice includes rly, amtr, packet, satellites, repeaters, slow and fast scan television, lex, to name but a few. In addition there are the more traditional variations to basic phone or cw operating such as dxing, contest operating, chasing awards, training for emergency communications etc. The ARRL Operating Manual is designed to help you make your own personal choice of the many and varied facets of amateur radio.

Although aimed primarily at the amateur radio operator in the USA, this book very effectively complements the RSGB's own *Amateur Radio Operating Manual*. It is indeed "The most complete book about amateur radio on-the-air operating ever published" (K1XA).

Chapter titles: *Shortwave Listening; The Amateur Radio Spectrum; Basic Operating; Antenna Orientation; DXing; Overseas DXing; DXpeditions; Contests; Operating Awards; RTTY Communications; Packet Radio; FM and Repeaters; VHF/UHF Operating; Satellites; Emergency Communications; Traffic Handling; Image Communications; Reference Data.*

688 pages; paperback; 1987; £17.40 to RSGB members by post

### LOW BAND DXING

This long-awaited book by John Devoldere is essential reading for anyone interested in dxing on the lower frequency bands. With over 300 countries worked on 3-5MHz and nearly three decades of experience in working dx on the ll bands the author is ideally placed to write this comprehensive book. A substantial part of the book deals with antennas relating to lower band dxing. Some theoretical aspects are addressed in more detail than is usual in amateur radio literature, but only because antennas are by far the most important tool in any lower band dx operation. A number of basic programs are given which greatly simplify many antenna calculations.

However, this book is not all about antennas. Propagation information is given, there are chapters dealing with equipment for use in lower band dxing, operating techniques are discussed in depth, and there is a comprehensive literature review. If you want to know more about dxing on lower frequencies this is the book for you.

Chapter titles: *Low-Band Propagation; Antennas; Transmitters; Receivers; Transceivers; Low-Band DX Operating; Computer Programs; Literature Review.*

266 pages; paperback; 1987; £10.75 to RSGB members by post

### TRANSMISSION LINE TRANSFORMERS

Since its inception almost 40 years ago, the transmission line transformer has been widely used because of its inherent wide bandwidth capability. In the past, however, little information has been published on specific design parameters such as types of windings, core materials, efficiencies, bandwidths etc. The author, Jerry Sevick, W2FMI, has made extensive studies of all aspects of transmission line transformers, some of his conclusions conflicting with existing theory. This important book is the result of his studies, and will appeal to anyone who has cause to design broadband transformers in rf applications. The chapters on baluns and rf test equipment would also have more general application.

Chapter titles: *Analyses; Low Frequency Characterization; High Frequency Characterization; Transformer Parameters for Low Impedance Applications; Transformer Parameters for High Impedance Applications; Transformer Designs with Impedance Ratios Less than 4:1; Transformer Designs with Impedance Ratios Greater than 4:1; Baluns; Materials and Power Ratings; Simple Test Equipment; Summary Statements; References.*

138 pages; hardback; 1987; £11.55 to RSGB members by post

## CLASSIFIED ADVERTISEMENTS

Classified advertisements 40p per word (VAT included), minimum £6.40  
 Box Number £2.00 extra to wordage or minimum.  
 Semi-display 1/8 page 2 1/8" x 3 1/2" (57 x 91mm) £91.00  
 3/32 page 1 5/8" x 3 1/2" (42 x 91mm) £70.00  
 1/16 page 1" x 3 1/2" (26 x 91mm) £49.00 + 15% VAT

Please write clearly. All enquiries accepted for errors.

Latest date for acceptance — 7 weeks before 1st of issue month.

All classified and semi-display advertisements MUST be prepaid.

Copy and remittance to: M. J. HAWKINS G3ZNI, RSGB Advertisement Agent,  
 PO Box 599, Cobham, Surrey KT11 2QE.

Cheques should be made payable to RSGB.

Members' Ads must be sent to "Members' Ads," RSGB Hq.

## FOR SALE

DSL CARDS printed to your own specification in white or coloured gloss card. Send SAE for sample pack to: The Caswell Press, 11 Barons Way, Waadhatch, Reigate, Surrey, (073 72) 44916.

AMIDON TDRIDAL CDRS, forre rings for TVI litters, forre beads. Send SAE for data and prices SMC (TMP Electronics), Unit 27, Pinfold Works, Pinfold Lane, Beckley, Clwyd.

PERSONALISED DSL CARDS, 1000 £16.50; 5000 £55.00. 5000 gloss in two colours £75.00. Send SAE for samples. (DIY OSLS/SWL's—state which)—100 mixed designs/colours, £2.50. C.W.O. O/Cards, 89 Darwent Street, Blackhill, Consett DH8 8LT.

ALL THE FAMOUS MDSLEY ANTENNAE, TA33Jr, Mustang, Atlas, V-3Jr, TD-3Jr Beams, Verticals, etc. Also spares available only direct from us. Send £1 for our Handbook showing all Antennae. Maslay Electronics, 196 Norwich Road, New Costessay, Norwich NR5 0EX.

QSL CARDS. Try me for quality and price. SAE for samples. A. W. Bailey (G3YNI), Brian Down Press, 78 Allred Street, Weston-Super-Mare, Avon BS23 1PP.

GZVF D.I.Y. LDDP ANTENNAS Lang, Medium or Short Wave. SAE details. Rylands, 39 Priksile Avenue, Southampton SO1 9AF.

QSL CARDS, Gloss or lined cards. SAE for samples to Twrag Press, Panyban, Gollidan, Blaenau Ffestiniog, Gwynedd.

GATJB DSL CARDS. Personal and Standard Designs SAE samples. 100 Mail DIY £2.50. Gloss £3.50. Logbooks £2.20. Bero Envelopes £1.00 (20) Navy Special. HF mobile and dipoles SAE details. G5RV £16.99. G5RV £15.45. Morse Practice Oscillator £6.95. 2Mire Receive preamp £5.95 (Kil £3.99). G. C. Pattersen, 24 Portlough Road, Wore, Weston Super Mare BS22 0UX.

"RAYNET" YELLOW REFLECTIVE TABARDS with "RAYNET" front and rear similar to Police and Ambulance, etc. Also "RAYNET CONTRDOLLER" 2 sizes. Medium, £8.50. Large, £9.00 inc p.p. Details Mike Watson G8CPH, Ipswich (0473) 831448.

PERSONALISED DSL CARDS from £14.75 per 1000. Station logbooks £2.50. Samples 20p. Springfield, Springfield Avenue, Hanley, Huddersfield.

GWM RADID LTD 40/42 Parilla Road, Worthing, Sussex. Tel (0903) 34897. Many an oil bargains for callers. No lists. Pk welcome.

CHASSIS, 2 meter (W2GN), 70cm (K2RIW), £69.00. Valves, sockets, EHT modules, vacuum relays, 23cm slug tuner, P1FE rod/shoot. SAE to V. Gordon, 113 Pannid Lane, Oakdale, Poole BH15 3RS.

AERIALS, DIPLES, TRAPS, BALUNS. Data sheets 26p SAE. Aerial guide £1.00. (038 95) 215. G2DYM, Updownman, Davan EX16 7PH.

SOUTH WALES DWN ELECTRONIC surplus store now open at Electro Disposals, Llanas Workshops, Skewen, Neath, (0792) 818451.

USED AMATEUR EQUIPMENT bought, sold, exchanged. SAE for latest list. Secondhand price guide updated monthly; useful guide for buying/selling £2. ATU mods. Add Top Band to SEM, KW, etc. £6.50. Call Marilyn G4SUI, Geolar Enterprises, 112 Leeds Road, Millfield, West Yorks WF14 0JE. Tel. (0924) 495916. Personal callers by arrangement.

50mm (1651) AERIAL WIRE. Strong PVC covered copper only, £4.40 inc postage. W. H. Westlake, Claxton, Holsworthy, Devon.

J. BOYTON COMPONENTS G3HKE, Transistors, RF, AF, All types stocked or can be ordered. Also all values of capacitors and resistors. Send SAE to 3 Wenny Estate, Chatteris, Cambs PE16 6UX. Tel. (03543) 3051.

TOWER, TV TRIBANDER, FIVE BEDROOMED villa at end of co-ax. New 9 x 4 metre pool. Satellite TV. Solar hot water. Alarm system. Large lounge. Fully equipped kitchen. Two bathrooms. Barbecue, approx 1000 metres lovely garden. Double carport. Furnished. 8 kms North Alicante. £85,000. Worth near double in two years. Development of golf course, leisure facilities etc. Beautiful beach 3.5 kms. Phone Alicante 65. 49. 57.

QSL CARDS. Clear plastic hanging display wallets hold 20 large size cards. Pack of 3 £2.50. Viola Plastics, 36 Croll Road, Hastings, Sussex.

PCB'S ARTWORK, PRDTOTYPES, PRDDING by CAD. Fixed price area inc drills, solder screen, drill template, overlay SS-DS, RF and microwave placement. Send CD to DTL, 5-9 Portland Road, Luton, Beds. (0582) 458375. Fax-Tel Germany 06842 51736. Telex 265871 (Quote MAG 95167) for quote.

SAMSON EL-KEYERS make an ideal amateur's Christmas present. Models from £35.00 to £142.00 (memory model). Kent Twin paddle Key Kit, £38.50. S.A.E. details. G5BM, QTHR, (0531) 820960.

FREE ENERGY FROM THE WIND. Low voltage wind generators ideally suited for IP operation, expeditions, caravans, collages, etc. Models available for 12/24/36 volts. We also supply heat pumps and solar panels. Please send £1.50 for details (refundable against order).

A.E.S., The Strath, Priesland, Darvel, Ayrshire KA17 0LP. Tel (0560) 20553.

VALVES AT DISCOUNT PRICES. QCV06 40A (Mullard) £32.30. 5B255M (STC) £14.75. ECC91 (Mullard) £4.99. EL91 (Mullard) £6.25. M8081 (Mullard) £7.10. EL86 (Mullard) £1.35. 6F33 (STC) £14.50. EL360 (Mullard) £12.75. EY84 (Mullard) £7.25. Also limited stock of lolly tested equipment. 5B254M (STC) £8.50. 5B255M (STC) £8.75. QCV03-20A (Mullard) £10.00. Postage £1.00 any size order. All orders at 15% VAT. Cheque/PO with order to: The Valveco, 33 Barber Street, Eastwood, Notts. Access/Visa orders phone (0773) 760213.

RACAL 117E, SUPER CONDITION £395.00. Rees-Mace 60kHz — 32MHz receivers. All tested. £125.00 each. TFI44H4S signal generators, various oscilloscopes. New marine R/T's, VHF, 55 channel, £199.00. Scanners, 2M beams, 2,000 manuals, 8,000 new crystals. Largest stock in Cornwall, SSB Products, 42 Halvairas Road, Playing Place, Nr Truro. (0872) 862575. Ask for Norman G3EKX, SAE please.

## RSGB AMATEUR RADIO INSURANCE SCHEME

"ALL RISKS" INSURANCE for portable/mobile/base station amateur radio and ancillary equipment. A service for RSGB members only. Also public liability and equipment insurance for affiliated clubs and societies. Details and leaflets from Nick Gibson, Amateur Radio Insurance Services Ltd, 19 Duany Street, Guildford, Surrey. Tel: 0483 33771.

## COMPUTER SOFTWARE HARDWARE

G4UXD's REVIEW: TDDPPING MDRSE Program: June 1986 Radcam (improved). Election/BBC's. Variable speed/delay, extra letter frequency: every possible failure. £6.50 tape. £7.50 disc. D. Brandon, Woodlands Road, Chester CH4 8LB.

PACKET RADID by G4BMK for Dragon and Tandy Colour computers. User friendly powerful system fully compatible with the TNCs, mail boxes and gateways, but at a fraction of the cost. Built HF/VHF modem plus software on disk (Dragon) or ROM cartridge £99. Carriage £2. Options: HF Tuning Indicator £5, Watch Dog Timer £8. Add any other modes, RTTY, CW, SSTV in the same cartridge or disk for £10 each. AMTOR £20. Grosvenor Software, 2 Beacon Close, SEAFORD, Sussex, (0323) 893378.

IBN/ANSTRAD PC MDRSE TUDR £12. Contest worker £20. Others. SAE Charles Crane, 2 Pimento Drive, Earley RG6 2GZ.

CHRISTMAS PRICE MDRSE TUDR for Amstrad 464/664/6128. Toachos letters, numbers, punctuation, carlinentials, procedure. Random combinations, 5-number blacks. Increased December only: Tape/disc £5. Payable to 2.C.S., 70 Shenley Lane, BIRMINGHAM B29 5PN. Mail order.

PACKET RADIO WITH YOUR CDMDDORE 64/128. Modem kit VHF, HF operation, 12000, 300 baud selectable, tuning indicator, relay switching, 13.8v operation. PCB, circuit, instructions, all components, etc., less cae. £64.50. PCB, circuit, instructions, only £17.75. Free Packet program for the above, split screen, 26 memories. Disk at cassette. State which. Enquiries to: Procomm Systems, 71 Theabald Road, Norwich, Norfolk NR1 2NX. Tel. (0603) 618485.

## WANTED

PLATINUM, GOLD, SILVER SCRAP melted, assayed and paid for within 24 hours. Also pcb's, plugs, sockets, connectors, reed relays, plated items, rhodium, palladium, ruthenium, tantalum. Any quantity. Electronic scrap, catalysts, fuel cells, etc., etc. For custom prices phone (0773) 570143 (recording) or to sell phone (0773) 570141. Ask for Eric Henderson. He sending samples or parcels of materials, please use registered post. Steinbeck Refineries (UK) Ltd, Peasehill Industrial Estate, Ripley, Derbyshire DE5 3JG.

## HOLIDAY ACCOMMODATION

FLYING FROM GATWICK? Stay at Mill Lodge Guest House, 4 minutes from airport. Transport available. Telephone (0293) 771170.

SAN ANTONIO/IBIZA HOLIDAY FLAT. Rig for all bands available. Dieter DL7AEA, Box 73, 07820 San Antonio. Tel 003471 341138.

TORQUAY SELF-CONTAINED FLATS, Parking, TV, Linen, 2M co-linear, baby sitting. Linden House, Rickamore Road, Torquay (0803) 607333.

ANDORRA PYRENEES. As a change from working DX, why not be DX. Access by car to 9000ft. Mediterranean sunshine. Small friendly English run hotel, AA. RAC. Home cooking. Recommended by G4OK, A4XJK, G4WAD and G6JNS. Brochure: Tony and Jo Dixon, Hotel, Belvedere (RC), Encamp, Andorra. Tel: 010-33628 31263.

## MISCELLANEOUS

COURSE FOR CITY & GUILDS, Radio Amateurs Examination. Pass this important examination and obtain your licence, with an RRC Home Study Course. For details of this and other courses (GCSE, Career and professional examinations, etc) write or phone—THE RAPID RESULTS COLLEGE, Dept JT13, Tuition House, London SW19 4DS. Tel: 01-947 7272 (9am-5pm) or use our 24hr Recordcall service 01-946 1102 quoting JT13.

PROTECT YOURSELF FROM STAGGERING repair costs. A.R.M.S. will settle your bill in full. It costs nothing to get the facts, it could cost a packet not to... Remember, the Amateur Radio Maintenance Service contract starts where insurance leaves off. Details from Amateur Radio Maintenance Service, FREEPOST, Ormskirk, Lanc L39 3AB. No stamp required.

ANTENNA NEWSLETTER. A new monthly ideas forum for experimenters. Designs, news, comment £5/yr. SAE enquiries. A.N. 64 Galleys Lane, Barnat, Herts EN5 4AL.

THE SWINDON AND DISTRICT Amateur Radio Club will be holding a radio electronics and hobbies fair against a backdrop of the science museum exhibits at Wroughton Airfield, Swindon on May 8th 1988. Enquiries are invited for undercover trading space. Further details from (066 689) 307.

HEATHKIT UK spares and service centre. Cedar Electronics, Unit 12, Station Drive, Brodon, Tewkesbury, Gloucestershire. Telephone (0684) 73127.

PATENTS TRADE MARKS AND DESIGN — Booklets on request, Kings Patent Agency Ltd, Established 1866 (G.T. King MIMech, E.J.B. King regd. Patents Agents) — 146a Queen Victoria Street, London EC4V 5AT. Tel: 01-248 6161. Telex 883805.

## SITUATIONS VACANT

## RADIO ENGINEERS

Due to expansion we require junior/senior bench/field engineers to work with the very latest two way radio equipment. Write to or phone Larry.


**Craven & Findlay Ltd.**

Units 8/9/10, Adler Ind. Est. Betam Road,  
 Hayes, Middx UB3 1SS. 01-561 8334

# A.R.E. COMMUNICATIONS

## Kenwood TS-680S Transceiver

160m to 10m, including the 6 metres band. The new Kenwood TS-680S Transceiver is a full feature HF multimode transceiver, with a frequency range of 1.8-56 MHz. Not only does it include the new 6m Amateur band, it also has a general coverage receiver, 100 watts output between 1.8 and 30 MHz and 10 watts output on 6m. All this! And it is only the size of the old TS-440S! Available now. Price £995.00 including 6 metres.



## JST 125T from the Japan Radio Company

Now available ex-stock. The Fabulous JST 125T transceiver, 1.8 to 30 MHz including general coverage receiver, the JST 125T offers high performance in both operation and build quality. We are pleased to announce that the superb range of JRC equipment is now available from stock. Contact us now.

SAE for Colour leaflet.  
JST 125T from £1,395.00



## AMATEUR RADIO + COMPUTERS = PACKET RADIO an ideal combination!

Whether an experienced user of computers or one who wants to learn, Packet Radio and your home computer make an ideal introduction.

Just tune into 144.650 and hear the endless activity or 14.100 for rare dx.

Save messages for other users in "mailbox", have multi-way QSO's, or hop from station to station using "Digipeat" facility.

All that is required is a "TNC", (Terminal node controller), a computer (BBC, SINCLAIR, IBM PC, AMSTRAD, COMMODORE etc.), simple connecting cables and some software.

At excellent value we have available ex-stock the PAC-COMM TNC 220 for PACKET only at £159.00 (plus I/F cable) including free software for IBM/BBC/AMSTRAD/COMMODORE.

The top of the range is the AEA PK-232 PAKRATT, 6 mode RTTY, AMTOR, PACKET, CW MORSE and FAX. Supplied with all interface cables necessary to get you going. You have never experienced a communication terminal like this! Only £268.95 (Software extra).

A.R.E. can also supply the full range of AMSTRAD 1512/1640 and PCW computers.

PHONE OR WRITE YOUR ORDER  
THROUGH TODAY.



Brenda G4VXL

We would like to wish all  
our friends and customers  
a Happy Christmas  
and a Healthy New Year.



Bernie G4AOC

London Tel: 01-997 4476

Merseyside Tel: 09252 29881


## Tokyo Hy-Power HT-100 HF Single banders

Now available from A.R.E. on an exclusive basis, the new HT-100 series of ssb/cw transceivers. Only fractionally larger than a 2m mobile, the HT-100 is the ideal transceiver for operating in the car or at home. Available on 80/40/20/15 or 10 metres, the HT-100 would make an ideal QRP station or as a prime mover for transverting or driving a linear amplifier.

How about treating yourself to  
an ideal Christmas present?

Or, drop a hint to the XYL!!

Available now at only  
£299.00.



# NEW

## Yaesu FT 736R

At last! Yaesu have decided that their VHF/UHF reigning champion, the FT 726R, should be replaced. The new FT 736R has so many advanced features, it would probably take two pages of advertising to list them all! As usual A.R.E. can offer this superb piece of equipment, covering 6m, 2m, 70cm and 23cm Amateur Bands at a huge saving over list price. Please phone for your own special A.R.E. super deal.

London Tel: 01-997 4476 Merseyside Tel: 09252 29881

## The New Yaesu FT767GX M

All HF + 2m/6m/70cm + Gen Cw, Multimode, Semi-duplex, Keyer, Tracking 2 VFO's Ten memories, Notch/IF shift, Audio peak Filter, CW filter etc, etc.

Odds are you have seen one or worked someone using one, either on HF or 2m/6m/70cm. The new FT767GX M. We're so impressed, all the licensed operators at A.R.E. have one! We believe we have probably supplied more FT767GX M's than any other retailer. WHY? Our unprintable part-exchange or cash prices — that's why!

Phone now for your special A.R.E. super deal. SAE for colour leaflet.



Plus 2m or 6m module (worth  
£169 fitted free!)

Now available with A.R.E. MODS  
IMPROVING SYNTHESIZER PERFORMANCE  
Merseyside Tues/Sat 10.00 to 5.00



A.R.E. Communications Limited, 6 Royal Parade,  
Hanger Lane, Ealing, London W5A 1ET, England  
Professional Tel: 01-997 4476 Fax: 01-991 2565

A.R.E. Communications Limited, 38 Bridge Street,  
Earlestown, Newton-Le-Willows, Merseyside WA12 9BA  
Amateur Tel: 09252 29881 Fax: 01-991 2565




Opening Hours

London Mon/Fri 9.30 to 5.30

Merseyside

Tues/Sat 10.00 to 5.00



# Finally, an HT that's built to take the realities of life.

Let's face it. It's easy to bump, drop, or get rain on a portable. But if *your* portable is Yaesu's mini 2-meter FT-23R or 70 cms FT-73R, such mishaps are a lot less worrisome. They're built to last, with rugged aluminium-alloy cases that prove themselves reliable in a one-meter drop test onto solid concrete. Plus, their moisture-resistant seals really help keep the rain out.


**Built for the realities of operating.** Despite their miniature size, both radios have all the operating capabilities of larger microprocessor-controlled portables. Yet operating them couldn't be easier. Consider: You get a 7.2-volt, 2-watt battery pack. (Optionally, a 12-volt, 5-watt pack, or 7.2-volt miniature 2-watt pack.) 10 memories that store frequency, and offset. (7 memories can store odd splits.) Memory scan at 2 frequencies per second. Band scan at 10 frequencies per second. Tx offset storage. Priority channel scan. Tuning via tuning knob, or up/down buttons. LCD power output and "S"-meter display. Battery saver

circuit. Push-button squelch override. Eight-key control pad. Keypad lock. High/low power switch ( $\frac{1}{2}$  watt on low power.) Options available: Dry cell battery case for 6 AAA-size cells. Dry cell battery case for 6 AAA-size cells. DC car adapter/charger.

Mobile hanger bracket. External speaker/microphone. And much more. So get the intelligent mini that's built for life's realities. Yaesu's 2-meter FT-23R, or 70 cms FT-73R.



Radios above shown actual size.



# YAESU

*South Midlands Communications  
S.M. House, School Close,  
Chandlers Ford Industrial Estate,  
Eastleigh, Hants SO5 3BY  
Tel: (0703) 255111  
UK Sole Distributor*

*Prices and specifications subject to change without notice.*